



PEN188C: Nova Industrial Cage Pendant



SPECIFICATIONS

Luminaire Colour Black / White
Dimensions 445mm (D) x 265mm (H)
Installation Type
Ingress Protection 20
Material Aluminium
Light Source LED COB or E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PEN188C.11.3K	3000K 1676 Lumens 11.58 Watts 350mA
PEN188C.16.3K	3000K 2333 Lumens 16.90 Watts 500mA
PEN188C.24.3K	3000K 3149 Lumens 24.41 Watts 700mA
PEN188C.11.4K	4000K 1729 Lumens 11.60 Watts 350mA
PEN188C.16.4K	4000K 2403 Lumens 16.92 Watts 500mA
PEN188C.24.4K	4000K 3242 Lumens 24.38 Watts 700mA
PEN188C.E27	E27 100W Max



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za

PEN439: PN Pendant



SPECIFICATIONS

Luminaire Colour	Satin Black Exterior / Satin White Interior
Dimensions	400mm (D) x 270mm (H)
Installation Type	
Ingress Protection	20
Material	Aluminium
Light Source	COB LED or E27
Power Supply	220-240V 50-60Hz

PRODUCT CODES

PEN439.11.3K	3000K 1676 Lumens 11.58 Watts 350mA
PEN439.16.3K	3000K 2333 Lumens 16.90 Watts 500mA
PEN439.24.3K	3000K 3149 Lumens 24.41 Watts 700mA
PEN439.11.4K	4000K 1729 Lumens 11.60 Watts 350mA
PEN439.16.4K	4000K 2403 Lumens 16.92 Watts 500mA
PEN439.24.4K	4000K 3242 Lumens 24.38 Watts 700mA
PEN439.E27	E27 100W Max



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PEN514: LED Pendant



SPECIFICATIONS

Luminaire Colour Ferrogain Black / Matte White
Dimensions 300mm (D) x 300mm (H)
Installation Type
Ingress Protection 20
Material Aluminium
Light Source COB LED
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PEN514.11.3K	3000K 1676 Lumens 11.58 Watts 350mA
PEN514.16.3K	3000K 2333 Lumens 16.90 Watts 500mA
PEN514.24.3K	3000K 3149 Lumens 24.41 Watts 700mA
PEN514.11.4K	4000K 1729 Lumens 11.60 Watts 350mA
PEN514.16.4K	4000K 2403 Lumens 16.92 Watts 500mA
PEN514.24.4K	4000K 3242 Lumens 24.38 Watts 700mA
PEN514.E27	E27 100W Max



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PEN524: LED Tube Light



SPECIFICATIONS

Luminaire Colour	Powder Coated Metallic Silver Grey
Dimensions	Ø32mm x 1,000mm
Installation Type	Surface Mounted
Ingress Protection	IP20 or IP68
Material	Aluminium, Mild-Steel
Light Source	24V LED 3000K 9.6W/m or 14.8W/m (Dimmable or Non-Dimmable)
Power Supply	220-240V AC 50-60Hz

PRODUCT CODES

PEN524

Ø32mm x 1,000mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PEN525: LED Halo Pendant



SPECIFICATIONS

Luminaire Colour	Powder Coated Matt White
Dimensions	Ø300mm x 90mm
Installation Type	Surface Mounted
Ingress Protection	IP20
Material	Steel
Light Source	24V DC LED Strip
Power Supply	220-240V AC 50-60Hz

PRODUCT CODES

PEN526

Ø300mm x 90mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PEN526: 3 Ring Chandelier



SPECIFICATIONS

Luminaire Colour	Powder Coated Matt White
Dimensions	Ø2400mm x 200mm
Installation Type	Surface Mounted
Ingress Protection	IP20
Material	Aluminium & Steel
Light Source	24V RGB LED Strip
Power Supply	220-240V AC 50-60Hz

PRODUCT CODES

PEN526

Ø2400mm x 200mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za