

## AL01.1: Bathroom Wall Light



### SPECIFICATIONS

Luminaire Colour Polished Stainless Steel  
Dimensions 600mm Length x 100mm Width  
Installation Type  
Ingress Protection 20  
Material Stainless Steel  
Light Source Tridonic integrated SMD LED 15.56W 350mA 2,768 lm  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

**AL01.1**

Polished Stainless Steel



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za

## AL02.1: Suspended Acrylic Light



### SPECIFICATIONS

Luminaire Colour Brushed Aluminium  
 Dimensions 1600mm (L) x Top: 100mm x 100mm x 400mm Long, Bottom: 100mm x 100mm x 1200mm  
 Installation Type  
 Ingress Protection 20  
 Material Aluminium & Perspex  
 Light Source 4x 36 LED Tubes  
 Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>AL02.1</b>	100mm square 4x 36W LED
<b>AL02.2</b>	200mm square 2x 28W LED
<b>AL02.3</b>	300mm square 2x 54W LED



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
 Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
[sales@arclighting.co.za](mailto:sales@arclighting.co.za) | [www.arclighting.co.za](http://www.arclighting.co.za)



## AL03: Acrylic Tubed Light



### SPECIFICATIONS

Luminaire Colour Saturn Ice Perspex / Brushed Aluminium End Caps  
Dimensions 100mm Diameter x 1250 or 1550mm Length  
Installation Type  
Ingress Protection 20  
Material Perspex & Aluminium  
Light Source 2x 18w LED  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

**AL03**

Saturn Ice / Brushed Aluminium



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za

## AL02.2: Suspended Acrylic Light



### SPECIFICATIONS

Luminaire Colour Saturn Ice  
Dimensions 200mm Length x 200mm Width x 1250mm Height  
Installation Type  
Ingress Protection 20  
Material Acrylic & Aluminium  
Light Source x2 28W LED  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>AL02.1</b>	100mm square 4x 36W LED
<b>AL02.2</b>	200mm square 2x 28W LED
<b>AL02.3</b>	300mm square 2x 54W LED



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za

## AL01.2: Bridged Bathroom Wall Light



### SPECIFICATIONS

Luminaire Colour	Polished Stainless Steel
Dimensions	600mm x 100mm
Installation Type	Surface Mounted
Ingress Protection	IP20
Material	Stainless Steel
Light Source	Tridonic integrated SMD LED 15.56W 350mA 2,768 lm
Power Supply	220-240V AC   50-60Hz

### PRODUCT CODES

**AL01.2**

600mm x 100mm



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za