

GALVANISED STEEL POLE STRAIGHT

MODEL NUMBER

GP114BA2.5H

SPECIFICATIONS

Body: Galvanised Steel


Mounting: Buried or Plinth Mounted

Finish: Raw or Powder coated


Accessories: Access door and bolt cage

Features:

- Pole designs are in accordance with SABS 0225 specification.
- All products manufactured are Hot Dip Galvanised by a SABS approved Galvaniser in accordance with SANS 14713, SANS 121 and SANS 32 (NHD Mech).
- Certificates of galvanising compliance can be issued upon request.
- All poles are manufactured from Grade S 355 steel manufactured in accordance with SANS specification.
- All products are galvanised prior to Powder Coating.
- Materials: hot rolled round tubing 76.2øx3 S355MH, anchor & base plate.
- Colours: Galvanized (H), Black (K), White (W), Bespoke Colour (Z)



Galvanised Steel Pole 1 Step 114mm ø & 76mm ø



GP114BA – BURIED											
TYPE	PH1	PH2	PH3	PH4	PH5	PH6	PH7	D1	D2	IB	CE
2.5m MH	3,000	2,500	1,500	1,000	500	250	750	76	114	200x75	100x60
3m MH	3,500	3,000	1,500	1,500	500	250	750	76	114	200x75	100x60
4m MH	4,500	4,000	2,500	1,500	500	250	750	76	114	200x75	100x60
5m MH	6,000	5,000	2,000	2,000	1,000	500	750	76	114	200x75	100x60
6m MH	7,000	6,000	3,000	3,000	1,000	500	750	76	114	200x75	100x60
7m MH	8,000	7,000	2,800	4,000	1,200	800	750	76	114	200x75	100x60
8m MH	9,000	8,000	2,800	5,000	1,200	800	750	76	114	200x75	100x60
9m MH	10,000	9,000	4,800	4,000	1,200	800	750	76	114	200x75	100x60
10m MH	11,000	10,000	4,800	5,000	1,200	800	750	76	114	200x75	100x60
11m MH	12,000	11,000	4,800	6,000	1,200	800	750	76	114	200x75	100x60

* Example code for buried: GP76BA2.5H, GP76BA3H, GP76BA4H, GP76BA5H

GP114PA - PLINTH MOUNTED									
TYPE	PH1	PH2	PH3	PH4	D1	D2	IB	BP	BC
2.5m MH	2,500	750	1,500	1,000	76	114	200x75	300x300	M12-600
3m MH	3,000	750	2,000	1,000	76	114	200x75	300x300	M12-600
4m MH	4,000	750	3,000	1,000	76	114	200x75	300x300	M12-600
5m MH	5,000	750	3,000	2,000	76	114	200x75	300x300	M16-650
6m MH	6,000	750	3,000	3,000	76	114	200x75	300x300	M16-650
7m MH	7,000	750	4,000	3,000	76	114	200x75	350x350	M16-650
8m MH	8,000	750	5,000	3,000	76	114	200x75	350x350	M20-750
9m MH	9,000	750	5,000	4,000	76	114	200x75	350x350	M20-750
10m MH	10,000	750	6,000	4,000	76	114	200x75	350x350	M20-750
11m MH	11,000	750	6,000	5,000	76	114	200x75	350x350	M20-750

* Example code for plinth mounted: GP76PA1H, GP76PA2H, GP76PA2.5H, GP76PA3H, GP76PA4H, GP76PA5H, GP76PA6H