

# GALVANISED STEEL POLE STRAIGHT

## MODEL NUMBER

**GP114BA10H**

## SPECIFICATIONS

**Body:** Galvanised Steel


**Mounting:** Buried or Plinth Mounted

**Finish:** Raw or Powder coated


**Accessories:** Access door and bolt cage

### **Features:**

- Pole designs are in accordance with SABS 0225 specification.
- All products manufactured are Hot Dip Galvanised by a SABS approved Galvaniser in accordance with SANS 14713, SANS 121 and SANS 32 (NHD Mech).
- Certificates of galvanising compliance can be issued upon request.
- All poles are manufactured from Grade S 355 steel manufactured in accordance with SANS specification.
- All products are galvanised prior to Powder Coating.
- Materials: hot rolled round tubing 76.2øx3 S355MH, anchor & base plate.
- Colours: Galvanized (H), Black (K), White (W), Bespoke Colour (Z)



## Galvanised Steel Pole 1 Step 114mm ø & 76mm ø



| GP114BA – BURIED |        |        |       |       |       |     |     |    |     |        |        |
|------------------|--------|--------|-------|-------|-------|-----|-----|----|-----|--------|--------|
| TYPE             | PH1    | PH2    | PH3   | PH4   | PH5   | PH6 | PH7 | D1 | D2  | IB     | CE     |
| 2.5m MH          | 3,000  | 2,500  | 1,500 | 1,000 | 500   | 250 | 750 | 76 | 114 | 200x75 | 100x60 |
| 3m MH            | 3,500  | 3,000  | 1,500 | 1,500 | 500   | 250 | 750 | 76 | 114 | 200x75 | 100x60 |
| 4m MH            | 4,500  | 4,000  | 2,500 | 1,500 | 500   | 250 | 750 | 76 | 114 | 200x75 | 100x60 |
| 5m MH            | 6,000  | 5,000  | 2,000 | 2,000 | 1,000 | 500 | 750 | 76 | 114 | 200x75 | 100x60 |
| 6m MH            | 7,000  | 6,000  | 3,000 | 3,000 | 1,000 | 500 | 750 | 76 | 114 | 200x75 | 100x60 |
| 7m MH            | 8,000  | 7,000  | 2,800 | 4,000 | 1,200 | 800 | 750 | 76 | 114 | 200x75 | 100x60 |
| 8m MH            | 9,000  | 8,000  | 2,800 | 5,000 | 1,200 | 800 | 750 | 76 | 114 | 200x75 | 100x60 |
| 9m MH            | 10,000 | 9,000  | 4,800 | 4,000 | 1,200 | 800 | 750 | 76 | 114 | 200x75 | 100x60 |
| 10m MH           | 11,000 | 10,000 | 4,800 | 5,000 | 1,200 | 800 | 750 | 76 | 114 | 200x75 | 100x60 |
| 11m MH           | 12,000 | 11,000 | 4,800 | 6,000 | 1,200 | 800 | 750 | 76 | 114 | 200x75 | 100x60 |

\* Example code for buried: GP76BA2.5H, GP76BA3H, GP76BA4H, GP76BA5H

| GP114PA - PLINTH MOUNTED |        |     |       |       |    |     |        |         |         |
|--------------------------|--------|-----|-------|-------|----|-----|--------|---------|---------|
| TYPE                     | PH1    | PH2 | PH3   | PH4   | D1 | D2  | IB     | BP      | BC      |
| 2.5m MH                  | 2,500  | 750 | 1,500 | 1,000 | 76 | 114 | 200x75 | 300x300 | M12-600 |
| 3m MH                    | 3,000  | 750 | 2,000 | 1,000 | 76 | 114 | 200x75 | 300x300 | M12-600 |
| 4m MH                    | 4,000  | 750 | 3,000 | 1,000 | 76 | 114 | 200x75 | 300x300 | M12-600 |
| 5m MH                    | 5,000  | 750 | 3,000 | 2,000 | 76 | 114 | 200x75 | 300x300 | M16-650 |
| 6m MH                    | 6,000  | 750 | 3,000 | 3,000 | 76 | 114 | 200x75 | 300x300 | M16-650 |
| 7m MH                    | 7,000  | 750 | 4,000 | 3,000 | 76 | 114 | 200x75 | 350x350 | M16-650 |
| 8m MH                    | 8,000  | 750 | 5,000 | 3,000 | 76 | 114 | 200x75 | 350x350 | M20-750 |
| 9m MH                    | 9,000  | 750 | 5,000 | 4,000 | 76 | 114 | 200x75 | 350x350 | M20-750 |
| 10m MH                   | 10,000 | 750 | 6,000 | 4,000 | 76 | 114 | 200x75 | 350x350 | M20-750 |
| 11m MH                   | 11,000 | 750 | 6,000 | 5,000 | 76 | 114 | 200x75 | 350x350 | M20-750 |

\* Example code for plinth mounted: GP76PA1H, GP76PA2H, GP76PA2.5H, GP76PA3H, GP76PA4H, GP76PA5H, GP76PA6H