



## RBP14095BA: Rectangular Base Plate

 rbp14095ba

### SPECIFICATIONS

Luminaire Colour Brushed Aluminium  
Dimensions 1400mm (L) x 950mm (W)  
Installation Type  
Ingress Protection  
Material Aluminium  
Light Source  
Power Supply

### PRODUCT CODES

**RBP\*\*\*\*BA**

E.g. RBP14095BA (140cm x 95cm) Brushed Aluminium



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## TBP1007070: Triangular Base

tbp1007070

### SPECIFICATIONS

Luminaire Colour RN Silver  
Dimensions 1000mm x 700mm x 700mm  
Installation Type  
Ingress Protection  
Material Aluminium & Mild-Steel  
Light Source  
Power Supply

### PRODUCT CODES

**TBP\*\*\*\*\***

E.g. TBP1007070 (100cm x 70cm x 70cm)



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## RBP1008BA: Rectangular Base Plate (80mm Channel)

 rbp1008ba

### SPECIFICATIONS

Luminaire Colour Brushed Aluminium  
Dimensions 1000mm x 80mm  
Installation Type  
Ingress Protection  
Material Aluminium  
Light Source  
Power Supply

### PRODUCT CODES

**RBP\*\*\*8BA**

E.g. RBP1008BA (100cm x 8cm) Brushed Aluminium



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## RCB80MK: Round Ceiling Cup



### SPECIFICATIONS

Luminaire Colour Black RAL 9005  
Dimensions 80mm (D) x 20mm (H)  
Installation Type Surface Mounted  
Ingress Protection  
Material Aluminium  
Light Source  
Power Supply

### PRODUCT CODES

<b>RCB50</b>	Ø50mm (D) x 20mm (H) (25mm Maximum)
<b>RCB60</b>	Ø60mm (D) x 20mm High (65 Maximum)
<b>RCB80</b>	Ø80mm (D) x 20mm High (25mm Maximum)
<b>RCB100</b>	Ø100mm (D) x 20mm High (107mm Maximum)
<b>RCB115</b>	Ø115mm (D) x 20mm High (50mm Maximum)
<b>RCB120</b>	Ø120mm (D) x 20mm High
<b>RCB130</b>	Ø130mm (D) x 20mm High (39mmmm Maximum)
<b>RCB150</b>	Ø150mm (D) x 20mm High (55mm Maximum)
<b>RCB190</b>	Ø190mm (D) x 20mm High (85mm Maximum)
<b>RCB200</b>	Ø200mm (D) x 20mm High (70mm Maximum)
<b>RCB220</b>	Ø220mm (D) x 20mm High (40mm Maximum)
<b>RCB250</b>	Ø250mm (D) x 20mm High (53mm Maximum)
<b>RCB300</b>	Ø300mm (D) x 20mm High (55mm Maximum)
<b>RCB340</b>	Ø340mm (D) x 20mm High
<b>RCB400</b>	Ø400mm (D) x 20mm High (85mm Maximum)
<b>RCB500</b>	Ø500mm (D) x 20mm High
<b>RCB540</b>	Ø540mm (D) x 20mm High
<b>RCB600</b>	Ø600mm (D) x 20mm High
<b>RCB650</b>	Ø650mm (D) x 20mm High (120mm Maximum)

**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za





## RCB80W: Round Ceiling Cup



### SPECIFICATIONS

Luminaire Colour Matte White  
Dimensions 80mm (D) x 20mm (H)  
Installation Type  
Ingress Protection  
Material Aluminium  
Light Source  
Power Supply

### PRODUCT CODES

<b>RCB50</b>	50mm Diameter x 20mm High (25mm Maximum)
<b>RCB60</b>	60mm Diameter x 20mm High (65 Maximum)
<b>RCB80</b>	80mm Diameter x 20mm High (25mm Maximum)
<b>RCB100</b>	100mm Diameter x 20mm High (107mm Maximum)
<b>RCB115</b>	115mm Diameter x 20mm High (50mm Maximum)
<b>RCB120</b>	120mm Diameter x 20mm High
<b>RCB130</b>	130mm Diameter x 20mm High (39mmmm Maximum)
<b>RCB150</b>	150mm Diameter x 20mm High (55mm Maximum)
<b>RCB190</b>	190mm Diameter x 20mm High (85mm Maximum)
<b>RCB200</b>	200mm Diameter x 20mm High (70mm Maximum)
<b>RCB220</b>	220mm Diameter x 20mm High (40mm Maximum)
<b>RCB250</b>	250mm Diameter x 20mm High (53mm Maximum)
<b>RCB300</b>	300mm Diameter x 20mm High (55mm Maximum)
<b>RCB340</b>	340mm Diameter x 20mm High
<b>RCB400</b>	400mm Diameter x 20mm High (85mm Maximum)
<b>RCB500</b>	500mm Diameter x 20mm High
<b>RCB540</b>	540mm Diameter x 20mm High
<b>RCB600</b>	600mm Diameter x 20mm High
<b>RCB650</b>	650mm Diameter x 20mm High (120mm Maximum)

**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za





# RCB250W: Round Ceiling Cup



## SPECIFICATIONS

Luminaire Colour Matte White  
 Dimensions 250mm (D) x 20mm (H)  
 Installation Type  
 Ingress Protection  
 Material Aluminium  
 Light Source  
 Power Supply

## PRODUCT CODES

<b>RCB50</b>	50mm Diameter x 20mm High (25mm Maximum)
<b>RCB60</b>	60mm Diameter x 20mm High (65 Maximum)
<b>RCB80</b>	80mm Diameter x 20mm High (25mm Maximum)
<b>RCB100</b>	100mm Diameter x 20mm High (107mm Maximum)
<b>RCB115</b>	115mm Diameter x 20mm High (50mm Maximum)
<b>RCB120</b>	120mm Diameter x 20mm High
<b>RCB130</b>	130mm Diameter x 20mm High (39mmmm Maximum)
<b>RCB150</b>	150mm Diameter x 20mm High (55mm Maximum)
<b>RCB190</b>	190mm Diameter x 20mm High (85mm Maximum)
<b>RCB200</b>	200mm Diameter x 20mm High (70mm Maximum)
<b>RCB220</b>	220mm Diameter x 20mm High (40mm Maximum)
<b>RCB250</b>	250mm Diameter x 20mm High (53mm Maximum)
<b>RCB300</b>	300mm Diameter x 20mm High (55mm Maximum)
<b>RCB340</b>	340mm Diameter x 20mm High
<b>RCB400</b>	400mm Diameter x 20mm High (85mm Maximum)
<b>RCB500</b>	500mm Diameter x 20mm High
<b>RCB540</b>	540mm Diameter x 20mm High
<b>RCB600</b>	600mm Diameter x 20mm High
<b>RCB650</b>	650mm Diameter x 20mm High (120mm Maximum)

**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za





# RCB340SC: Round Ceiling Cup



## SPECIFICATIONS

Luminaire Colour Shiny Chrome  
 Dimensions 340mm (D) x 20mm (H)  
 Installation Type  
 Ingress Protection  
 Material Aluminium  
 Light Source  
 Power Supply

## PRODUCT CODES

<b>RCB50</b>	50mm Diameter x 20mm High (25mm Maximum)
<b>RCB60</b>	60mm Diameter x 20mm High (65 Maximum)
<b>RCB80</b>	80mm Diameter x 20mm High (25mm Maximum)
<b>RCB100</b>	100mm Diameter x 20mm High (107mm Maximum)
<b>RCB115</b>	115mm Diameter x 20mm High (50mm Maximum)
<b>RCB120</b>	120mm Diameter x 20mm High
<b>RCB130</b>	130mm Diameter x 20mm High (39mmmm Maximum)
<b>RCB150</b>	150mm Diameter x 20mm High (55mm Maximum)
<b>RCB190</b>	190mm Diameter x 20mm High (85mm Maximum)
<b>RCB200</b>	200mm Diameter x 20mm High (70mm Maximum)
<b>RCB220</b>	220mm Diameter x 20mm High (40mm Maximum)
<b>RCB250</b>	250mm Diameter x 20mm High (53mm Maximum)
<b>RCB300</b>	300mm Diameter x 20mm High (55mm Maximum)
<b>RCB340</b>	340mm Diameter x 20mm High
<b>RCB400</b>	400mm Diameter x 20mm High (85mm Maximum)
<b>RCB500</b>	500mm Diameter x 20mm High
<b>RCB540</b>	540mm Diameter x 20mm High
<b>RCB600</b>	600mm Diameter x 20mm High
<b>RCB650</b>	650mm Diameter x 20mm High (120mm Maximum)


**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
 Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
 sales@arclighting.co.za | www.arclighting.co.za





## RCB250BB: Round Ceiling Cup



### SPECIFICATIONS

Luminaire Colour Brushed Brass  
Dimensions 250mm (D) x 20mm (H)  
Installation Type  
Ingress Protection  
Material Aluminium  
Light Source  
Power Supply

### PRODUCT CODES

<b>RCB50</b>	50mm Diameter x 20mm High (25mm Maximum)
<b>RCB60</b>	60mm Diameter x 20mm High (65 Maximum)
<b>RCB80</b>	80mm Diameter x 20mm High (25mm Maximum)
<b>RCB100</b>	100mm Diameter x 20mm High (107mm Maximum)
<b>RCB115</b>	115mm Diameter x 20mm High (50mm Maximum)
<b>RCB120</b>	120mm Diameter x 20mm High
<b>RCB130</b>	130mm Diameter x 20mm High (39mmmm Maximum)
<b>RCB150</b>	150mm Diameter x 20mm High (55mm Maximum)
<b>RCB190</b>	190mm Diameter x 20mm High (85mm Maximum)
<b>RCB200</b>	200mm Diameter x 20mm High (70mm Maximum)
<b>RCB220</b>	220mm Diameter x 20mm High (40mm Maximum)
<b>RCB250</b>	250mm Diameter x 20mm High (53mm Maximum)
<b>RCB300</b>	300mm Diameter x 20mm High (55mm Maximum)
<b>RCB340</b>	340mm Diameter x 20mm High
<b>RCB400</b>	400mm Diameter x 20mm High (85mm Maximum)
<b>RCB500</b>	500mm Diameter x 20mm High
<b>RCB540</b>	540mm Diameter x 20mm High
<b>RCB600</b>	600mm Diameter x 20mm High
<b>R</b>	650mm Diameter x 20mm High (120mm Maximum)

**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za





## RCB250BC: Round Ceiling Cup



### SPECIFICATIONS

Luminaire Colour Brushed Cooper  
Dimensions 250mm (D) x 20mm (H)  
Installation Type  
Ingress Protection  
Material Aluminium  
Light Source  
Power Supply

### PRODUCT CODES

<b>RCB50</b>	50mm Diameter x 20mm High (25mm Maximum)
<b>RCB60</b>	60mm Diameter x 20mm High (65 Maximum)
<b>RCB80</b>	80mm Diameter x 20mm High (25mm Maximum)
<b>RCB100</b>	100mm Diameter x 20mm High (107mm Maximum)
<b>RCB115</b>	115mm Diameter x 20mm High (50mm Maximum)
<b>RCB120</b>	120mm Diameter x 20mm High
<b>RCB130</b>	130mm Diameter x 20mm High (39mmmm Maximum)
<b>RCB150</b>	150mm Diameter x 20mm High (55mm Maximum)
<b>RCB190</b>	190mm Diameter x 20mm High (85mm Maximum)
<b>RCB200</b>	200mm Diameter x 20mm High (70mm Maximum)
<b>RCB220</b>	220mm Diameter x 20mm High (40mm Maximum)
<b>RCB250</b>	250mm Diameter x 20mm High (53mm Maximum)
<b>RCB300</b>	300mm Diameter x 20mm High (55mm Maximum)
<b>RCB340</b>	340mm Diameter x 20mm High
<b>RCB400</b>	400mm Diameter x 20mm High (85mm Maximum)
<b>RCB500</b>	500mm Diameter x 20mm High
<b>RCB540</b>	540mm Diameter x 20mm High
<b>RCB600</b>	600mm Diameter x 20mm High
<b>RCB650</b>	650mm Diameter x 20mm High (120mm Maximum)

**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za





## SMB002: Surface Mount base for LED Panel Light



### SPECIFICATIONS

Luminaire Colour White  
Dimensions 1200mm x 300mm  
Installation Type Surface Mounted  
Ingress Protection N/A  
Material Mild Steel  
Light Source N/A  
Power Supply N/A

### PRODUCT CODES

<b>SMB001</b>	600mm x 600mm x 45mm
<b>SMB002</b>	1200mm x 300mm x 45mm
<b>SMB003</b>	1200mm x 600mm x 45mm
<b>SMB004</b>	600mm x 300mm x 45mm



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## PCEILBA: Ripple Ceiling Cup



### SPECIFICATIONS

Luminaire Colour Brushed Aluminium

Dimensions

Installation Type

Ingress Protection

Material

Light Source

Power Supply

### PRODUCT CODES

**PCEIL\***

\*Body Finish Code Brushed Aluminium (BA), Black (K), White (W)



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za