



## DLH01: Horizontal Recess Downlighter



### SPECIFICATIONS

Luminaire Colour White Trim/Silver Anodized Reflector  
Dimensions 150mm Cutout  
Installation Type  
Ingress Protection 20  
Material Aluminium  
Light Source E27  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>DLH01</b>	100W ES White Trim/Silver Anodised Reflector
<b>DLH01SP</b>	100W ES White Trim/Silver Anodised Reflector - Splashproof
<b>DLH01EMR</b>	100W ES Emery Trim/Silver Anodised Reflector
<b>DLH01EMRSP</b>	100W ES Emery Trim/Silver Anodised Reflector - Splashproof



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



# DLH01SP: Horizontal Recess Downlighter - Splashproof Fitting



## SPECIFICATIONS

Luminaire Colour White Trim/Silver Anodised Reflector  
Dimensions 150mm Cutout  
Installation Type  
Ingress Protection 20  
Material Aluminium  
Light Source E27  
Power Supply 220-240V 50-60Hz

## PRODUCT CODES

<b>DLH01</b>	100W ES White Trim/Silver Anodised Reflector
<b>DLH01SP</b>	100W ES White Trim/Silver Anodised Reflector - Splashproof
<b>DLH01EMR</b>	100W ES Emery Trim/Silver Anodised Reflector
<b>DLH01EMRSP</b>	100W ES Emery Trim/Silver Anodised Reflector - Splashproof




**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



# DLH11SP: Horizontal Recess Downlighter



## SPECIFICATIONS

Luminaire Colour White Trim/Silver Anodized Reflector  
 Dimensions 195mm Cutout  
 Installation Type  
 Ingress Protection 20  
 Material Aluminium  
 Light Source 2PL13W  
 Power Supply 220-240V 50-60Hz

## PRODUCT CODES

<b>DLH17</b>	100W ES White Trim/Silver Anodised Reflector
<b>DLH17SP</b>	100W ES White Trim/Silver Anodised Reflector - Splashproof
<b>DLH17EMR</b>	100W ES Emery Trim/Silver Anodised Reflector
<b>DLH17EMRSP</b>	100W ES Emery Trim/Silver Anodised Reflector - Splashproof
<b>DLH08</b>	1PL9W White Trim/Silver Anodised Reflector
<b>DLH08SP</b>	1PL9W White Trim/Silver Anodised Reflector - Splashproof
<b>DLH09</b>	2PL9W White Trim/Silver Anodised Reflector
<b>DLH09SP</b>	2PL9W White Trim/Silver Anodised Reflector - Splashproof
<b>DLH10</b>	1PL13W White Trim/Silver Anodised Reflector
<b>DLH10SP</b>	1PL13W White Trim/Silver Anodised Reflector - Splashproof
<b>DLH11</b>	2PL13W White Trim/Silver Anodised Reflector
<b>DLH11SP</b>	2PL13W White Trim/Silver Anodised Reflector - Splashproof
<b>DLH12</b>	1PL18W White Trim/Silver Anodised Reflector
<b>DLH12SP</b>	1PL18W White Trim/Silver Anodised Reflector - Splashproof
<b>DLH13</b>	2PL18W White Trim/Silver Anodised Reflector
<b>DLH13SP</b>	2PL18W White Trim/Silver Anodised Reflector - Splashproof
<b>DLH14</b>	1PL26W White Trim/Silver Anodised Reflector
<b>DLH14SP</b>	1PL26W White Trim/Silver Anodised Reflector - Splashproof
<b>DLH15</b>	2PL26W White Trim/Silver Anodised Reflector
<b>DLH15SP</b>	2PL26W White Trim/Silver Anodised Reflector - Splashproof

**ARC Lighting CC**

12 Goodwood Crescent, Brackenford Industrial, Cape Town, 7560, South Africa


Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za





# DLH14SP: Horizontal Recess Downlighter - Spalshproof



## SPECIFICATIONS

Luminaire Colour Brushed Aluminium  
 Dimensions 195mm Cutout  
 Installation Type  
 Ingress Protection 20  
 Material Aluminium  
 Light Source 1PL26W. Electronic or Magnetic  
 Power Supply 220-240V 50-60Hz

## PRODUCT CODES

<b>DLH17</b>	100W ES White Trim/Silver Anodised Reflector
<b>DLH17SP</b>	100W ES White Trim/Silver Anodised Reflector - Splashproof
<b>DLH17EMR</b>	100W ES Emery Trim/Silver Anodised Reflector
<b>DLH17EMRSP</b>	100W ES Emery Trim/Silver Anodised Reflector - Splashproof
<b>DLH08</b>	1PL9W White Trim/Silver Anodised Reflector
<b>DLH08SP</b>	1PL9W White Trim/Silver Anodised Reflector - Splashproof
<b>DLH09</b>	2PL9W White Trim/Silver Anodised Reflector
<b>DLH09SP</b>	2PL9W White Trim/Silver Anodised Reflector - Splashproof
<b>DLH10</b>	1PL13W White Trim/Silver Anodised Reflector
<b>DLH10SP</b>	1PL13W White Trim/Silver Anodised Reflector - Splashproof
<b>DLH11</b>	2PL13W White Trim/Silver Anodised Reflector
<b>DLH11SP</b>	2PL13W White Trim/Silver Anodised Reflector - Splashproof
<b>DLH12</b>	1PL18W White Trim/Silver Anodised Reflector
<b>DLH12SP</b>	1PL18W White Trim/Silver Anodised Reflector - Splashproof
<b>DLH13</b>	2PL18W White Trim/Silver Anodised Reflector
<b>DLH13SP</b>	2PL18W White Trim/Silver Anodised Reflector - Splashproof
<b>DLH14</b>	1PL26W White Trim/Silver Anodised Reflector
<b>DLH14SP</b>	1PL26W White Trim/Silver Anodised Reflector - Splashproof
<b>DLH14EMR</b>	2PL26W White Trim/Silver Anodised Reflector
<b>DLH14EMRSP</b>	2PL26W White Trim/Silver Anodised Reflector - Splashproof

**ARC Lighting CC**

12 Goodwood Crescent, Brackenford Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za





# DLH15: Horizontal Recess Downlighter



## SPECIFICATIONS

Luminaire Colour White Trim/Silver reflector  
 Dimensions 195mm Cutout  
 Installation Type  
 Ingress Protection 20  
 Material Aluminium  
 Light Source 2PL26W. Electronic or Magnetic  
 Power Supply 220-240V 50-60Hz

## PRODUCT CODES

<b>DLH17</b>	100W ES White Trim/Silver Anodised Reflector
<b>DLH17SP</b>	100W ES White Trim/Silver Anodised Reflector - Splashproof
<b>DLH17EMR</b>	100W ES Emery Trim/Silver Anodised Reflector
<b>DLH17EMRSP</b>	100W ES Emery Trim/Silver Anodised Reflector - Splashproof
<b>DLH08</b>	1PL9W White Trim/Silver Anodised Reflector
<b>DLH08SP</b>	1PL9W White Trim/Silver Anodised Reflector - Splashproof
<b>DLH09</b>	2PL9W White Trim/Silver Anodised Reflector
<b>DLH09SP</b>	2PL9W White Trim/Silver Anodised Reflector - Splashproof
<b>DLH10</b>	1PL13W White Trim/Silver Anodised Reflector
<b>DLH10SP</b>	1PL13W White Trim/Silver Anodised Reflector - Splashproof
<b>DLH11</b>	2PL13W White Trim/Silver Anodised Reflector
<b>DLH11SP</b>	2PL13W White Trim/Silver Anodised Reflector - Splashproof
<b>DLH12</b>	1PL18W White Trim/Silver Anodised Reflector
<b>DLH12SP</b>	1PL18W White Trim/Silver Anodised Reflector - Splashproof
<b>DLH13</b>	2PL18W White Trim/Silver Anodised Reflector
<b>DLH13SP</b>	2PL18W White Trim/Silver Anodised Reflector - Splashproof
<b>DLH14</b>	1PL26W White Trim/Silver Anodised Reflector
<b>DLH14SP</b>	1PL26W White Trim/Silver Anodised Reflector - Splashproof
<b>DLH15</b>	2PL26W White Trim/Silver Anodised Reflector
<b>DLH15SP</b>	2PL26W White Trim/Silver Anodised Reflector - Splashproof

**ARC Lighting CC**

12 Goodwood Crescent, Brackenford Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za





## DLB02: Mini Baffle



### SPECIFICATIONS

Luminaire Colour Anodised Brass  
Dimensions 75mm Cutout x 155mm (H)  
Installation Type  
Ingress Protection 20  
Material Aluminium  
Light Source E27  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>DLB01</b>	White Trim / White Reflector or Black
<b>DLB02</b>	Anodised Silver / Brass or Emery Trim/Reflector
<b>DLB03</b>	Gold Trim / Gold Reflector



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## DLV66: Gemini



### SPECIFICATIONS

Luminaire Colour White Trim/Silver Anodised Reflector  
 Dimensions 100mm Cutout  
 Installation Type  
 Ingress Protection 20  
 Material Aluminium  
 Light Source E27  
 Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>DLV66</b>	White Trim/Silver Anodised Reflector
<b>DLV66SP</b>	White Trim/Silver Anodised Reflector - Splashproof
<b>DLV66EMR</b>	Emery Trim/Silver Anodised Reflector
<b>DLV66BGRF</b>	Emery Trim/Bright Gold/Silver Reflector
<b>DLV66EMRSP</b>	Emery Trim/Silver Anodised Reflector - Splashproof
<b>DLV67</b>	Brass Trim/Brass Anodised Reflector
<b>DLV67SP</b>	Brass Trim/Brass Anodised Reflector - Splashproof
<b>DLV78</b>	White Trim/Silver Anodised Reflector 10W/13W
<b>DLV78SP</b>	White Trim/Silver Anodised Reflector 10W/13W - Splashproof
<b>DLV84</b>	White Trim/Silver Anodised Reflector - 12V
<b>DLV94</b>	White Trim/Brass Anodised - 12V



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
 Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
[sales@arclighting.co.za](mailto:sales@arclighting.co.za) | [www.arclighting.co.za](http://www.arclighting.co.za)



## DLV49: Vertical Recess Downlighter



### SPECIFICATIONS

Luminaire Colour White Trim/Silver Anodised Reflector  
Dimensions 110mm Cutout x 175mm (H) x 130mm (D)  
Installation Type  
Ingress Protection 20  
Material Aluminium  
Light Source E27  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>DLV66</b>	White Trim/Silver Anodised Reflector
<b>DLV66SP</b>	White Trim/Silver Anodised Reflector - Splashproof
<b>DLV66EMR</b>	Emery Trim/Silver Anodised Reflector
<b>DLV66BGRF</b>	Emery Trim/Bright Gold/Silver Reflector
<b>DLV66EMRSP</b>	Emery Trim/Silver Anodised Reflector - Splashproof
<b>DLV67</b>	Brass Trim/Brass Anodised Reflector
<b>DLV67SP</b>	Brass Trim/Brass Anodised Reflector - Splashproof
<b>DLV78</b>	White Trim/Silver Anodised Reflector 10W/13W
<b>DLV78SP</b>	White Trim/Silver Anodised Reflector 10W/13W - Splashproof
<b>DLV84</b>	White Trim/Silver Anodised Reflector - 12V
<b>DLV94</b>	White Trim/Brass Anodised - 12V



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## DLV33: Vertical Recess Downlighter (135mm Cutout)



### SPECIFICATIONS

Luminaire Colour White Trim/Silver Anodised Reflector  
Dimensions 135mm Cutout x 220mm (H)  
Installation Type  
Ingress Protection 20  
Material Aluminium  
Light Source E27  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>DLV66</b>	White Trim/Silver Anodised Reflector
<b>DLV66SP</b>	White Trim/Silver Anodised Reflector - Splashproof
<b>DLV66EMR</b>	Emery Trim/Silver Anodised Reflector
<b>DLV66BGRF</b>	Emery Trim/Bright Gold/Silver Reflector
<b>DLV66EMRSP</b>	Emery Trim/Silver Anodised Reflector - Splashproof
<b>DLV67</b>	Brass Trim/Brass Anodised Reflector
<b>DLV67SP</b>	Brass Trim/Brass Anodised Reflector - Splashproof
<b>DLV78</b>	White Trim/Silver Anodised Reflector 10W/13W
<b>DLV78SP</b>	White Trim/Silver Anodised Reflector 10W/13W - Splashproof
<b>DLV84</b>	White Trim/Silver Anodised Reflector - 12V
<b>DLV94</b>	White Trim/Brass Anodised - 12V



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## DLV01: Vertical Recess Downlighter (150mm Cutout )



### SPECIFICATIONS

Luminaire Colour White Trim/Silver Anodised Reflector  
Dimensions 150mm Cutout x 225mm (H)  
Installation Type  
Ingress Protection 20  
Material Aluminium & PVC Ring  
Light Source E27  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>DLV01</b>	White Trim/Silver Anodised Reflector
<b>DLV01SP</b>	White Trim/Silver Anodised Reflector - Splashproof
<b>DLV01EMR</b>	Emery Trim/Silver Anodised Reflector
<b>DLV01EMRSP</b>	Emery Trim/Silver Anodised Reflector - Splashproof
<b>DLV02</b>	White Trim/Brass Anodised Reflector
<b>DLV03</b>	Brass Trim/Silver Anodised Reflector
<b>DLV04</b>	Brass Trim/Brass Anodised Reflector



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## DLV01EYE: Vertical Recess Downlighter



### SPECIFICATIONS

Luminaire Colour White Trim/Silver Anodised Reflector  
Dimensions 150mm Cutout x 225mm (H)  
Installation Type  
Ingress Protection 20  
Material Aluminium & PVC Ring  
Light Source E27  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>DLV01</b>	White Trim/Silver Anodised Reflector
<b>DLV01SP</b>	White Trim/Silver Anodised Reflector - Splashproof
<b>DLV01EMR</b>	Emery Trim/Silver Anodised Reflector
<b>DLV01EMRSP</b>	Emery Trim/Silver Anodised Reflector - Splashproof
<b>DLV02</b>	White Trim/Brass Anodised Reflector
<b>DLV03</b>	Brass Trim/Silver Anodised Reflector
<b>DLV04</b>	Brass Trim/Brass Anodised Reflector



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



# DLV01SP: Vertical Recess Downlighter (Splashproof 150mm Cutout)



## SPECIFICATIONS

Luminaire Colour White Trim/Silver Anodised Reflector  
Dimensions 150mm Cutout x 225mm (H)  
Installation Type  
Ingress Protection 20  
Material Aluminium & PVC Ring  
Light Source E27  
Power Supply 220-240V 50-60Hz

## PRODUCT CODES

<b>DLV01</b>	White Trim/Silver Anodised Reflector
<b>DLV01SP</b>	White Trim/Silver Anodised Reflector - Splashproof
<b>DLV01EMR</b>	Emery Trim/Silver Anodised Reflector
<b>DLV01EMRSP</b>	Emery Trim/Silver Anodised Reflector - Splashproof
<b>DLV02</b>	White Trim/Brass Anodised Reflector
<b>DLV03</b>	Brass Trim/Silver Anodised Reflector
<b>DLV04</b>	Brass Trim/Brass Anodised Reflector



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## DLV61: Vertical Recess Downlighter (195mm Cutout)



### SPECIFICATIONS

Luminaire Colour White Trim/Silver Anodised Reflector  
Dimensions 195mm Cutout x 290mm (H) x 220mm (D)  
Installation Type  
Ingress Protection 20  
Material Aluminium  
Light Source E27  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>DLV61</b>	150W Incandescent - White Trim/Silver Anodised Reflector
<b>DLV61SP</b>	150W Incandescent - White Trim/Silver Anodised Reflector - Splashproof
<b>DLV61EMR</b>	150W Incandescent - Emery Trim/Silver Anodised Reflector
<b>DLV61EMRSP</b>	150W Incandescent - Emery Trim/Silver Anodised Reflector - Splashproof
<b>DLV62</b>	80W Mercury Vapor - White Trim/Silver Anodised Reflector
<b>DLV62SP</b>	80W Mercury Vapor - White Trim/Silver Anodised Reflector - Splashproof
<b>DLV85</b>	80W Mercury Vapor - Emery Trim/Silver Anodised Reflector
<b>DLV85SP</b>	80W Mercury Vapor - Emery Trim/Silver Anodised Reflector - Splashproof
<b>DLV63</b>	125W Mercury Vapor - White Trim/Silver Anodised Reflector
<b>DLV63SP</b>	125W Mercury Vapor - White Trim/Silver Anodised Reflector - Splashproof
<b>DLV87</b>	125W Mercury Vapor - Emery Trim/Silver Anodised Reflector
<b>DLV87SP</b>	125W Mercury Vapor - Emery Trim/Silver Anodised Reflector - Splashproof
<b>DLV64</b>	150W Metal Halide- White Trim/Silver Anodised Reflector
<b>DLV64SP</b>	150W Metal Halide- White Trim/Silver Anodised Reflector - Splashproof
<b>DLV89</b>	150W Metal Halide- Emery Trim/Silver Anodised Reflector
<b>DLV89SP</b>	150W Metal Halide- Emery Trim/Silver Anodised Reflector - Splashproof
<b>DLV68PR</b>	2PL13W + White Perspex Ring
<b>DLV69PR</b>	2PL18W + White Perspex Ring



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



# DLV61EMR: Vertical Recess Downlighter (195mm Cutout)



## SPECIFICATIONS

Luminaire Colour Emery Trim/Silver Anodised Reflector  
 Dimensions 195mm Cutout x 290mm (H) x 220mm (D)  
 Installation Type  
 Ingress Protection 20  
 Material Aluminium  
 Light Source E27  
 Power Supply 220-240V 50-60Hz

## PRODUCT CODES

<b>DLV61</b>	150W Incandescent - White Trim/Silver Anodised Reflector
<b>DLV61SP</b>	150W Incandescent - White Trim/Silver Anodised Reflector - Splashproof
<b>DLV61EMR</b>	150W Incandescent - Emery Trim/Silver Anodised Reflector
<b>DLV61EMRSP</b>	150W Incandescent - Emery Trim/Silver Anodised Reflector - Splashproof
<b>DLV62</b>	80W Mercury Vapor - White Trim/Silver Anodised Reflector
<b>DLV62SP</b>	80W Mercury Vapor - White Trim/Silver Anodised Reflector - Splashproof
<b>DLV85</b>	80W Mercury Vapor - Emery Trim/Silver Anodised Reflector
<b>DLV85SP</b>	80W Mercury Vapor - Emery Trim/Silver Anodised Reflector - Splashproof
<b>DLV63</b>	125W Mercury Vapor - White Trim/Silver Anodised Reflector
<b>DLV63SP</b>	125W Mercury Vapor - White Trim/Silver Anodised Reflector - Splashproof
<b>DLV87</b>	125W Mercury Vapor - Emery Trim/Silver Anodised Reflector
<b>DLV87SP</b>	125W Mercury Vapor - Emery Trim/Silver Anodised Reflector - Splashproof
<b>DLV64</b>	150W Metal Halide- White Trim/Silver Anodised Reflector
<b>DLV64SP</b>	150W Metal Halide- White Trim/Silver Anodised Reflector - Splashproof
<b>DLV89</b>	150W Metal Halide- Emery Trim/Silver Anodised Reflector
<b>DLV89SP</b>	150W Metal Halide- Emery Trim/Silver Anodised Reflector - Splashproof
<b>DLV607R</b>	2PL13W + White Perspex Ring
<b>D</b>	2PL18W + White Perspex Ring

**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa


Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za





## DLB12EMR: Mini Baffle Downlighter



### SPECIFICATIONS

Luminaire Colour Matte White/Anodized Silver  
Dimensions 85mm Cutout x 110mm (D)  
Installation Type  
Ingress Protection 20  
Material Aluminium  
Light Source GU10  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

**DLB12EMR**

Matte White Trim/Emery Reflector



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## MSD01: Single Square Tilt Downlighter



### SPECIFICATIONS

Luminaire Colour RN Silver  
Dimensions 75mm Cutout x 100mm (W) x 100mm (L)  
Installation Type  
Ingress Protection 20  
Material Mild Steel  
Light Source GU10  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>MSD01</b>	Mild Steel Square Tilt - 75mm Round Cutout - 100mm x 100mm - 220V
<b>MSD02</b>	Mild Steel Rectangle Tilt - 75mm x 150mm Cutout - 100mm X 175mm - 220V



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## MSD02: Double Rectangle Tilt Downlighter



### SPECIFICATIONS

Luminaire Colour RN Silver  
Dimensions 75mm x 150mm Cutout x 100mm (H) x 175mm (L)  
Installation Type  
Ingress Protection 20  
Material Mild Steel  
Light Source 2x GU10  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>MSD01</b>	Mild Steel Square Tilt - 75mm Round Cutout - 100mm x 100mm - 220V
<b>MSD02</b>	Mild Steel Rectangle Tilt - 75mm x 150mm Cutout - 100mm X 175mm - 220V



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## SQ05: Single Swivel Recessed Downlighter



### SPECIFICATIONS

Luminaire Colour RN Silver  
Dimensions Cutout: 110mm x 110mm, Overall Size: 130mm x 130mm  
Installation Type  
Ingress Protection 20  
Material Mild & Stainless Steel  
Light Source GU10  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>SQ01</b>	Single Swivel D/L - Cutout 110mm X 110mm - 12v
<b>SQ05</b>	Single Swivel D/L - Cutout 110mm X 110mm - 220v
<b>SQ02</b>	Double Swivel D/L - Cutout 110mm X 220mm - 12v
<b>SQ06</b>	Double Swivel D/L - Cutout 110mm X 220mm - 220v
<b>SQ03</b>	Triple Swivel D/L - Cutout 110mm X 320mm -12v
<b>SQ07</b>	Triple Swivel D/L - Cutout 110mm X 320mm - 220v
<b>SQ04</b>	Quadruple Square Swivel D/L - Cutout 210mm X 210mm - 12v
<b>SQ08</b>	Quadruple Square Swivel D/L - Cutout 210mm X 210mm - 220v
<b>SQ13</b>	Quadruple Rectangle Swivel D/L - 110mm X 401mm - 12v
<b>SQ14</b>	Quadruple Rectangle Swivel D/L - Cutout 110mm X 401mm - 220v



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## SQ06: Double Swivel Recessed Downlighter



### SPECIFICATIONS

Luminaire Colour White Trim & Rings/Black Interior  
Dimensions Cutout: 110mm x 220mm, Overall Size: 130mm x 240mm  
Installation Type  
Ingress Protection 20  
Material Mild & Stainless Steel  
Light Source GU10  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>SQ01</b>	Single Swivel D/L - Cutout 110mm X 110mm - 12v
<b>SQ05</b>	Single Swivel D/L - Cutout 110mm X 110mm - 220v
<b>SQ02</b>	Double Swivel D/L - Cutout 110mm X 220mm - 12v
<b>SQ06</b>	Double Swivel D/L - Cutout 110mm X 220mm - 220v
<b>SQ03</b>	Triple Swivel D/L - Cutout 110mm X 320mm -12v
<b>SQ07</b>	Triple Swivel D/L - Cutout 110mm X 320mm - 220v
<b>SQ04</b>	Quadruple Square Swivel D/L - Cutout 210mm X 210mm - 12v
<b>SQ08</b>	Quadruple Square Swivel D/L - Cutout 210mm X 210mm - 220v
<b>SQ13</b>	Quadruple Rectangle Swivel D/L - 110mm X 401mm - 12v
<b>SQ14</b>	Quadruple Rectangle Swivel D/L - Cutout 110mm X 401mm - 220v



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## SQ06FGW: Double Swivel Recessed Downlighter



### SPECIFICATIONS

Luminaire Colour Sandpaper White  
Dimensions Cutout: 110mm x 220mm, Overall Size: 130mm x 240mm  
Installation Type  
Ingress Protection 20  
Material Mild & Stainless Steel  
Light Source GU10  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>SQ01</b>	Single Swivel D/L - Cutout 110mm X 110mm - 12v
<b>SQ05</b>	Single Swivel D/L - Cutout 110mm X 110mm - 220v
<b>SQ02</b>	Double Swivel D/L - Cutout 110mm X 220mm - 12v
<b>SQ06</b>	Double Swivel D/L- Cutout 110mm X 220mm - 220v
<b>SQ03</b>	Triple Swivel D/L - Cutout 110mm X 320mm -12v
<b>SQ07</b>	Triple Swivel D/L - Cutout 110mm X 320mm - 220v
<b>SQ04</b>	Quadruple Square Swivel D/L - Cutout 210mm X 210mm - 12v
<b>SQ08</b>	Quadruple Square Swivel D/L - Cutout 210mm X 210mm - 220v
<b>SQ13</b>	Quadruple Rectangle Swivel D/L - 110mm X 401mm - 12v
<b>SQ14</b>	Quadruple Rectangle Swivel D/L - Cutout 110mm X 401mm - 220v



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## SQ06MK: Double Swivel Recessed Downlighter



### SPECIFICATIONS

Luminaire Colour Matte Black  
Dimensions Cutout: 110mm x 220mm, Overall Size: 130mm x 240mm  
Installation Type  
Ingress Protection 20  
Material Mild & Stainless Steel  
Light Source GU10  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>SQ01</b>	Single Swivel D/L - Cutout 110mm X 110mm - 12v
<b>SQ05</b>	Single Swivel D/L - Cutout 110mm X 110mm - 220v
<b>SQ02</b>	Double Swivel D/L - Cutout 110mm X 220mm - 12v
<b>SQ06</b>	Double Swivel D/L - Cutout 110mm X 220mm - 220v
<b>SQ03</b>	Triple Swivel D/L - Cutout 110mm X 320mm -12v
<b>SQ07</b>	Triple Swivel D/L - Cutout 110mm X 320mm - 220v
<b>SQ04</b>	Quadruple Square Swivel D/L - Cutout 210mm X 210mm - 12v
<b>SQ08</b>	Quadruple Square Swivel D/L - Cutout 210mm X 210mm - 220v
<b>SQ13</b>	Quadruple Rectangle Swivel D/L - 110mm X 401mm - 12v
<b>SQ14</b>	Quadruple Rectangle Swivel D/L - Cutout 110mm X 401mm - 220v



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## SQ17: Fixed & Swivel Recessed Downlighter



### SPECIFICATIONS

Luminaire Colour RN Silver  
Dimensions 170mm (L) x 100mm (H)  
Installation Type  
Ingress Protection 20  
Material Mild & Stainless Steel  
Light Source GU10  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

**SQ17**

RN Silver



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## SQ14: Quadruple Swivel Recessed Downlighter



### SPECIFICATIONS

Luminaire Colour Matte White/Black Interior  
Dimensions Cutout: 110mm x 401mm, Overall Size: 130mm x 440mm  
Installation Type  
Ingress Protection 20  
Material Mild & Stainless Steel  
Light Source GU10  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>SQ01</b>	Single Swivel D/L - Cutout 110mm X 110mm - 12v
<b>SQ05</b>	Single Swivel D/L - Cutout 110mm X 110mm - 220v
<b>SQ02</b>	Double Swivel D/L - Cutout 110mm X 220mm - 12v
<b>SQ06</b>	Double Swivel D/L - Cutout 110mm X 220mm - 220v
<b>SQ03</b>	Triple Swivel D/L - Cutout 110mm X 320mm -12v
<b>SQ07</b>	Triple Swivel D/L - Cutout 110mm X 320mm - 220v
<b>SQ04</b>	Quadruple Square Swivel D/L - Cutout 210mm X 210mm - 12v
<b>SQ08</b>	Quadruple Square Swivel D/L - Cutout 210mm X 210mm - 220v
<b>SQ13</b>	Quadruple Rectangle Swivel D/L - 110mm X 401mm - 12v
<b>SQ14</b>	Quadruple Rectangle Swivel D/L - Cutout 110mm X 401mm - 220v



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## SQ20: Single Square Recess Swivel



### SPECIFICATIONS

Luminaire Colour Matte White with Black Rings  
Dimensions 165mm (L) x 165mm (W) x 90mm (H)  
Installation Type  
Ingress Protection 20  
Material Aluminium & Mild-Steel  
Light Source AR111  
Power Supply 12V 50-60Hz

### PRODUCT CODES

<b>SQ20</b>	Single Square Recess Swivel D/L - L165mm X W165mm X H90mm - 12v Ar111
<b>SQ21</b>	Double Recess Swivel D/L - L290mm X W150mm X H90mm - 12v Ar111
<b>SQ22</b>	Triple Recess Swivel D/L - L430mm X W150mm X H90mm - 12v Ar111
<b>SQ27</b>	Quadruple Recess Swivel D/L - 12v Ar111



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## SQ07: Triple Swivel Recessed Downlighter



### SPECIFICATIONS

Luminaire Colour RN Silver/Black Interior  
Dimensions Cutout: 110mm x 320mm, Overall Size: 130mm x 340mm  
Installation Type  
Ingress Protection 20  
Material Mild & Stainless Steel  
Light Source GU10  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>SQ01</b>	Single Swivel D/L - Cutout 110mm X 110mm - 12v
<b>SQ05</b>	Single Swivel D/L - Cutout 110mm X 110mm - 220v
<b>SQ02</b>	Double Swivel D/L - Cutout 110mm X 220mm - 12v
<b>SQ06</b>	Double Swivel D/L- Cutout 110mm X 220mm - 220v
<b>SQ03</b>	Triple Swivel D/L - Cutout 110mm X 320mm -12v
<b>SQ07</b>	Triple Swivel D/L - Cutout 110mm X 320mm - 220v
<b>SQ04</b>	Quadruple Square Swivel D/L - Cutout 210mm X 210mm - 12v
<b>SQ08</b>	Quadruple Square Swivel D/L - Cutout 210mm X 210mm - 220v
<b>SQ13</b>	Quadruple Rectangle Swivel D/L - 110mm X 401mm - 12v
<b>SQ14</b>	Quadruple Rectangle Swivel D/L - Cutout 110mm X 401mm - 220v



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## SQ29: Single Swivel Recess Rimless Downlighter



### SPECIFICATIONS

Luminaire Colour Matte White  
Dimensions Cutout: 100mm x 100mm x 90mm  
Installation Type  
Ingress Protection 20  
Material Aluminium & Mild-Steel  
Light Source MR16  
Power Supply 12V 50-60Hz

### PRODUCT CODES

<b>SQ29</b>	Single Swivel D/L - Cutout 100mm X 100mm X 90mm High - 12v
<b>SQ30</b>	Single Swivel D/L - Cutout 100mm X 100mm X 90mm High- 220v
<b>SQ31</b>	Double Swivel D/L - Cutout 100mm X 200mm - 12v
<b>SQ32</b>	Double Swivel D/L - Cutout 100mm X 200mm - 220v
<b>SQ24</b>	Triple Swivel D/L - Cutout 100mm X 305mm -12v
<b>SQ34</b>	Triple Swivel D/L - Cutout 100mm X 305mm - 220v
<b>SQ44</b>	Quadruple Linea Swivel D/L - Cutout 100mm X 410mm X 90mm High - 12v
<b>SQ45</b>	Quadruple Linea Swivel D/L - Cutout 100mm X 410mm X 90mm High - 220v
<b>SQ37</b>	Quadruple Sq Swivel D/L - Cutout 200mm X 200mm X 90mm High - 12v
<b>SQ46</b>	Quadruple Sq Swivel D/L - Cutout 200mm X 200mm X 90mm High - 220v



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



# DLS76: Cylindrical Surface Mount Downlighter



## SPECIFICATIONS

Luminaire Colour Titanium Silver / Silver Anodised Reflector  
 Dimensions 100mm (D) x 135mm (H)  
 Installation Type  
 Ingress Protection 20  
 Material Aluminium  
 Light Source GU10  
 Power Supply 220-240V 50-60Hz

## PRODUCT CODES

<b>DLS32</b>	220v Gu10 Surface Mount 90mm Diam X 110mm High
<b>DLS33</b>	220v Gu10 Surface Mount 90mm Diam X 200mm High
<b>DLS34</b>	220v Gu10 Surface Mount 90mm Diam X 270mm High
<b>DLS76</b>	220v Gu10 Surface Mount 100mm Diam X 135mm High
<b>DLS79</b>	220v Gu10 Surface Mount 100mm Diam X 300mm High With Base Plate



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
 Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
[sales@arclighting.co.za](mailto:sales@arclighting.co.za) | [www.arclighting.co.za](http://www.arclighting.co.za)



# DLS79: Cylindrical Surface Mount Downlighter & Base



## SPECIFICATIONS

Luminaire Colour Matt White / Silver Anodised Reflector  
Dimensions 100mm (D) x 300mm (H)  
Installation Type  
Ingress Protection 20  
Material Aluminium  
Light Source GU10  
Power Supply 220-240V 50-60Hz

## PRODUCT CODES

<b>DLS32</b>	220v Gu10 Surface Mount 90mm Diam X 110mm High
<b>DLS33</b>	220v Gu10 Surface Mount 90mm Diam X 200mm High
<b>DLS34</b>	220v Gu10 Surface Mount 90mm Diam X 270mm High
<b>DLS76</b>	220v Gu10 Surface Mount 100mm Diam X 135mm High
<b>DLS79</b>	220v Gu10 Surface Mount 100mm Diam X 300mm High With Base Plate



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



# DLS01: Tapered Surface Mounted Downlighter



## SPECIFICATIONS

Luminaire Colour White Trim / Silver Anodised Reflector  
Dimensions 195mm (D) x 190mm (H)  
Installation Type  
Ingress Protection 20  
Material Aluminium  
Light Source E27  
Power Supply 220-240V 50-60Hz

## PRODUCT CODES

<b>DLS01</b>	White Trim/Silver Anodised Reflector
<b>DLS01BSR</b>	White Trim/Bright Silver Reflector
<b>DLS01EMR</b>	Emery Trim/Silver Anodised Reflector
<b>DLS01EMRBSR</b>	Emery Trim/Bright Silver Reflector



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## DLS32: Round Surface Mount Downlighter



### SPECIFICATIONS

Luminaire Colour Matte White  
Dimensions 90mm (D) x 110mm (H)  
Installation Type  
Ingress Protection 20  
Material Aluminium  
Light Source GU10  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>DLS32</b>	220v Gu10 Surface Mount 90mm Diam X 110mm High
<b>DLS33</b>	220v Gu10 Surface Mount 90mm Diam X 200mm High
<b>DLS34</b>	220v Gu10 Surface Mount 90mm Diam X 270mm High
<b>DLS76</b>	220v Gu10 Surface Mount 100mm Diam X 135mm High
<b>DLS79</b>	220v Gu10 Surface Mount 100mm Diam X 300mm High With Base Plate



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## DLS34: Round Surface Mount Downlighter



### SPECIFICATIONS

Luminaire Colour Matte White  
Dimensions 90mm (D) x 270mm (H)  
Installation Type  
Ingress Protection 20  
Material Aluminium  
Light Source GU10  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>DLS32</b>	220v Gu10 Surface Mount 90mm Diam X 110mm High
<b>DLS33</b>	220v Gu10 Surface Mount 90mm Diam X 200mm High
<b>DLS34</b>	220v Gu10 Surface Mount 90mm Diam X 270mm High
<b>DLS76</b>	220v Gu10 Surface Mount 100mm Diam X 135mm High
<b>DLS79</b>	220v Gu10 Surface Mount 100mm Diam X 300mm High With Base Plate



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## DLS3: 3 Light Cylindrical Surface Mount Downlighter



### SPECIFICATIONS

Luminaire Colour Black Exterior / Metallic Brass Interior  
Dimensions 160mm (H) x 140mm (H) x 120mm (H)  
Installation Type  
Ingress Protection 20  
Material Aluminium  
Light Source GU10  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>DLS32</b>	220v Gu10 Surface Mount 90mm Diam X 110mm High
<b>DLS33</b>	220v Gu10 Surface Mount 90mm Diam X 200mm High
<b>DLS34</b>	220v Gu10 Surface Mount 90mm Diam X 270mm High
<b>DLS76</b>	220v Gu10 Surface Mount 100mm Diam X 135mm High
<b>DLS79</b>	220v Gu10 Surface Mount 100mm Diam X 300mm High With Base Plate



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## DLS76DK: Cylindrical Surface Mount Downlighter



### SPECIFICATIONS

Luminaire Colour Metallic Gold / Black  
Dimensions 100mm (D) x 120mm (H)  
Installation Type  
Ingress Protection 20  
Material Aluminium  
Light Source GU10  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

**DLS76DK**

Metallic Gold / Black



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## DLS81: CM Slanted Downlighter



### SPECIFICATIONS

Luminaire Colour Black / White  
Dimensions 100mm (D) x 300mm (H)  
Installation Type  
Ingress Protection 20  
Material Aluminium  
Light Source GU10  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

**DLS81**

Black/White



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## SQ10: 1 Light Single Swivel Downlighter



### SPECIFICATIONS

Luminaire Colour Matte White  
Dimensions 100mm (L) x 100mm (W) x 120mm (H) O/D  
Installation Type  
Ingress Protection 20  
Material Aluminium  
Light Source GU10  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>SQ09</b>	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 12v
<b>SQ10</b>	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 220v
<b>SQ12</b>	Double Sq Surf Mnt D/L-100mm X 200mm O/Dim-120mm High - 12v
<b>SQ11</b>	Double Sq Surf Mnt D/L 100mm X 200mm O/Dim-120mm High - 220v
<b>SQ25</b>	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 12v
<b>SQ26</b>	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 220v
<b>SQ50</b>	Triple Surface Mount D/L- 750mm Length
<b>SQ33</b>	Quadruple Sq Surf Mnt D/L- 12v
<b>SQ35</b>	Quadruple Sq Surf Mnt D/L- 220v
<b>SQ47</b>	Quadruple Linea Surf Mnt D/L- 12v
<b>SQ48</b>	Quadruple Linea Surf Mnt D/L- 220v
<b>SQ49</b>	Quintuple Linea Surf Mnt D/L 220v




**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## SQ10WK: 1 Light Single Swivel Downlighter



### SPECIFICATIONS

Luminaire Colour Matte White / Black ring  
Dimensions 100mm (L) x 100mm (W) x 120mm (H) O/D  
Installation Type  
Ingress Protection 20  
Material Aluminium  
Light Source GU10  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>SQ09</b>	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 12v
<b>SQ10</b>	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 220v
<b>SQ12</b>	Double Sq Surf Mnt D/L-100mm X 200mm O/Dim-120mm High - 12v
<b>SQ11</b>	Double Sq Surf Mnt D/L 100mm X 200mm O/Dim-120mm High - 220v
<b>SQ25</b>	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 12v
<b>SQ26</b>	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 220v
<b>SQ50</b>	Triple Surface Mount D/L- 750mm Length
<b>SQ33</b>	Quadruple Sq Surf Mnt D/L- 12v
<b>SQ35</b>	Quadruple Sq Surf Mnt D/L- 220v
<b>SQ47</b>	Quadruple Linea Surf Mnt D/L- 12v
<b>SQ48</b>	Quadruple Linea Surf Mnt D/L- 220v
<b>SQ49</b>	Quintuple Linea Surf Mnt D/L 220v



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## SQ11K: 2 Light Double Swivel Surface Mount Downlighter



### SPECIFICATIONS

Luminaire Colour Matte Black  
Dimensions 100mm (W) x 200mm (L) x 120mm High  
Installation Type  
Ingress Protection 20  
Material Aluminium  
Light Source GU10  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>SQ09</b>	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 12v
<b>SQ10</b>	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 220v
<b>SQ12</b>	Double Sq Surf Mnt D/L-100mm X 200mm O/Dim-120mm High - 12v
<b>SQ11</b>	Double Sq Surf Mnt D/L 100mm X 200mm O/Dim-120mm High - 220v
<b>SQ25</b>	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 12v
<b>SQ26</b>	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 220v
<b>SQ50</b>	Triple Surface Mount D/L- 750mm Length
<b>SQ33</b>	Quadruple Sq Surf Mnt D/L- 12v
<b>SQ35</b>	Quadruple Sq Surf Mnt D/L- 220v
<b>SQ47</b>	Quadruple Linea Surf Mnt D/L- 12v
<b>SQ48</b>	Quadruple Linea Surf Mnt D/L- 220v
<b>SQ49</b>	Quintuple Linea Surf Mnt D/L 220v



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## SQ11: 2 Light Surface Mount Downlighter



### SPECIFICATIONS

Luminaire Colour Matt Black Exterior / White Interior  
Dimensions 200mm Length x 100mm Width x 120mm Height  
Installation Type  
Ingress Protection 20  
Material Aluminium  
Light Source GU10  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>SQ09</b>	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 12v
<b>SQ10</b>	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 220v
<b>SQ12</b>	Double Sq Surf Mnt D/L-100mm X 200mm O/Dim-120mm High - 12v
<b>SQ11</b>	Double Sq Surf Mnt D/L 100mm X 200mm O/Dim-120mm High - 220v
<b>SQ25</b>	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 12v
<b>SQ26</b>	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 220v
<b>SQ50</b>	Triple Surface Mount D/L- 750mm Length
<b>SQ33</b>	Quadruple Sq Surf Mnt D/L- 12v
<b>SQ35</b>	Quadruple Sq Surf Mnt D/L- 220v
<b>SQ47</b>	Quadruple Linea Surf Mnt D/L- 12v
<b>SQ48</b>	Quadruple Linea Surf Mnt D/L- 220v
<b>SQ49</b>	Quintuple Linea Surf Mnt D/L 220v



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## SQ26: 3 Light Surface Mount Downlighter



### SPECIFICATIONS

Luminaire Colour Matt White  
Dimensions 300mm x 100mm x 110mm Deep  
Installation Type  
Ingress Protection 20  
Material Aluminium  
Light Source GU10  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>SQ09</b>	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 12v
<b>SQ10</b>	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 220v
<b>SQ12</b>	Double Sq Surf Mnt D/L-100mm X 200mm O/Dim-120mm High - 12v
<b>SQ11</b>	Double Sq Surf Mnt D/L 100mm X 200mm O/Dim-120mm High - 220v
<b>SQ25</b>	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 12v
<b>SQ26</b>	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 220v
<b>SQ50</b>	Triple Surface Mount D/L- 750mm Length
<b>SQ33</b>	Quadruple Sq Surf Mnt D/L- 12v
<b>SQ35</b>	Quadruple Sq Surf Mnt D/L- 220v
<b>SQ47</b>	Quadruple Linea Surf Mnt D/L- 12v
<b>SQ48</b>	Quadruple Linea Surf Mnt D/L- 220v
<b>SQ49</b>	Quintuple Linea Surf Mnt D/L 220v



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## SQ38: 3 Light AR111 Double Swivel Surface Mount Downlighter



### SPECIFICATIONS

Luminaire Colour Metallic Silver Grey  
Dimensions 430mm Length x 150mm Width x 110mm Height  
Installation Type  
Ingress Protection 20  
Material Aluminium  
Light Source MR16  
Power Supply 12V 50-60Hz

### PRODUCT CODES

<b>SQ39</b>	Single - Metallic Silver Grey
<b>SQ36</b>	Double - Metallic Silver Grey
<b>SQ38</b>	Triple - Metallic Silver Grey



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## SQ48W: 4 Light Surface Mount Downlighter



### SPECIFICATIONS

Luminaire Colour Matt White  
Dimensions 400mm Length x 100mm Width x 110mm Height  
Installation Type  
Ingress Protection 20  
Material Aluminium  
Light Source GU10  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>SQ09</b>	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 12v
<b>SQ10</b>	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 220v
<b>SQ12</b>	Double Sq Surf Mnt D/L-100mm X 200mm O/Dim-120mm High - 12v
<b>SQ11</b>	Double Sq Surf Mnt D/L 100mm X 200mm O/Dim-120mm High - 220v
<b>SQ25</b>	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 12v
<b>SQ26</b>	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 220v
<b>SQ50</b>	Triple Surface Mount D/L- 750mm Length
<b>SQ33</b>	Quadruple Sq Surf Mnt D/L- 12v
<b>SQ35</b>	Quadruple Sq Surf Mnt D/L- 220v
<b>SQ47</b>	Quadruple Linea Surf Mnt D/L- 12v
<b>SQ48</b>	Quadruple Linea Surf Mnt D/L- 220v
<b>SQ49</b>	Quintuple Linea Surf Mnt D/L 220v



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## SQ48K: 4 Light Linear Surface Mount Swivel Downlighter



### SPECIFICATIONS

Luminaire Colour Matt Black  
Dimensions 400mm Length x 100mm Width x 110mm High  
Installation Type  
Ingress Protection 20  
Material Aluminium  
Light Source GU10  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>SQ09</b>	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 12v
<b>SQ10</b>	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 220v
<b>SQ12</b>	Double Sq Surf Mnt D/L-100mm X 200mm O/Dim-120mm High - 12v
<b>SQ11</b>	Double Sq Surf Mnt D/L 100mm X 200mm O/Dim-120mm High - 220v
<b>SQ25</b>	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 12v
<b>SQ26</b>	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 220v
<b>SQ50</b>	Triple Surface Mount D/L- 750mm Length
<b>SQ33</b>	Quadruple Sq Surf Mnt D/L- 12v
<b>SQ35</b>	Quadruple Sq Surf Mnt D/L- 220v
<b>SQ47</b>	Quadruple Linea Surf Mnt D/L- 12v
<b>SQ48</b>	Quadruple Linea Surf Mnt D/L- 220v
<b>SQ49</b>	Quintuple Linea Surf Mnt D/L 220v



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## SQ49W: 5 Light Surface Mount Downlighter



### SPECIFICATIONS

Luminaire Colour Matt White  
Dimensions 500mm Length x 100mm Width x 110mm Height  
Installation Type  
Ingress Protection 20  
Material Aluminium  
Light Source GU10  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

<b>SQ09</b>	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 12v
<b>SQ10</b>	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 220v
<b>SQ12</b>	Double Sq Surf Mnt D/L-100mm X 200mm O/Dim-120mm High - 12v
<b>SQ11</b>	Double Sq Surf Mnt D/L 100mm X 200mm O/Dim-120mm High - 220v
<b>SQ25</b>	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 12v
<b>SQ26</b>	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 220v
<b>SQ50</b>	Triple Surface Mount D/L- 750mm Length
<b>SQ33</b>	Quadruple Sq Surf Mnt D/L- 12v
<b>SQ35</b>	Quadruple Sq Surf Mnt D/L- 220v
<b>SQ47</b>	Quadruple Linea Surf Mnt D/L- 12v
<b>SQ48</b>	Quadruple Linea Surf Mnt D/L- 220v
<b>SQ49</b>	Quintuple Linea Surf Mnt D/L 220v



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## SQ36: Double Surface Mount Swivel AR111 Downlighter



### SPECIFICATIONS

Luminaire Colour Matt White  
Dimensions 200mm Length x 100mm Width x 120mm Height  
Installation Type  
Ingress Protection 20  
Material Aluminium  
Light Source AR111  
Power Supply 12V 50-60Hz

### PRODUCT CODES

<b>SQ39</b>	Single - Matt White
<b>SQ36</b>	Double - Matt White
<b>SQ38</b>	Triple - Matt White



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## SQ38W: Triple Surface Mount Swivel AR111 Downlighter



### SPECIFICATIONS

Luminaire Colour Matt White  
Dimensions 430mm Length x 150mm Width x 110mm Height  
Installation Type  
Ingress Protection 20  
Material Aluminium  
Light Source AR111  
Power Supply 12V 50-60Hz

### PRODUCT CODES

<b>SQ39</b>	Single - Matt White
<b>SQ36</b>	Double - Matt White
<b>SQ38</b>	Triple - Matt White



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## SQB51: Non-Tilt Downlighter



### SPECIFICATIONS

Luminaire Colour Brushed Aluminium  
Dimensions 85mm x 70mm Cutout, 95mm x 95mm Overall Diameter x 60mm Deep  
Installation Type  
Ingress Protection 20  
Material 316 Stainless Steel  
Light Source MR16  
Power Supply 230V 50Hz

### PRODUCT CODES

<b>SQB51</b>	Stainless Steel Square - 80mm Square Cutout - 95mm X 95mm - Depth 60mm - 12v
<b>SQB 52</b>	Stainless Steel Square - 80mm Square Cutout - 95mm X 95mm - Depth 60mm - 220v
<b>SQB 61</b>	Stainless Steel Double Square- 95mm Cutout 12v
<b>SQB 62</b>	Stainless Steel Double Square - 220v



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



# SSD16: Non-tilt Downlighter



## SPECIFICATIONS

Luminaire Colour Brushed Aluminium (can request any colour)  
 Dimensions 60mm Cutout, 120mm x 120mm Overall Diameter  
 Installation Type  
 Ingress Protection 20  
 Material 316 Stainless Steel  
 Light Source MR16  
 Power Supply 12V 50Hz

## PRODUCT CODES

<b>SSD02</b>	Stainless Steel Round - 60mm Round Cutout - O/D 80mm - 12v
<b>SSD 06</b>	Stainless Steel Round - 60mm Round Cutout - O/D 80mm - 220v
<b>SSD 01</b>	Stainless Steel Square - 60mm Round Cutout - 80mm X 80mm - 12v
<b>SSD 05</b>	Stainless Steel Square - 60mm Round Cutout - 80mm X 80mm - 220v
<b>SSD 09</b>	Stainless Steel Round - 60mm Round Cutout - O/D 100mm - 12v
<b>SSD 10</b>	Stainless Steel Round - 60mm Round Cutout - O/D 100mm - 220v
<b>SSD 11</b>	Stainless Steel Square - 60mm Round Cutout - 100mm X 100mm - 12v
<b>SSD 12</b>	Stainless Steel Square - 60mm Round Cutout - 100mm X 100mm - 220v
<b>SSD 13</b>	Stainless Steel Round - 60mm Round Cutout - O/D 120mm - 12v
<b>SSD 14</b>	Stainless Steel Round - 60mm Round Cutout - O/D 120mm - 220v
<b>SSD 15</b>	Stainless Steel Square - 60mm Round Cutout - 120mm X 120mm - 12v
<b>SSD 16</b>	Stainless Steel Square - 60mm Round Cutout - 120mm X 120mm - 220v
<b>SSD 17</b>	Stainless Steel Double Rectangle - 145mm X 70mm Cutout - 220v



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
 Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
 sales@arclighting.co.za | www.arclighting.co.za



# SSD09: Non-tilt Downlighter



## SPECIFICATIONS

Luminaire Colour Brushed Aluminium (can request any colour)  
 Dimensions 60mm Diameter Cutout, 100mm Overall Diameter Trim  
 Installation Type  
 Ingress Protection 20  
 Material 316 Stainless Steel  
 Light Source MR16 or GU10  
 Power Supply 12V / 230V 50Hz

## PRODUCT CODES

<b>SSD02</b>	Stainless Steel Round - 60mm Round Cutout - O/D 80mm - 12v
<b>SSD 06</b>	Stainless Steel Round - 60mm Round Cutout - O/D 80mm - 220v
<b>SSD 01</b>	Stainless Steel Square - 60mm Round Cutout - 80mm X 80mm - 12v
<b>SSD 05</b>	Stainless Steel Square - 60mm Round Cutout - 80mm X 80mm - 220v
<b>SSD 09</b>	Stainless Steel Round - 60mm Round Cutout - O/D 100mm - 12v
<b>SSD 10</b>	Stainless Steel Round - 60mm Round Cutout - O/D 100mm - 220v
<b>SSD 11</b>	Stainless Steel Square - 60mm Round Cutout - 100mm X 100mm - 12v
<b>SSD 12</b>	Stainless Steel Square - 60mm Round Cutout - 100mm X 100mm - 220v
<b>SSD 13</b>	Stainless Steel Round - 60mm Round Cutout - O/D 120mm - 12v
<b>SSD 14</b>	Stainless Steel Round - 60mm Round Cutout - O/D 120mm - 220v
<b>SSD 15</b>	Stainless Steel Square - 60mm Round Cutout - 120mm X 120mm - 12v
<b>SSD 16</b>	Stainless Steel Square - 60mm Round Cutout - 120mm X 120mm - 220v
<b>SSD 17</b>	Stainless Steel Double Rectangle - 145mm X 70mm Cutout - 220v



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
 Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
[sales@arclighting.co.za](mailto:sales@arclighting.co.za) | [www.arclighting.co.za](http://www.arclighting.co.za)



# SSD17: 2 Light Double Downlighter: Fixed



## SPECIFICATIONS

Luminaire Colour RN Silver  
 Dimensions 145mm x 70mm Cutout, 175mm Long x 100mm Width  
 Installation Type  
 Ingress Protection 20  
 Material 316 Stainless Steel  
 Light Source GU10  
 Power Supply 230V 50Hz

## PRODUCT CODES

<b>SSD02</b>	Stainless Steel Round - 60mm Round Cutout - O/D 80mm - 12v
<b>SSD 06</b>	Stainless Steel Round - 60mm Round Cutout - O/D 80mm - 220v
<b>SSD 01</b>	Stainless Steel Square - 60mm Round Cutout - 80mm X 80mm - 12v
<b>SSD 05</b>	Stainless Steel Square - 60mm Round Cutout - 80mm X 80mm - 220v
<b>SSD 09</b>	Stainless Steel Round - 60mm Round Cutout - O/D 100mm - 12v
<b>SSD 10</b>	Stainless Steel Round - 60mm Round Cutout - O/D 100mm - 220v
<b>SSD 11</b>	Stainless Steel Square - 60mm Round Cutout - 100mm X 100mm - 12v
<b>SSD 12</b>	Stainless Steel Square - 60mm Round Cutout - 100mm X 100mm - 220v
<b>SSD 13</b>	Stainless Steel Round - 60mm Round Cutout - O/D 120mm - 12v
<b>SSD 14</b>	Stainless Steel Round - 60mm Round Cutout - O/D 120mm - 220v
<b>SSD 15</b>	Stainless Steel Square - 60mm Round Cutout - 120mm X 120mm - 12v
<b>SSD 16</b>	Stainless Steel Square - 60mm Round Cutout - 120mm X 120mm - 220v
<b>SSD 17</b>	Stainless Steel Double Rectangle - 145mm X 70mm Cutout - 220v



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
 Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
 sales@arclighting.co.za | www.arclighting.co.za



# SSD06: Non-tilt Downlighter



## SPECIFICATIONS

Luminaire Colour Brushed Aluminium (can request any colour)  
 Dimensions 60mm Diameter Cutout, 80mm Overall Diameter Trim  
 Installation Type  
 Ingress Protection 20  
 Material 316 Stainless Steel  
 Light Source GU10  
 Power Supply 230V 50Hz

## PRODUCT CODES

<b>SSD02</b>	Stainless Steel Round - 60mm Round Cutout - O/D 80mm - 12v
<b>SSD 06</b>	Stainless Steel Round - 60mm Round Cutout - O/D 80mm - 220v
<b>SSD 01</b>	Stainless Steel Square - 60mm Round Cutout - 80mm X 80mm - 12v
<b>SSD 05</b>	Stainless Steel Square - 60mm Round Cutout - 80mm X 80mm - 220v
<b>SSD 09</b>	Stainless Steel Round - 60mm Round Cutout - O/D 100mm - 12v
<b>SSD 10</b>	Stainless Steel Round - 60mm Round Cutout - O/D 100mm - 220v
<b>SSD 11</b>	Stainless Steel Square - 60mm Round Cutout - 100mm X 100mm - 12v
<b>SSD 12</b>	Stainless Steel Square - 60mm Round Cutout - 100mm X 100mm - 220v
<b>SSD 13</b>	Stainless Steel Round - 60mm Round Cutout - O/D 120mm - 12v
<b>SSD 14</b>	Stainless Steel Round - 60mm Round Cutout - O/D 120mm - 220v
<b>SSD 15</b>	Stainless Steel Square - 60mm Round Cutout - 120mm X 120mm - 12v
<b>SSD 16</b>	Stainless Steel Square - 60mm Round Cutout - 120mm X 120mm - 220v
<b>SSD 17</b>	Stainless Steel Double Rectangle - 145mm X 70mm Cutout - 220v



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
 Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
[sales@arclighting.co.za](mailto:sales@arclighting.co.za) | [www.arclighting.co.za](http://www.arclighting.co.za)



## SSD07: Tilt Stainless Steel Downlighter



### SPECIFICATIONS

Luminaire Colour Polished Stainless Steel  
Dimensions 75mm Round Cutout x 100mm Diameter Trim  
Installation Type  
Ingress Protection 20  
Material Stainless Steel  
Light Source GU10  
Power Supply 230V 50Hz

### PRODUCT CODES

<b>SSD03</b>	Stainless Steel Round Tilt - 75mm Round Cutout - O/D 100mm - 12v
<b>SSD 07</b>	Stainless Steel Round Tilt - 75mm Round Cutout- O/D 100mm - 220v
<b>SSD 04</b>	Stainless Steel Square Tilt - 75mm Round Cutout - 100mm X 100mm - 12v
<b>SSD 08</b>	Stainless Steel Square Tilt - 75mm Round Cutout - 100mm X 100mm - 220v
<b>SSD 20</b>	Stainless Steel Square Tilt - 75mm Round Cutout - 120mm X 120mm - 12v
<b>SSD21</b>	Stainless Steel Square Tilt - 75mm Round Cutout - 120mm X 120mm - 220v
<b>SSD18</b>	S/S Double Rec Tilt - 150mm X 75mm Cutout - 100mm X 175mm - 220v



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## SSD07K: Tilt Stainless Steel Downlighter



### SPECIFICATIONS

Luminaire Colour Powder Coated Black (can request any colour)  
Dimensions 75mm Round Cutout x 100mm Diameter Trim  
Installation Type  
Ingress Protection 20  
Material Stainless Steel  
Light Source GU10  
Power Supply 230V 50Hz

### PRODUCT CODES

<b>SSD03</b>	Stainless Steel Round Tilt - 75mm Round Cutout - O/D 100mm - 12v
<b>SSD 07</b>	Stainless Steel Round Tilt - 75mm Round Cutout- O/D 100mm - 220v
<b>SSD 04</b>	Stainless Steel Square Tilt - 75mm Round Cutout - 100mm X 100mm - 12v
<b>SSD 08</b>	Stainless Steel Square Tilt - 75mm Round Cutout - 100mm X 100mm - 220v
<b>SSD 20</b>	Stainless Steel Square Tilt - 75mm Round Cutout - 120mm X 120mm - 12v
<b>SSD21</b>	Stainless Steel Square Tilt - 75mm Round Cutout - 120mm X 120mm - 220v
<b>SSD18</b>	S/S Double Rec Tilt - 150mm X 75mm Cutout - 100mm X 175mm - 220v



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



# SSD08: Tilt Downlighter



## SPECIFICATIONS

Luminaire Colour Brushed Aluminium (can request any colour)  
 Dimensions 75mm Round Cutout x 100mm Overall Square Trim  
 Installation Type  
 Ingress Protection 20  
 Material 316 Stainless Steel  
 Light Source GU10  
 Power Supply 230V 50Hz

## PRODUCT CODES

<b>SSD03</b>	Stainless Steel Round Tilt - 75mm Round Cutout - O/D 100mm - 12v
<b>SSD 07</b>	Stainless Steel Round Tilt - 75mm Round Cutout- O/D 100mm - 220v
<b>SSD 04</b>	Stainless Steel Square Tilt - 75mm Round Cutout - 100mm X 100mm - 12v
<b>SSD 08</b>	Stainless Steel Square Tilt - 75mm Round Cutout - 100mm X 100mm - 220v
<b>SSD 20</b>	Stainless Steel Square Tilt - 75mm Round Cutout - 120mm X 120mm - 12v
<b>SSD21</b>	Stainless Steel Square Tilt - 75mm Round Cutout - 120mm X 120mm - 220v
<b>SSD18</b>	S/S Double Rec Tilt - 150mm X 75mm Cutout - 100mm X 175mm - 220v



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
 Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
[sales@arclighting.co.za](mailto:sales@arclighting.co.za) | [www.arclighting.co.za](http://www.arclighting.co.za)



## SSD08W: Square Silt Downlighter



### SPECIFICATIONS

Luminaire Colour Powder Coated White  
Dimensions 75mm Round Cutout 100mm x 100mm Face  
Installation Type  
Ingress Protection 20  
Material Stainless Steel  
Light Source GU10  
Power Supply 230V 50Hz

### PRODUCT CODES

<b>SSD03</b>	Stainless Steel Round Tilt - 75mm Round Cutout - O/D 100mm - 12v
<b>SSD 07</b>	Stainless Steel Round Tilt - 75mm Round Cutout- O/D 100mm - 220v
<b>SSD 04</b>	Stainless Steel Square Tilt - 75mm Round Cutout - 100mm X 100mm - 12v
<b>SSD 08</b>	Stainless Steel Square Tilt - 75mm Round Cutout - 100mm X 100mm - 220v
<b>SSD 20</b>	Stainless Steel Square Tilt - 75mm Round Cutout - 120mm X 120mm - 12v
<b>SSD21</b>	Stainless Steel Square Tilt - 75mm Round Cutout - 120mm X 120mm - 220v
<b>SSD18</b>	S/S Double Rec Tilt - 150mm X 75mm Cutout - 100mm X 175mm - 220v



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## SSD18: Rectangle Tilt Downlighter



### SPECIFICATIONS

Luminaire Colour White (can request any colour)  
Dimensions 75mm x 150mm Cutout 100mm x 175mm Face  
Installation Type  
Ingress Protection 20  
Material Stainless Steel  
Light Source GU10  
Power Supply 230V 50Hz

### PRODUCT CODES

<b>SSD03</b>	Stainless Steel Round Tilt - 75mm Round Cutout - O/D 100mm - 12v
<b>SSD 07</b>	Stainless Steel Round Tilt - 75mm Round Cutout- O/D 100mm - 220v
<b>SSD 04</b>	Stainless Steel Square Tilt - 75mm Round Cutout - 100mm X 100mm - 12v
<b>SSD 08</b>	Stainless Steel Square Tilt - 75mm Round Cutout - 100mm X 100mm - 220v
<b>SSD 20</b>	Stainless Steel Square Tilt - 75mm Round Cutout - 120mm X 120mm - 12v
<b>SSD21</b>	Stainless Steel Square Tilt - 75mm Round Cutout - 120mm X 120mm - 220v
<b>SSD18</b>	S/S Double Rec Tilt - 150mm X 75mm Cutout - 100mm X 175mm - 220v



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## SSD14: Stainless Steel Round Fixed Downlighter



### SPECIFICATIONS

Luminaire Colour Matte White  
Dimensions 110mm Diameter x 60mm Cutout  
Installation Type  
Ingress Protection 20  
Material Stainless Steel  
Light Source GU10  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

SSD14

GU10



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## SQ51: Double Swivel Plated Downlight



### SPECIFICATIONS

Luminaire Colour Sandpaper White  
Dimensions 175mm x 100mm x 70mm (C/O 60mm)  
Installation Type Recessed Mounted  
Ingress Protection IP20  
Material Aluminium & Steel  
Light Source GU10 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**SQ51**

175mm x 100mm x 70mm (C/O 60mm)



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za