



PERSPEX51: Perspex Dome Pendant



SPECIFICATIONS

Luminaire Colour Opal U068
Dimensions 350mm (D) x 175mm (H)
Installation Type
Ingress Protection 20
Material Perspex
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PERSPEX49	Clear
PERSPEX50	Black
PERSPEX51	Opal U050 / U068
PERSPEX56	Red U461
PERSPEX59	Shiny Chrome Exterior/White Interior
PERSPEX70	Red Translucent U400
PERSPEX15	Amber Translucent U300



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PERSPEX32: Perspex Dome Pendant



SPECIFICATIONS

Luminaire Colour Opal U068
Dimensions 450mm (D) x 225mm (H)
Installation Type
Ingress Protection 20
Material Perspex
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PERSPEX30	Clear
PERSPEX31	Black
PERSPEX32	Opal
PERSPEX55	Red U461
PERSPEX65	Amber Translucent U300
PERSPEX68	Green Translucent U600



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PERSPEX31: Perspex Dome Pendant



SPECIFICATIONS

Luminaire Colour Black & Red
Dimensions 450mm (D) x 225mm (H)
Installation Type
Ingress Protection 20
Material Perspex
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PERSPEX30	Clear
PERSPEX31	Black
PERSPEX32	Opal
PERSPEX55	Red U461
PERSPEX65	Amber Translucent U300
PERSPEX68	Green Translucent U600



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PERSPEX19: Perspex Dome Pendant



SPECIFICATIONS

Luminaire Colour Matte Black
Dimensions 500mm (D) x 250mm (H)
Installation Type
Ingress Protection 20
Material Perspex
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PERSPEX30	Clear
PERSPEX31	Black
PERSPEX32	Opal
PERSPEX55	Red U461
PERSPEX65	Amber Translucent U300
PERSPEX68	Green Translucent U600



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PERSPEX12: Perspex Dome Pendant



SPECIFICATIONS

Luminaire Colour Opal U068
Dimensions 580mm (D) x 290mm (H)
Installation Type
Ingress Protection 20
Material Perspex
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PERSPEX30	Clear
PERSPEX31	Black
PERSPEX32	Opal
PERSPEX55	Red U461
PERSPEX65	Amber Translucent U300
PERSPEX68	Green Translucent U600



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PERSPEX03: Perspex Dome Pendant



SPECIFICATIONS

Luminaire Colour Opal U050
Dimensions 900mm (D) x 450mm (H)
Installation Type
Ingress Protection 20
Material Perspex
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PERSPEX30	Clear
PERSPEX31	Black
PERSPEX32	Opal
PERSPEX55	Red U461
PERSPEX65	Amber Translucent U300
PERSPEX68	Green Translucent U600



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PERSPEX10: Perspex Dome Pendant



SPECIFICATIONS

Luminaire Colour Clear
Dimensions 580mm (D) x 290mm (H)
Installation Type
Ingress Protection 20
Material Perspex
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PERSPEX30	Clear
PERSPEX31	Black
PERSPEX32	Opal
PERSPEX55	Red U461
PERSPEX65	Amber Translucent U300
PERSPEX68	Green Translucent U600



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PERSPEX02: Perspex Dome Pendant



SPECIFICATIONS

Luminaire Colour Matte Black / Red
Dimensions 900mm (D) x 450mm (H)
Installation Type
Ingress Protection 20
Material Perspex
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PERSPEX30	Clear
PERSPEX31	Black
PERSPEX32	Opal
PERSPEX55	Red U461
PERSPEX65	Amber Translucent U300
PERSPEX68	Green Translucent U600



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PERSPEX02MTN: Perspex Dome Pendant



SPECIFICATIONS

Luminaire Colour Matte Black
Dimensions 900mm (D) x 450mm (H)
Installation Type
Ingress Protection 20
Material Perspex
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PERSPEX30	Clear
PERSPEX31	Black
PERSPEX32	Opal
PERSPEX55	Red U461
PERSPEX65	Amber Translucent U300
PERSPEX68	Green Translucent U600



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PERSPEX06: PD Perspex Fitting



SPECIFICATIONS

Luminaire Colour Opal U050
Dimensions 240mm (H) x 180mm (W), 6 Piece Perspex, 185mm x 140mm (H) then 185mm x 120mm (H), 20 degree slant
Installation Type
Ingress Protection 20
Material Perspex & Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PERSPEX06

Opal



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PERSPEX03B: Perspex Dome Pendant



SPECIFICATIONS

Luminaire Colour Blue / Opal
Dimensions 900mm Diameter x 450mm High
Installation Type
Ingress Protection 20
Material Perspex
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

PERSPEX01	Clear
PERSPEX02	Black
PERSPEX03	Opal
PERSPEX47	Red U461
PERSPEX78	Red Translucent U400



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PERSPEXCOLOURS: Perspex Colour Chart

perspexcolours

SPECIFICATIONS

- Luminaire Colour
- Dimensions
- Installation Type
- Ingress Protection
- Material
- Light Source
- Power Supply

PRODUCT CODES

PERSPEX

Colors



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PERSPEX70: Perspex Dome Pendant



SPECIFICATIONS

Luminaire Colour Red U400
Dimensions 350mm Diameter x 1755mm High
Installation Type
Ingress Protection 20
Material Perspex
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

PERSPEX70

Red U400



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PERSPEX79: Perspex Dome Pendant



SPECIFICATIONS

Luminaire Colour Green Translucent U600
Dimensions 300mm Diameter x 150mm High
Installation Type
Ingress Protection 20
Material Perspex
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

PERSPEX42	Clear
PERSPEX43	Black
PERSPEX44	Opal Translucent U050 / OPAL White U068
PERSPEX57	Red U461
PERSPEX58	Chrome / White
PERSPEX79	Green Translucent U600



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za