



## GP76BA2.5H: 2.5m MH Straight Ø76mm Buried

gp76ba2.5h

### SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø76mm x 3,000mm (L) x 2,500mm MH  
Installation Type Buried 500mm  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Refer to Cable Entry & Inspection Box

### PRODUCT CODES

<b>GP76BA2.5H</b>	2.5m MH Buried
<b>GP 76BA3H</b>	3m MH Buried
<b>GP76BA4H</b>	4m MH Buried
<b>GP76BA5H</b>	5m MH Buried



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## GP76BA3H: 3m MH Straight Ø76mm Buried



### SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø76mm x 3,500mm (L) x 3,000mm MH  
Installation Type Buried 500mm  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Refer to Cable Entry & Inspection Box

### PRODUCT CODES

<b>GP76BA2.5H</b>	2.5m MH Buried
<b>GP 76BA3H</b>	3m MH Buried
<b>GP76BA4H</b>	4m MH Buried
<b>GP76BA5H</b>	5m MH Buried



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## GP76BA4H: 4m MH Straight Ø76mm Buried



### SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø76mm x 4,500mm (L) x 4,000mm MH  
Installation Type Buried 500mm  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Refer to Cable Entry & Inspection Box

### PRODUCT CODES

<b>GP76BA2.5H</b>	2.5m MH Buried
<b>GP 76BA3H</b>	3m MH Buried
<b>GP76BA4H</b>	4m MH Buried
<b>GP76BA5H</b>	5m MH Buried



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## GP76BA5H: 5m MH Straight Ø76mm Buried



### SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø76mm x 6,000mm (L) x 5,000mm MH  
Installation Type Buried 1,000mm  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Refer to Cable Entry & Inspection Box

### PRODUCT CODES

<b>GP76BA2.5H</b>	2.5m MH Buried
<b>GP 76BA3H</b>	3m MH Buried
<b>GP76BA4H</b>	4m MH Buried
<b>GP76BA5H</b>	5m MH Buried



#### ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## GP76PA1H: 1m MH Straight Ø76mm Plinth Mounted



### SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø76mm x 1,000mm MH  
Installation Type Plinth Mounted  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Inspection Box

### PRODUCT CODES

<b>GP76PA1H</b>	1m MH Plinth Mounted
<b>GP76PA2H</b>	2m MH Plinth Mounted
<b>GP76PA2.5H</b>	2.5m MH Plinth Mounted
<b>GP76PA3H</b>	3m MH Plinth Mounted
<b>GP76PA4H</b>	4m MH Plinth Mounted
<b>GP 76PA5H</b>	5m MH Plinth Mounted
<b>GP76PA6H</b>	6m MH Plinth Mounted



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## GP76PA2H: 2m MH Straight Ø76mm Plinth Mounted



### SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø76mm x 2000mm MH  
Installation Type Plinth Mounted  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Inspection Box

### PRODUCT CODES

<b>GP76PA1H</b>	1m MH Plinth Mounted
<b>GP76PA2H</b>	2m MH Plinth Mounted
<b>GP76PA2.5H</b>	2.5m MH Plinth Mounted
<b>GP76PA3H</b>	3m MH Plinth Mounted
<b>GP76PA4H</b>	4m MH Plinth Mounted
<b>GP 76PA5H</b>	5m MH Plinth Mounted
<b>GP76PA6H</b>	6m MH Plinth Mounted



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



# GP76PA2.5H: 2.5m MH Straight Ø76mm Plinth Mounted



## SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø76mm x 2,500mm MH  
Installation Type Plinth Mounted  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Inspection Box

## PRODUCT CODES

<b>GP76PA1H</b>	1m MH Plinth Mounted
<b>GP76PA2H</b>	2m MH Plinth Mounted
<b>GP76PA2.5H</b>	2.5m MH Plinth Mounted
<b>GP76PA3H</b>	3m MH Plinth Mounted
<b>GP76PA4H</b>	4m MH Plinth Mounted
<b>GP 76PA5H</b>	5m MH Plinth Mounted
<b>GP76PA6H</b>	6m MH Plinth Mounted



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## GP76PA3H: 3m MH Straight Ø76mm Plinth Mounted



### SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø76mm x 3,000mm MH  
Installation Type Plinth Mounted  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Inspection Box

### PRODUCT CODES

<b>GP76PA1H</b>	1m MH Plinth Mounted
<b>GP76PA2H</b>	2m MH Plinth Mounted
<b>GP76PA2.5H</b>	2.5m MH Plinth Mounted
<b>GP76PA3H</b>	3m MH Plinth Mounted
<b>GP76PA4H</b>	4m MH Plinth Mounted
<b>GP 76PA5H</b>	5m MH Plinth Mounted
<b>GP76PA6H</b>	6m MH Plinth Mounted



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## GP76PA4H: 4m MH Straight Ø76mm Plinth Mounted



### SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø76mm x 4,000mm MH  
Installation Type Plinth Mounted  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Inspection Box

### PRODUCT CODES

<b>GP76PA1H</b>	1m MH Plinth Mounted
<b>GP76PA2H</b>	2m MH Plinth Mounted
<b>GP76PA2.5H</b>	2.5m MH Plinth Mounted
<b>GP76PA3H</b>	3m MH Plinth Mounted
<b>GP76PA4H</b>	4m MH Plinth Mounted
<b>GP 76PA5H</b>	5m MH Plinth Mounted
<b>GP76PA6H</b>	6m MH Plinth Mounted




**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## GP76PA5H: 5m MH Straight Ø76mm Plinth Mounted



### SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø76mm x 5,000mm MH  
Installation Type Plinth Mounted  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Inspection Box

### PRODUCT CODES

<b>GP76PA1H</b>	1m MH Plinth Mounted
<b>GP76PA2H</b>	2m MH Plinth Mounted
<b>GP76PA2.5H</b>	2.5m MH Plinth Mounted
<b>GP76PA3H</b>	3m MH Plinth Mounted
<b>GP76PA4H</b>	4m MH Plinth Mounted
<b>GP 76PA5H</b>	5m MH Plinth Mounted
<b>GP76PA6H</b>	6m MH Plinth Mounted




**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## GP76PA6H: 6m MH Straight Ø76mm Plinth Mounted



### SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø76mm x 6,000mm MH  
Installation Type Plinth Mounted  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Inspection Box

### PRODUCT CODES

<b>GP76PA1H</b>	1m MH Plinth Mounted
<b>GP76PA2H</b>	2m MH Plinth Mounted
<b>GP76PA2.5H</b>	2.5m MH Plinth Mounted
<b>GP76PA3H</b>	3m MH Plinth Mounted
<b>GP76PA4H</b>	4m MH Plinth Mounted
<b>GP 76PA5H</b>	5m MH Plinth Mounted
<b>GP76PA6H</b>	6m MH Plinth Mounted




**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



# GP114BA2.5H: 2.5m MH 1 Step Ø114mm & Ø76mm Buried



## SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø114mm 2,000mm (L) x Ø76mm 1,000mm (L) x 2,500mm MH  
Installation Type Buried 500mm  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Refer to Cable Entry & Inspection Box

## PRODUCT CODES

<b>GP114BA2.5H</b>	2.5m MH Buried
<b>GP114BA3H</b>	3m MH Buried
<b>GP114BA4H</b>	4m MH Buried
<b>GP114BA5H</b>	5m MH Buried
<b>GP114BA6H</b>	6m MH Buried
<b>GP114BA7H</b>	7m MH Buried
<b>GP114BA8H</b>	8m MH Buried
<b>GP114BA9H</b>	9m MH Buried
<b>GP114BA10H</b>	10m MH Buried
<b>GP114BA11H</b>	11m MH Buried




**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## GP114BA3H: 3m MH 1 Step Ø114mm & Ø76mm Buried



### SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø114mm 2,000mm (L) x Ø76mm 1,500mm (L) x 3,000mm MH  
Installation Type Buried 500mm  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Refer to Cable Entry & Inspection Box

### PRODUCT CODES

<b>GP114BA2.5H</b>	2.5m MH Buried
<b>GP114BA3H</b>	3m MH Buried
<b>GP114BA4H</b>	4m MH Buried
<b>GP114BA5H</b>	5m MH Buried
<b>GP114BA6H</b>	6m MH Buried
<b>GP114BA7H</b>	7m MH Buried
<b>GP114BA8H</b>	8m MH Buried
<b>GP114BA9H</b>	9m MH Buried
<b>GP114BA10H</b>	10m MH Buried
<b>GP114BA11H</b>	11m MH Buried



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



# GP114BA4H: 4m MH 1 Step Ø114mm & Ø76mm Buried



## SPECIFICATIONS

Luminaire Colour Galvanised  
 Dimensions Ø114mm 3,000mm (L) x Ø76mm 1,500mm (L) x 4,000mm MH  
 Installation Type Buried 500mm  
 Ingress Protection Coastal areas Suitable  
 Material Hot Dip Galvanized Mild-Steel Round Tubing  
 Light Source N/A  
 Power Supply Refer to Cable Entry & Inspection Box

## PRODUCT CODES

<b>GP114BA2.5H</b>	2.5m MH Buried
<b>GP114BA3H</b>	3m MH Buried
<b>GP114BA4H</b>	4m MH Buried
<b>GP114BA5H</b>	5m MH Buried
<b>GP114BA6H</b>	6m MH Buried
<b>GP114BA7H</b>	7m MH Buried
<b>GP114BA8H</b>	8m MH Buried
<b>GP114BA9H</b>	9m MH Buried
<b>GP114BA10H</b>	10m MH Buried
<b>GP114BA11H</b>	11m MH Buried



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
 Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
 sales@arclighting.co.za | www.arclighting.co.za



## GP114BA5H: 5m MH 1 Step Ø114mm & Ø76mm Buried

gp114ba5h

### SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø114mm 3,000mm (L) x Ø76mm 3,000mm (L) x 5,000mm MH  
Installation Type Buried 1000mm  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Refer to Cable Entry & Inspection Box

### PRODUCT CODES

<b>GP114BA2.5H</b>	2.5m MH Buried
<b>GP114BA3H</b>	3m MH Buried
<b>GP114BA4H</b>	4m MH Buried
<b>GP114BA5H</b>	5m MH Buried
<b>GP114BA6H</b>	6m MH Buried
<b>GP114BA7H</b>	7m MH Buried
<b>GP114BA8H</b>	8m MH Buried
<b>GP114BA9H</b>	9m MH Buried
<b>GP114BA10H</b>	10m MH Buried
<b>GP114BA11H</b>	11m MH Buried



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



# GP114BA6H: 6m MH 1 Step Ø114mm & Ø76mm Buried



## SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø114mm 4,000mm (L) x Ø76mm 3,000mm (L) x 6,000mm MH  
Installation Type Buried 1000mm  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Refer to Cable Entry & Inspection Box

## PRODUCT CODES

<b>GP114BA2.5H</b>	2.5m MH Buried
<b>GP114BA3H</b>	3m MH Buried
<b>GP114BA4H</b>	4m MH Buried
<b>GP114BA5H</b>	5m MH Buried
<b>GP114BA6H</b>	6m MH Buried
<b>GP114BA7H</b>	7m MH Buried
<b>GP114BA8H</b>	8m MH Buried
<b>GP114BA9H</b>	9m MH Buried
<b>GP114BA10H</b>	10m MH Buried
<b>GP114BA11H</b>	11m MH Buried




**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



# GP114BA7H: 7m MH 1 Step Ø114mm & Ø76mm Buried



## SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø114mm 4,000mm (L) x Ø76mm 4,000mm (L) x 7,000mm MH  
Installation Type Buried 1200mm  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Refer to Cable Entry & Inspection Box

## PRODUCT CODES

<b>GP114BA2.5H</b>	2.5m MH Buried
<b>GP114BA3H</b>	3m MH Buried
<b>GP114BA4H</b>	4m MH Buried
<b>GP114BA5H</b>	5m MH Buried
<b>GP114BA6H</b>	6m MH Buried
<b>GP114BA7H</b>	7m MH Buried
<b>GP114BA8H</b>	8m MH Buried
<b>GP114BA9H</b>	9m MH Buried
<b>GP114BA10H</b>	10m MH Buried
<b>GP114BA11H</b>	11m MH Buried




**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## GP114BA8H: 8m MH 1 Step Ø114mm & Ø76mm Buried



### SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø114mm 4,000mm (L) x Ø76mm 5,000mm (L) x 8,000mm MH  
Installation Type Buried 1200mm  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Refer to Cable Entry & Inspection Box

### PRODUCT CODES

<b>GP114BA2.5H</b>	2.5m MH Buried
<b>GP114BA3H</b>	3m MH Buried
<b>GP114BA4H</b>	4m MH Buried
<b>GP114BA5H</b>	5m MH Buried
<b>GP114BA6H</b>	6m MH Buried
<b>GP114BA7H</b>	7m MH Buried
<b>GP114BA8H</b>	8m MH Buried
<b>GP114BA9H</b>	9m MH Buried
<b>GP114BA10H</b>	10m MH Buried
<b>GP114BA11H</b>	11m MH Buried




**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



# GP114BA9H: 9m MH 1 Step Ø114mm & Ø76mm Buried



## SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø114mm 6,000mm (L) x Ø76mm 4,000mm (L) x 9,000mm MH  
Installation Type Buried 1200mm  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Refer to Cable Entry & Inspection Box

## PRODUCT CODES

<b>GP114BA2.5H</b>	2.5m MH Buried
<b>GP114BA3H</b>	3m MH Buried
<b>GP114BA4H</b>	4m MH Buried
<b>GP114BA5H</b>	5m MH Buried
<b>GP114BA6H</b>	6m MH Buried
<b>GP114BA7H</b>	7m MH Buried
<b>GP114BA8H</b>	8m MH Buried
<b>GP114BA9H</b>	9m MH Buried
<b>GP114BA10H</b>	10m MH Buried
<b>GP114BA11H</b>	11m MH Buried




**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



# GP114BA10H: 10m MH 1 Step Ø114mm & Ø76mm Buried



## SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø114mm 6,000mm (L) x Ø76mm 5,000mm (L) x 10,000mm MH  
Installation Type Buried 1200mm  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Refer to Cable Entry & Inspection Box

## PRODUCT CODES

<b>GP114BA2.5H</b>	2.5m MH Buried
<b>GP114BA3H</b>	3m MH Buried
<b>GP114BA4H</b>	4m MH Buried
<b>GP114BA5H</b>	5m MH Buried
<b>GP114BA6H</b>	6m MH Buried
<b>GP114BA7H</b>	7m MH Buried
<b>GP114BA8H</b>	8m MH Buried
<b>GP114BA9H</b>	9m MH Buried
<b>GP114BA10H</b>	10m MH Buried
<b>GP114BA11H</b>	11m MH Buried




**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## GP114BA11H: 11m MH 1 Step Ø114mm & Ø76mm Buried



### SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø114mm 6,000mm (L) x Ø76mm 6,000mm (L) x 11,000mm MH  
Installation Type Buried 1200mm  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Refer to Cable Entry & Inspection Box

### PRODUCT CODES

<b>GP114BA2.5H</b>	2.5m MH Buried
<b>GP114BA3H</b>	3m MH Buried
<b>GP114BA4H</b>	4m MH Buried
<b>GP114BA5H</b>	5m MH Buried
<b>GP114BA6H</b>	6m MH Buried
<b>GP114BA7H</b>	7m MH Buried
<b>GP114BA8H</b>	8m MH Buried
<b>GP114BA9H</b>	9m MH Buried
<b>GP114BA10H</b>	10m MH Buried
<b>GP114BA11H</b>	11m MH Buried




**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



# GP114PA2.5H: 2.5m MH 1 Step Ø114mm & Ø76mm Plinth Mounted



## SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø114mm 1,500mm (L) x Ø76mm 1,000mm (L) x 2,500mm MH  
Installation Type Plinth Mounted  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Refer to Cable Entry & Inspection Box

## PRODUCT CODES

<b>GP114PA2.5H</b>	2.5m MH Buried
<b>GP114PA3H</b>	3m MH Buried
<b>GP114PA4H</b>	4m MH Buried
<b>GP114PA5H</b>	5m MH Buried
<b>GP114PA6H</b>	6m MH Buried
<b>GP114PA7H</b>	7m MH Buried
<b>GP114PA8H</b>	8m MH Buried
<b>GP114PA9H</b>	9m MH Buried
<b>GP114PA10H</b>	10m MH Buried
<b>GP114PA11H</b>	11m MH Buried




**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



# GP114PA3H: 3m MH 1 Step Ø114mm & Ø76mm Plinth Mounted



## SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø114mm 2,000mm (L) x Ø76mm 1,000mm (L) x 3,000mm MH  
Installation Type Plinth Mounted  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Refer to Cable Entry & Inspection Box

## PRODUCT CODES

<b>GP114PA2.5H</b>	2.5m MH Buried
<b>GP114PA3H</b>	3m MH Buried
<b>GP114PA4H</b>	4m MH Buried
<b>GP114PA5H</b>	5m MH Buried
<b>GP114PA6H</b>	6m MH Buried
<b>GP114PA7H</b>	7m MH Buried
<b>GP114PA8H</b>	8m MH Buried
<b>GP114PA9H</b>	9m MH Buried
<b>GP114PA10H</b>	10m MH Buried
<b>GP114PA11H</b>	11m MH Buried




**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



# GP114PA4H: 4m MH 1 Step Ø114mm & Ø76mm Plinth Mounted



## SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø114mm 3,000mm (L) x Ø76mm 1,000mm (L) x 4,000mm MH  
Installation Type Plinth Mounted  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Refer to Cable Entry & Inspection Box

## PRODUCT CODES

<b>GP114PA2.5H</b>	2.5m MH Buried
<b>GP114PA3H</b>	3m MH Buried
<b>GP114PA4H</b>	4m MH Buried
<b>GP114PA5H</b>	5m MH Buried
<b>GP114PA6H</b>	6m MH Buried
<b>GP114PA7H</b>	7m MH Buried
<b>GP114PA8H</b>	8m MH Buried
<b>GP114PA9H</b>	9m MH Buried
<b>GP114PA10H</b>	10m MH Buried
<b>GP114PA11H</b>	11m MH Buried




**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



# GP114PA5H: 5m MH 1 Step Ø114mm & Ø76mm Plinth Mounted



## SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø114mm 3,000mm (L) x Ø76mm 1,000mm (L) x 4,000mm MH  
Installation Type Plinth Mounted  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Refer to Cable Entry & Inspection Box

## PRODUCT CODES

<b>GP114PA2.5H</b>	2.5m MH Buried
<b>GP114PA3H</b>	3m MH Buried
<b>GP114PA4H</b>	4m MH Buried
<b>GP114PA5H</b>	5m MH Buried
<b>GP114PA6H</b>	6m MH Buried
<b>GP114PA7H</b>	7m MH Buried
<b>GP114PA8H</b>	8m MH Buried
<b>GP114PA9H</b>	9m MH Buried
<b>GP114PA10H</b>	10m MH Buried
<b>GP114PA11H</b>	11m MH Buried




**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



# GP114PA6H: 6m MH 1 Step Ø114mm & Ø76mm Plinth Mounted



## SPECIFICATIONS

Luminaire Colour Galvanised  
 Dimensions Ø114mm 3,000mm (L) x Ø76mm 3,000mm (L) x 6,000mm MH  
 Installation Type Plinth Mounted  
 Ingress Protection Coastal areas Suitable  
 Material Hot Dip Galvanized Mild-Steel Round Tubing  
 Light Source N/A  
 Power Supply Refer to Cable Entry & Inspection Box

## PRODUCT CODES

<b>GP114PA2.5H</b>	2.5m MH Buried
<b>GP114PA3H</b>	3m MH Buried
<b>GP114PA4H</b>	4m MH Buried
<b>GP114PA5H</b>	5m MH Buried
<b>GP114PA6H</b>	6m MH Buried
<b>GP114PA7H</b>	7m MH Buried
<b>GP114PA8H</b>	8m MH Buried
<b>GP114PA9H</b>	9m MH Buried
<b>GP114PA10H</b>	10m MH Buried
<b>GP114PA11H</b>	11m MH Buried




**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
 Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
 sales@arclighting.co.za | www.arclighting.co.za



## GP114PA7H: 7m MH 1 Step Ø114mm & Ø76mm Plinth Mounted



### SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø114mm 4,000mm (L) x Ø76mm 3,000mm (L) x 4,000mm MH  
Installation Type Plinth Mounted  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Refer to Cable Entry & Inspection Box

### PRODUCT CODES

<b>GP114PA2.5H</b>	2.5m MH Buried
<b>GP114PA3H</b>	3m MH Buried
<b>GP114PA4H</b>	4m MH Buried
<b>GP114PA5H</b>	5m MH Buried
<b>GP114PA6H</b>	6m MH Buried
<b>GP114PA7H</b>	7m MH Buried
<b>GP114PA8H</b>	8m MH Buried
<b>GP114PA9H</b>	9m MH Buried
<b>GP114PA10H</b>	10m MH Buried
<b>GP114PA11H</b>	11m MH Buried



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## GP114PA8H: 8m MH 1 Step Ø114mm & Ø76mm Plinth Mounted



### SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø114mm 5,000mm (L) x Ø76mm 3,000mm (L) x 8,000mm MH  
Installation Type Plinth Mounted  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Refer to Cable Entry & Inspection Box

### PRODUCT CODES

<b>GP114PA2.5H</b>	2.5m MH Buried
<b>GP114PA3H</b>	3m MH Buried
<b>GP114PA4H</b>	4m MH Buried
<b>GP114PA5H</b>	5m MH Buried
<b>GP114PA6H</b>	6m MH Buried
<b>GP114PA7H</b>	7m MH Buried
<b>GP114PA8H</b>	8m MH Buried
<b>GP114PA9H</b>	9m MH Buried
<b>GP114PA10H</b>	10m MH Buried
<b>GP114PA11H</b>	11m MH Buried



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



# GP114PA9H: 9m MH 1 Step Ø114mm & Ø76mm Plinth Mounted



## SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø114mm 5,000mm (L) x Ø76mm 4,000mm (L) x 4,000mm MH  
Installation Type Plinth Mounted  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Refer to Cable Entry & Inspection Box

## PRODUCT CODES

<b>GP114PA2.5H</b>	2.5m MH Buried
<b>GP114PA3H</b>	3m MH Buried
<b>GP114PA4H</b>	4m MH Buried
<b>GP114PA5H</b>	5m MH Buried
<b>GP114PA6H</b>	6m MH Buried
<b>GP114PA7H</b>	7m MH Buried
<b>GP114PA8H</b>	8m MH Buried
<b>GP114PA9H</b>	9m MH Buried
<b>GP114PA10H</b>	10m MH Buried
<b>GP114PA11H</b>	11m MH Buried




**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



# GP114PA10H: 10m MH 1 Step Ø114mm & Ø76mm Plinth Mounted



## SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø114mm 6,000mm (L) x Ø76mm 4,000mm (L) x 10,000mm MH  
Installation Type Plinth Mounted  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Refer to Cable Entry & Inspection Box

## PRODUCT CODES

<b>GP114PA2.5H</b>	2.5m MH Buried
<b>GP114PA3H</b>	3m MH Buried
<b>GP114PA4H</b>	4m MH Buried
<b>GP114PA5H</b>	5m MH Buried
<b>GP114PA6H</b>	6m MH Buried
<b>GP114PA7H</b>	7m MH Buried
<b>GP114PA8H</b>	8m MH Buried
<b>GP114PA9H</b>	9m MH Buried
<b>GP114PA10H</b>	10m MH Buried
<b>GP114PA11H</b>	11m MH Buried



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## GP114PA11H: 11m MH 1 Step Ø114mm & Ø76mm Plinth Mounted

 gp114pa11h

### SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions Ø114mm 6,000mm (L) x Ø76mm 5,000mm (L) x 11,000mm MH  
Installation Type Plinth Mounted  
Ingress Protection Coastal areas Suitable  
Material Hot Dip Galvanized Mild-Steel Round Tubing  
Light Source N/A  
Power Supply Refer to Cable Entry & Inspection Box

### PRODUCT CODES

<b>GP114PA2.5H</b>	2.5m MH Buried
<b>GP114PA3H</b>	3m MH Buried
<b>GP114PA4H</b>	4m MH Buried
<b>GP114PA5H</b>	5m MH Buried
<b>GP114PA6H</b>	6m MH Buried
<b>GP114PA7H</b>	7m MH Buried
<b>GP114PA8H</b>	8m MH Buried
<b>GP114PA9H</b>	9m MH Buried
<b>GP114PA10H</b>	10m MH Buried
<b>GP114PA11H</b>	11m MH Buried



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## JBC20: GP114 Bolt Cage



### SPECIFICATIONS

Luminaire Colour Galvanised  
Dimensions 20mm x 500mm  
Installation Type Casted  
Ingress Protection Coastal areas Suitable  
Material Stainless Steel  
Light Source N/A  
Power Supply N/A

### PRODUCT CODES

<b>JBC12</b>	12mm x 500mm
<b>JBC20</b>	20mm x 500mm



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za