



PEN010: GM Pendant DC Top



SPECIFICATIONS

Luminaire Colour Matt Black
Dimensions Ø210mm x 350mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN010

Ø210mm x 350mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN013.1MKMB: Small KL Pendant

pen013.1mkmb

SPECIFICATIONS

Luminaire Colour Matt Black & Metallic Brass
Dimensions Ø310mm x 170mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN013.1	Ø310mm x 170mm
PEN013.2	Ø315mm x 230mm
PEN013.3	Ø500mm x 190mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN64SCO: Dome Pendant



SPECIFICATIONS

Luminaire Colour Shiny Copper
Dimensions Ø420mm x 200mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN64	Ø420mm x 200mm
PEN64.1	Ø160mm x 100mm
PEN64.2	Ø185mm x 125mm
PEN64.3	Ø250mm x 110mm
PEN64.4	Ø305mm x 160mm
PEN64.6	Ø600mm x 300mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PEN024: BS Pendant



SPECIFICATIONS

Luminaire Colour Matt Black / Shiny Copper
Dimensions Ø400mm x 400mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN024

Ø400mm x 400mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN030: Crown Pendant



SPECIFICATIONS

Luminaire Colour Matt Black
Dimensions Ø250mm x Ø160mm x 280mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN030

Ø250mm x Ø160mm x 280mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN013.2: Medium KL Pendant



SPECIFICATIONS

Luminaire Colour Shiny Brass
Dimensions 315mm Diameter x 230mm High
Installation Type Surface Mounted
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PEN013.1	Ø310mm x 170mm High
PEN013.2	Ø315mm x 230mm High
PEN013.3	Ø500mm x 190mm High



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN037: Canister Pendant



SPECIFICATIONS

Luminaire Colour Matt Black
Dimensions Ø140mm x 200mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN037

Ø140mm x 200mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN042: Bedroom Pendant



SPECIFICATIONS

Luminaire Colour Brushed Copper
Dimensions Ø190mm x 180mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN042

Ø190mm x 180mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN019: Small Industrial Pendant



SPECIFICATIONS

Luminaire Colour Cream Exterior / Polished Copper Interior
Dimensions 360mm Diameter x 240mm High
Installation Type Surface Mounted
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PEN044	White/Black/Green Exterior & Polished Copper Interior
PEN0443	Cream Exterior & Polished Copper Interior
PEN048	Polished Copper/Brass



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN05: BK Pendant



SPECIFICATIONS

Luminaire Colour Brushed Aluminium
Dimensions Ø380mm x 160mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder / COB LED
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN05.1	Ø380mm x 160mm
PEN05.2	Ø435mm x 180mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN21: HB Pendant



SPECIFICATIONS

Luminaire Colour Brushed Aluminium
Dimensions Ø325mm x 350mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder / LED COB
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN21

Ø325mm x 350mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PEN23: GM Pendant



SPECIFICATIONS

Luminaire Colour Brushed Aluminium
Dimensions Ø210mm x 300mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN23

Ø210mm x 300mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN28.2: Cone Pendant



SPECIFICATIONS

Luminaire Colour Brushed Aluminium
Dimensions Ø160mm x 270mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN28.1	Ø120mm x 240mm
PEN28.2	Ø160mm x 270mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN33: BL Pendant



SPECIFICATIONS

Luminaire Colour Dark Charcoal
Dimensions Ø590mm x 330mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN33

Ø590mm x 330mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN01.2: PR Pendant



SPECIFICATIONS

Luminaire Colour Polished Chrome Exterior / White Interior
Dimensions 275mm Diameter x 200mm High
Installation Type Surface Mounted
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PEN01.1	Ø275mm x 200mm High
PEN01.2	Ø430mm x 225mm High



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN40.1: AR Pendant



SPECIFICATIONS

Luminaire Colour Brushed Aluminium
Dimensions Ø245mm x 210mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN40.1	Ø245mm x 210mm
PEN40.2	Ø330mm x 320mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PEN59: FM Pendant Flat Top



SPECIFICATIONS

Luminaire Colour Red
Dimensions Ø440mm x 340mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN59	Ø440mm x 340mm
PEN59.SRT	Ø440mm x 340mm (Small Round Top)
PEN59.RT	Ø440mm x 340mm (Round Top)



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PEN59.SRT: FM Pendant Small Round Top

pen59.srt

SPECIFICATIONS

Luminaire Colour Matt White & Shiny Chrome
Dimensions Ø440mm x 340mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN59	Ø440mm x 340mm
PEN59.SRT	Ø440mm x 340mm (Small Round Top)
PEN59.RT	Ø440mm x 340mm (Round Top)




ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN59.RT: FM Pendant Round Top



SPECIFICATIONS

Luminaire Colour Brushed Aluminium
Dimensions Ø440mm x 340mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN59	Ø440mm x 340mm
PEN59.SRT	Ø440mm x 340mm (Small Round Top)
PEN59.RT	Ø440mm x 340mm (Round Top)



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN61: Bell Pendant



SPECIFICATIONS

Luminaire Colour Lime Green
Dimensions Ø435mm x 270mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN61Z

Ø435mm x 270mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN64MW: Dome Pendant with Lip



SPECIFICATIONS

Luminaire Colour Matt White
Dimensions Ø420mm x 200mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN64	Ø420mm x 200mm
PEN64.1	Ø160mm x 100mm
PEN64.2	Ø185mm x 125mm
PEN64.3	Ø250mm x 110mm
PEN64.4	Ø305mm x 160mm
PEN64.6	Ø600mm x 300mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN64BB: Dome Pendant



SPECIFICATIONS

Luminaire Colour Brushed Brass
Dimensions Ø420mm x 200mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN64	Ø420mm x 200mm
PEN64.1	Ø160mm x 100mm
PEN64.2	Ø185mm x 125mm
PEN64.3	Ø250mm x 110mm
PEN64.4	Ø305mm x 160mm
PEN64.6	Ø600mm x 300mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN98: GM Pendant



SPECIFICATIONS

Luminaire Colour Brushed Aluminium
Dimensions 210mm Diameter x 300mm High
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27 Lampholder / LED COB
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PEN23	White/Black/Green
PEN25	Brushed Aluminium/Brass/Bronze/Titanium Silver
PEN98	Metallic & Antique Copper/Brass/Rust



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PEN112: AP Pendant



SPECIFICATIONS

Luminaire Colour Blue
Dimensions Ø270mm x 270mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN112

Ø270mm x 270mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN130: DC Pendant



SPECIFICATIONS

Luminaire Colour Matt Black & White
Dimensions Ø430mm x 500mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN130

Ø430mm x 500mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN151: Industrial Sun Dome Pendant



SPECIFICATIONS

Luminaire Colour Brushed Aluminium
Dimensions 425mm Diameter x 340mm High
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PEN151	White/Black/Green
PEN152	Brushed Aluminium/Brass/Bronze/Titanium Silver
PEN153	Metallic & Antique Copper/Brass/Rust



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN154MKSCO: LN Dome Pendant

pen154mksco

SPECIFICATIONS

Luminaire Colour Matt Black & Shiny Copper
Dimensions Ø420mm x 330mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN154

Ø420mm x 330mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN162: CH Pendant



SPECIFICATIONS

Luminaire Colour Matt Black
Dimensions Ø300mm x 275mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN162

Ø300mm x 275mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN165: FT Pendant



SPECIFICATIONS

Luminaire Colour Brushed Aluminium
Dimensions Ø350mm x 200mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder / LED COB
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN165

Ø350mm x 200mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PEN170: Ripple Industrial Pendant



SPECIFICATIONS

Luminaire Colour Rust
Dimensions 445mm Diameter x 320mm High
Installation Type Surface Mounted
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PEN168	White/Black/Green
PEN169	Brushed Aluminium/Brass/Bronze/Titanium Silver
PEN170	Metallic & Antique Copper/Brass/Rust



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN179: BM Pendant



SPECIFICATIONS

Luminaire Colour Traffic Red
Dimensions Ø250mm x 220mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN179TR

Ø250mm x 220mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN183.1: Slanted CM Pendant



SPECIFICATIONS

Luminaire Colour Matt Black & Metallic Copper
Dimensions Ø95mm x 260mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source GU10 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN183.1	Ø95mm x 260mm / 250mm / 350mm / 450mm
PEN183.2	Ø127mm x 650mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN182: HR Pendant



SPECIFICATIONS

Luminaire Colour Gloss Yellow
Dimensions Ø270mm x 192mm (H)
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN182

Ø270mm x 192mm (H)



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN188: Nova Industrial Pendant



SPECIFICATIONS

Luminaire Colour Brushed Aluminium / White
Dimensions Ø445mm x 265mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN188

Ø445mm x 265mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN228: FN Pendant



SPECIFICATIONS

Luminaire Colour Matt Black / Metallic Copper
Dimensions Ø250mm x 230mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder / COB LED
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN228

Ø250mm x 230mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN241: Hazelnut Pendant



SPECIFICATIONS

Luminaire Colour Rust & Matt Black
Dimensions Ø185mm x 180mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN241

Ø185mm x 180mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN243: SP Pendant



SPECIFICATIONS

Luminaire Colour Matt Black / White
Dimensions ø 600mm (D) x 50mm (H)
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN243

Matt Black Exterior / White Interior



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PEN183.2: Slanted CM Pendant



SPECIFICATIONS

Luminaire Colour Matt Black & Metallic Brass
Dimensions Ø127mm x 650mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN183.1	Ø95mm x 260mm
PEN183.2	Ø127mm x 650mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN306: Cylindrical Pendant



SPECIFICATIONS

Luminaire Colour Brushed Aluminium
Dimensions Ø130mm x 450mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN306

Ø130mm x 450mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PEN310: Large BM Pendant with Top

pen310

SPECIFICATIONS

Luminaire Colour Matt Black / Shiny Copper
Dimensions Ø420mm x 250mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN310MKSCO

Ø420mm x 250mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN303SCO: CB Pendant

pen303sco

SPECIFICATIONS

Luminaire Colour Shiny Copper
Dimensions Ø145mm x 180mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN303SCO

Ø145mm x 180mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN405: LD Pendant

pen405

SPECIFICATIONS

Luminaire Colour Metallic Copper & Matt White
Dimensions Ø300mm x 300mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN405

Ø300mm x 300mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN406.2SKBCSW: HP Pendant

pen406.2skbcsw

SPECIFICATIONS

Luminaire Colour Satin Black Exterior, Brushed Copper Top / Satin White Interior
Dimensions Ø510mm x 330mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder / LED COB
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN406.1	420mm (D) x 320mm (H)
PEN406.2	510mm (D) x 330mm (H)
PEN406.3	700mm (D) x 330mm (H)



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PEN432: Chinese Hat Pendant



SPECIFICATIONS

Luminaire Colour Brushed Brass
Dimensions Ø445mm x 200mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN432BB

Ø445mm x 200mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN408: Drum Pendant



SPECIFICATIONS

Luminaire Colour Matt Black
Dimensions Ø480mm x 80mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium & Perspex
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN408.1	Ø330mm x 90mm
PEN408.2	Ø480mm x 90mm
PEN408.3	Ø645mm x 90mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN408.2: Drum Pendant



SPECIFICATIONS

Luminaire Colour Matt Black
Dimensions Ø480mm x 300mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium & Perspex
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN408	Ø480mm x 90mm
PEN408.1	Ø330mm x 90mm
PEN408.2	Ø480mm x 90mm
PEN408.3	Ø645mm x 90mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN013.3MW: Large KL Pendant

pen013.3mw

SPECIFICATIONS

Luminaire Colour Matt White
Dimensions 500mm Diameter x 190mm High
Installation Type Surface Mounted
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PEN013.1	Ø310mm x 170mm High
PEN013.2	Ø315mm x 230mm High
PEN013.3	Ø500mm x 190mm High



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN428: Galaxy Pendant



SPECIFICATIONS

Luminaire Colour Metallic Silver Grey
Dimensions Ø360mm x 400mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium & Wood
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN428	Ø360mm x 400mm
PEN428.1	Ø430mm x 440mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN435: Iris Pendant



SPECIFICATIONS

Luminaire Colour Traffic Red
Dimensions Ø310mm x 240mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN435

Ø310mm x 240mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN438: Jasmine Pendant



SPECIFICATIONS

Luminaire Colour Matt Black & Metallic Copper
Dimensions Ø420mm x 270mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN438

Ø420mm x 270mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN500: Roman Pendant



SPECIFICATIONS

Luminaire Colour Traffic Red / Matt White
Dimensions Ø350mm x 230mm
Installation Type Surface Mounted
Ingress Protection 20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN500

Ø350mm x 230mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN418: AB Pendant



SPECIFICATIONS

Luminaire Colour Matt White
Dimensions Ø290mm x 135mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN418

Ø290mm x 135mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PEN600: Barn Pendant



SPECIFICATIONS

Luminaire Colour Brushed Aluminium
Dimensions Ø400mm x 220mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN600

Ø400mm x 220mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN440: Elektra Pendant



SPECIFICATIONS

Luminaire Colour Matt Black & White
Dimensions Ø420mm x 280mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN440

Ø420mm x 280mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN303SB: CB Pendant



SPECIFICATIONS

Luminaire Colour Shiny Brass
Dimensions Ø145mm x 180mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN303SB

Ø145mm x 180mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN154MWSCO: LN Dome Pendant

pen154mwSCO

SPECIFICATIONS

Luminaire Colour Matt White & Shiny Copper
Dimensions Ø420mm x 330mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN154

Ø420mm x 330mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN454: Flower Pot Pendant



SPECIFICATIONS

Luminaire Colour Gloss White
Dimensions Ø420mm x 200mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN454

Ø420mm x 200mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN023: CM Pendant



SPECIFICATIONS

Luminaire Colour Sandpaper Black
Dimensions Ø95mm x 300mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source GU10 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN023	Ø95mm x 300mm
PEN023	Ø60mm x 300mm
PEN023	Ø76mm x 300mm
PEN023	Ø100mm x 300mm
PEN023	Ø127mm x 300mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN406.1SKBASW: HP Pendant

pen406.1skbasw

SPECIFICATIONS

Luminaire Colour Satin Black Exterior, Brushed Aluminium Top / Satin White Interior
Dimensions Ø420mm x 330mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder / LED COB
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN406.1	Ø420mm x 330mm
PEN406.2	Ø510mm x 330mm
PEN406.3	Ø700mm x 330mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN513: Neptune Pendant



SPECIFICATIONS

Luminaire Colour Matt Black
Dimensions Ø225mm x 200mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN513MK

Ø225mm x 200mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN512.1BA: Bullet Pendant

pen512.1ba

SPECIFICATIONS

Luminaire Colour Brushed Aluminium
Dimensions Ø310mm x 270mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder or LED
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN512.1	Ø310mm x 270mm
PEN512.2	Ø333mm x 365mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN512.2BB: Bullet Pendant

pen512.2bb

SPECIFICATIONS

Luminaire Colour Brushed Brass
Dimensions Ø333mm x 365mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder or LED
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN512.1	Ø310mm x 270mm
PEN512.2	Ø333mm x 365mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN512.1SK: Bullet Pendant

pen512.1sk

SPECIFICATIONS

Luminaire Colour Sandpaper Black
Dimensions Ø310mm x 270mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder or LED
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN512.1	Ø310mm x 270mm
PEN512.2	Ø333mm x 365mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN512.2BC: Bullet Pendant

pen512.2bc

SPECIFICATIONS

Luminaire Colour Brushed Copper
Dimensions Ø333mm x 365mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder or LED
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN512.1	Ø310mm x 270mm
PEN512.2	Ø333mm x 365mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN512.2SK: Bullet Pendant

pen512.2sk

SPECIFICATIONS

Luminaire Colour Sandpaper Black
Dimensions Ø333mm x 365mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder or LED
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN512.1	Ø310mm x 270mm
PEN512.2	Ø333mm x 365mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN512.1MB: Bullet Pendant

pen512.1mb

SPECIFICATIONS

Luminaire Colour Metallic Brass
Dimensions Ø310mm x 270mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder or LED
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN512.1	Ø310mm x 270mm
PEN512.2	Ø333mm x 365mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN01.1: PR Classic Pendant

pen01.1

SPECIFICATIONS

Luminaire Colour Matt Black / Matt White
Dimensions 430mm Diameter x 225mm High
Installation Type Surface Mounted
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PEN01.1	PR Classic Pendant
PEN01.2	PR Pendant



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



PEN19MWBT: Industrial Pendant

pen19mwbt

SPECIFICATIONS

Luminaire Colour Matt White & Black Trim
Dimensions Ø445mm x 320mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN19

Ø445mm x 320mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za