



RBP14095BA: Rectangular Base Plate

 rbp14095ba

SPECIFICATIONS

Luminaire Colour Brushed Aluminium
Dimensions 1400mm (L) x 950mm (W)
Installation Type
Ingress Protection
Material Aluminium
Light Source
Power Supply

PRODUCT CODES

RBP***BA**

E.g. RBP14095BA (140cm x 95cm) Brushed Aluminium



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



TBP1007070: Triangular Base



SPECIFICATIONS

Luminaire Colour RN Silver
Dimensions 1000mm x 700mm x 700mm
Installation Type
Ingress Protection
Material Aluminium & Mild-Steel
Light Source
Power Supply

PRODUCT CODES

TBP*****

E.g. TBP1007070 (100cm x 70cm x 70cm)



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



RBP1008BA: Rectangular Base Plate (80mm Channel)

rbp1008ba

SPECIFICATIONS

Luminaire Colour Brushed Aluminium
Dimensions 1000mm x 80mm
Installation Type
Ingress Protection
Material Aluminium
Light Source
Power Supply

PRODUCT CODES

RBP*8BA**

E.g. RBP1008BA (100cm x 8cm) Brushed Aluminium



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



RCB80MK: Round Ceiling Cup



SPECIFICATIONS

Luminaire Colour Black RAL 9005
Dimensions 80mm (D) x 20mm (H)
Installation Type Surface Mounted
Ingress Protection
Material Aluminium
Light Source
Power Supply

PRODUCT CODES

RCB50	Ø50mm (D) x 20mm (H) (25mm Maximum)
RCB60	Ø60mm (D) x 20mm High (65 Maximum)
RCB80	Ø80mm (D) x 20mm High (25mm Maximum)
RCB100	Ø100mm (D) x 20mm High (107mm Maximum)
RCB115	Ø115mm (D) x 20mm High (50mm Maximum)
RCB120	Ø120mm (D) x 20mm High
RCB130	Ø130mm (D) x 20mm High (39mmmm Maximum)
RCB150	Ø150mm (D) x 20mm High (55mm Maximum)
RCB190	Ø190mm (D) x 20mm High (85mm Maximum)
RCB200	Ø200mm (D) x 20mm High (70mm Maximum)
RCB220	Ø220mm (D) x 20mm High (40mm Maximum)
RCB250	Ø250mm (D) x 20mm High (53mm Maximum)
RCB300	Ø300mm (D) x 20mm High (55mm Maximum)
RCB340	Ø340mm (D) x 20mm High
RCB400	Ø400mm (D) x 20mm High (85mm Maximum)
RCB500	Ø500mm (D) x 20mm High
RCB540	Ø540mm (D) x 20mm High
RCB600	Ø600mm (D) x 20mm High
RCB650	Ø650mm (D) x 20mm High (120mm Maximum)

ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



RCB80W: Round Ceiling Cup



SPECIFICATIONS

Luminaire Colour Matte White
Dimensions 80mm (D) x 20mm (H)
Installation Type
Ingress Protection
Material Aluminium
Light Source
Power Supply

PRODUCT CODES

RCB50	50mm Diameter x 20mm High (25mm Maximum)
RCB60	60mm Diameter x 20mm High (65 Maximum)
RCB80	80mm Diameter x 20mm High (25mm Maximum)
RCB100	100mm Diameter x 20mm High (107mm Maximum)
RCB115	115mm Diameter x 20mm High (50mm Maximum)
RCB120	120mm Diameter x 20mm High
RCB130	130mm Diameter x 20mm High (39mmmm Maximum)
RCB150	150mm Diameter x 20mm High (55mm Maximum)
RCB190	190mm Diameter x 20mm High (85mm Maximum)
RCB200	200mm Diameter x 20mm High (70mm Maximum)
RCB220	220mm Diameter x 20mm High (40mm Maximum)
RCB250	250mm Diameter x 20mm High (53mm Maximum)
RCB300	300mm Diameter x 20mm High (55mm Maximum)
RCB340	340mm Diameter x 20mm High
RCB400	400mm Diameter x 20mm High (85mm Maximum)
RCB500	500mm Diameter x 20mm High
RCB540	540mm Diameter x 20mm High
RCB600	600mm Diameter x 20mm High
RCB650	650mm Diameter x 20mm High (120mm Maximum)

ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



RCB250W: Round Ceiling Cup



SPECIFICATIONS

Luminaire Colour Matte White
Dimensions 250mm (D) x 20mm (H)
Installation Type
Ingress Protection
Material Aluminium
Light Source
Power Supply

PRODUCT CODES

RCB50	50mm Diameter x 20mm High (25mm Maximum)
RCB60	60mm Diameter x 20mm High (65 Maximum)
RCB80	80mm Diameter x 20mm High (25mm Maximum)
RCB100	100mm Diameter x 20mm High (107mm Maximum)
RCB115	115mm Diameter x 20mm High (50mm Maximum)
RCB120	120mm Diameter x 20mm High
RCB130	130mm Diameter x 20mm High (39mmmm Maximum)
RCB150	150mm Diameter x 20mm High (55mm Maximum)
RCB190	190mm Diameter x 20mm High (85mm Maximum)
RCB200	200mm Diameter x 20mm High (70mm Maximum)
RCB220	220mm Diameter x 20mm High (40mm Maximum)
RCB250	250mm Diameter x 20mm High (53mm Maximum)
RCB300	300mm Diameter x 20mm High (55mm Maximum)
RCB340	340mm Diameter x 20mm High
RCB400	400mm Diameter x 20mm High (85mm Maximum)
RCB500	500mm Diameter x 20mm High
RCB540	540mm Diameter x 20mm High
RCB600	600mm Diameter x 20mm High
RCB650	650mm Diameter x 20mm High (120mm Maximum)

ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



RCB340SC: Round Ceiling Cup



SPECIFICATIONS

Luminaire Colour Shiny Chrome
Dimensions 340mm (D) x 20mm (H)
Installation Type
Ingress Protection
Material Aluminium
Light Source
Power Supply

PRODUCT CODES

RCB50	50mm Diameter x 20mm High (25mm Maximum)
RCB60	60mm Diameter x 20mm High (65 Maximum)
RCB80	80mm Diameter x 20mm High (25mm Maximum)
RCB100	100mm Diameter x 20mm High (107mm Maximum)
RCB115	115mm Diameter x 20mm High (50mm Maximum)
RCB120	120mm Diameter x 20mm High
RCB130	130mm Diameter x 20mm High (39mmmm Maximum)
RCB150	150mm Diameter x 20mm High (55mm Maximum)
RCB190	190mm Diameter x 20mm High (85mm Maximum)
RCB200	200mm Diameter x 20mm High (70mm Maximum)
RCB220	220mm Diameter x 20mm High (40mm Maximum)
RCB250	250mm Diameter x 20mm High (53mm Maximum)
RCB300	300mm Diameter x 20mm High (55mm Maximum)
RCB340	340mm Diameter x 20mm High
RCB400	400mm Diameter x 20mm High (85mm Maximum)
RCB500	500mm Diameter x 20mm High
RCB540	540mm Diameter x 20mm High
RCB600	600mm Diameter x 20mm High
RCB650	650mm Diameter x 20mm High (120mm Maximum)

ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



RCB250BB: Round Ceiling Cup



SPECIFICATIONS

Luminaire Colour Brushed Brass
Dimensions 250mm (D) x 20mm (H)
Installation Type
Ingress Protection
Material Aluminium
Light Source
Power Supply

PRODUCT CODES

RCB50	50mm Diameter x 20mm High (25mm Maximum)
RCB60	60mm Diameter x 20mm High (65 Maximum)
RCB80	80mm Diameter x 20mm High (25mm Maximum)
RCB100	100mm Diameter x 20mm High (107mm Maximum)
RCB115	115mm Diameter x 20mm High (50mm Maximum)
RCB120	120mm Diameter x 20mm High
RCB130	130mm Diameter x 20mm High (39mmmm Maximum)
RCB150	150mm Diameter x 20mm High (55mm Maximum)
RCB190	190mm Diameter x 20mm High (85mm Maximum)
RCB200	200mm Diameter x 20mm High (70mm Maximum)
RCB220	220mm Diameter x 20mm High (40mm Maximum)
RCB250	250mm Diameter x 20mm High (53mm Maximum)
RCB300	300mm Diameter x 20mm High (55mm Maximum)
RCB340	340mm Diameter x 20mm High
RCB400	400mm Diameter x 20mm High (85mm Maximum)
RCB500	500mm Diameter x 20mm High
RCB540	540mm Diameter x 20mm High
RCB600	600mm Diameter x 20mm High
RCB650	650mm Diameter x 20mm High (120mm Maximum)

ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



RCB250BC: Round Ceiling Cup



SPECIFICATIONS

Luminaire Colour Brushed Cooper
Dimensions 250mm (D) x 20mm (H)
Installation Type
Ingress Protection
Material Aluminium
Light Source
Power Supply

PRODUCT CODES

RCB50	50mm Diameter x 20mm High (25mm Maximum)
RCB60	60mm Diameter x 20mm High (65 Maximum)
RCB80	80mm Diameter x 20mm High (25mm Maximum)
RCB100	100mm Diameter x 20mm High (107mm Maximum)
RCB115	115mm Diameter x 20mm High (50mm Maximum)
RCB120	120mm Diameter x 20mm High
RCB130	130mm Diameter x 20mm High (39mmmm Maximum)
RCB150	150mm Diameter x 20mm High (55mm Maximum)
RCB190	190mm Diameter x 20mm High (85mm Maximum)
RCB200	200mm Diameter x 20mm High (70mm Maximum)
RCB220	220mm Diameter x 20mm High (40mm Maximum)
RCB250	250mm Diameter x 20mm High (53mm Maximum)
RCB300	300mm Diameter x 20mm High (55mm Maximum)
RCB340	340mm Diameter x 20mm High
RCB400	400mm Diameter x 20mm High (85mm Maximum)
RCB500	500mm Diameter x 20mm High
RCB540	540mm Diameter x 20mm High
RCB600	600mm Diameter x 20mm High
RCB650	650mm Diameter x 20mm High (120mm Maximum)

ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SMB002: Surface Mount base for LED Panel Light



SPECIFICATIONS

Luminaire Colour White
Dimensions 1200mm x 300mm
Installation Type Surface Mounted
Ingress Protection N/A
Material Mild Steel
Light Source N/A
Power Supply N/A

PRODUCT CODES

SMB001	600mm x 600mm x 45mm
SMB002	1200mm x 300mm x 45mm
SMB003	1200mm x 600mm x 45mm
SMB004	600mm x 300mm x 45mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PCEILBA: Ripple Ceiling Cup



SPECIFICATIONS

Luminaire Colour Brushed Aluminium

Dimensions

Installation Type

Ingress Protection

Material

Light Source

Power Supply

PRODUCT CODES

PCEIL*

*Body Finish Code Brushed Aluminium (BA), Black (K), White (W)



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za

MADE IN SOUTH AFRICA ARC Lighting CC registered in South Africa No. 1994/011049/23 | VAT Reg. 4830143071