



DLH01: Horizontal Recess Downlighter



SPECIFICATIONS

Luminaire Colour White Trim/Silver Anodized Reflector
Dimensions 150mm Cutout
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

DLH01	100W ES White Trim/Silver Anodised Reflector
DLH01SP	100W ES White Trim/Silver Anodised Reflector - Splashproof
DLH01EMR	100W ES Emery Trim/Silver Anodised Reflector
DLH01EMRSP	100W ES Emery Trim/Silver Anodised Reflector - Splashproof



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



DLH01SP: Horizontal Recess Downlighter - Splashproof Fitting



SPECIFICATIONS

Luminaire Colour White Trim/Silver Anodised Reflector
Dimensions 150mm Cutout
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

DLH01	100W ES White Trim/Silver Anodised Reflector
DLH01SP	100W ES White Trim/Silver Anodised Reflector - Splashproof
DLH01EMR	100W ES Emery Trim/Silver Anodised Reflector
DLH01EMRSP	100W ES Emery Trim/Silver Anodised Reflector - Splashproof




ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



DLH11SP: Horizontal Recess Downlighter



SPECIFICATIONS

Luminaire Colour White Trim/Silver Anodised Reflector
Dimensions 195mm Cutout
Installation Type
Ingress Protection 20
Material Aluminium
Light Source 2PL13W
Power Supply 220-240V 50-60Hz

PRODUCT CODES

DLH17	100W ES White Trim/Silver Anodised Reflector
DLH17SP	100W ES White Trim/Silver Anodised Reflector - Splashproof
DLH17EMR	100W ES Emery Trim/Silver Anodised Reflector
DLH17EMRSP	100W ES Emery Trim/Silver Anodised Reflector - Splashproof
DLH08	1PL9W White Trim/Silver Anodised Reflector
DLH08SP	1PL9W White Trim/Silver Anodised Reflector - Splashproof
DLH09	2PL9W White Trim/Silver Anodised Reflector
DLH09SP	2PL9W White Trim/Silver Anodised Reflector - Splashproof
DLH10	1PL13W White Trim/Silver Anodised Reflector
DLH10SP	1PL13W White Trim/Silver Anodised Reflector - Splashproof
DLH11	2PL13W White Trim/Silver Anodised Reflector
DLH11SP	2PL13W White Trim/Silver Anodised Reflector - Splashproof
DLH12	1PL18W White Trim/Silver Anodised Reflector
DLH12SP	1PL18W White Trim/Silver Anodised Reflector - Splashproof
DLH13	2PL18W White Trim/Silver Anodised Reflector
DLH13SP	2PL18W White Trim/Silver Anodised Reflector - Splashproof
DLH14	1PL26W White Trim/Silver Anodised Reflector
DLH14SP	1PL26W White Trim/Silver Anodised Reflector - Splashproof
DLH15	2PL26W White Trim/Silver Anodised Reflector
DLH15SP	2PL26W White Trim/Silver Anodised Reflector - Splashproof

ARC Lighting CC


12 Gouda Crescent, Brackenford Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



DLH14SP: Horizontal Recess Downlighter - Spalshproof



SPECIFICATIONS

Luminaire Colour Brushed Aluminium
Dimensions 195mm Cutout
Installation Type
Ingress Protection 20
Material Aluminium
Light Source 1PL26W. Electronic or Magnetic
Power Supply 220-240V 50-60Hz

PRODUCT CODES

DLH17	100W ES White Trim/Silver Anodised Reflector
DLH17SP	100W ES White Trim/Silver Anodised Reflector - Splashproof
DLH17EMR	100W ES Emery Trim/Silver Anodised Reflector
DLH17EMRSP	100W ES Emery Trim/Silver Anodised Reflector - Splashproof
DLH08	1PL9W White Trim/Silver Anodised Reflector
DLH08SP	1PL9W White Trim/Silver Anodised Reflector - Splashproof
DLH09	2PL9W White Trim/Silver Anodised Reflector
DLH09SP	2PL9W White Trim/Silver Anodised Reflector - Splashproof
DLH10	1PL13W White Trim/Silver Anodised Reflector
DLH10SP	1PL13W White Trim/Silver Anodised Reflector - Splashproof
DLH11	2PL13W White Trim/Silver Anodised Reflector
DLH11SP	2PL13W White Trim/Silver Anodised Reflector - Splashproof
DLH12	1PL18W White Trim/Silver Anodised Reflector
DLH12SP	1PL18W White Trim/Silver Anodised Reflector - Splashproof
DLH13	2PL18W White Trim/Silver Anodised Reflector
DLH13SP	2PL18W White Trim/Silver Anodised Reflector - Splashproof
DLH14	1PL26W White Trim/Silver Anodised Reflector
DLH14SP	1PL26W White Trim/Silver Anodised Reflector - Splashproof
DLH14SP	2PL26W White Trim/Silver Anodised Reflector
DLH14SP	2PL26W White Trim/Silver Anodised Reflector

ARC Lighting CC

12 Gouda Crescent, Brackenford Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



DLH15: Horizontal Recess Downlighter



SPECIFICATIONS

Luminaire Colour White Trim/Silver reflector
 Dimensions 195mm Cutout
 Installation Type
 Ingress Protection 20
 Material Aluminium
 Light Source 2PL26W. Electronic or Magnetic
 Power Supply 220-240V 50-60Hz

PRODUCT CODES

DLH17	100W ES White Trim/Silver Anodised Reflector
DLH17SP	100W ES White Trim/Silver Anodised Reflector - Splashproof
DLH17EMR	100W ES Emery Trim/Silver Anodised Reflector
DLH17EMRSP	100W ES Emery Trim/Silver Anodised Reflector - Splashproof
DLH08	1PL9W White Trim/Silver Anodised Reflector
DLH08SP	1PL9W White Trim/Silver Anodised Reflector - Splashproof
DLH09	2PL9W White Trim/Silver Anodised Reflector
DLH09SP	2PL9W White Trim/Silver Anodised Reflector - Splashproof
DLH10	1PL13W White Trim/Silver Anodised Reflector
DLH10SP	1PL13W White Trim/Silver Anodised Reflector - Splashproof
DLH11	2PL13W White Trim/Silver Anodised Reflector
DLH11SP	2PL13W White Trim/Silver Anodised Reflector - Splashproof
DLH12	1PL18W White Trim/Silver Anodised Reflector
DLH12SP	1PL18W White Trim/Silver Anodised Reflector - Splashproof
DLH13	2PL18W White Trim/Silver Anodised Reflector
DLH13SP	2PL18W White Trim/Silver Anodised Reflector - Splashproof
DLH14	1PL26W White Trim/Silver Anodised Reflector
DLH14SP	1PL26W White Trim/Silver Anodised Reflector - Splashproof
DLH15	2PL26W White Trim/Silver Anodised Reflector
DLH15SP	2PL26W White Trim/Silver Anodised Reflector - Splashproof

ARC Lighting CC

12 Gouda Crescent, Brackenford Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



DLB02: Mini Baffle



SPECIFICATIONS

Luminaire Colour Anodised Brass
Dimensions 75mm Cutout x 155mm (H)
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

DLB01	White Trim / White Reflector or Black
DLB02	Anodised Silver / Brass or Emery Trim/Reflector
DLB03	Gold Trim / Gold Reflector



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



DLV66: Gemini



SPECIFICATIONS

Luminaire Colour White Trim/Silver Anodised Reflector
Dimensions 100mm Cutout
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

DLV66	White Trim/Silver Anodised Reflector
DLV66SP	White Trim/Silver Anodised Reflector - Splashproof
DLV66EMR	Emery Trim/Silver Anodised Reflector
DLV66BGREF	Emery Trim/Bright Gold/Silver Reflector
DLV66EMRSP	Emery Trim/Silver Anodised Reflector - Splashproof
DLV67	Brass Trim/Brass Anodised Reflector
DLV67SP	Brass Trim/Brass Anodised Reflector - Splashproof
DLV78	White Trim/Silver Anodised Reflector 10W/13W
DLV78SP	White Trim/Silver Anodised Reflector 10W/13W - Splashproof
DLV84	White Trim/Silver Anodised Reflector - 12V
DLV94	White Trim/Brass Anodised - 12V



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



DLV49: Vertical Recess Downlighter



SPECIFICATIONS

Luminaire Colour White Trim/Silver Anodised Reflector
Dimensions 110mm Cutout x 175mm (H) x 130mm (D)
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

DLV66	White Trim/Silver Anodised Reflector
DLV66SP	White Trim/Silver Anodised Reflector - Splashproof
DLV66EMR	Emery Trim/Silver Anodised Reflector
DLV66BGRF	Emery Trim/Bright Gold/Silver Reflector
DLV66EMRSP	Emery Trim/Silver Anodised Reflector - Splashproof
DLV67	Brass Trim/Brass Anodised Reflector
DLV67SP	Brass Trim/Brass Anodised Reflector - Splashproof
DLV78	White Trim/Silver Anodised Reflector 10W/13W
DLV78SP	White Trim/Silver Anodised Reflector 10W/13W - Splashproof
DLV84	White Trim/Silver Anodised Reflector - 12V
DLV94	White Trim/Brass Anodised - 12V



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



DLV33: Vertical Recess Downlighter (135mm Cutout)



SPECIFICATIONS

Luminaire Colour White Trim/Silver Anodised Reflector
Dimensions 135mm Cutout x 220mm (H)
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

DLV66	White Trim/Silver Anodised Reflector
DLV66SP	White Trim/Silver Anodised Reflector - Splashproof
DLV66EMR	Emery Trim/Silver Anodised Reflector
DLV66BGRF	Emery Trim/Bright Gold/Silver Reflector
DLV66EMRSP	Emery Trim/Silver Anodised Reflector - Splashproof
DLV67	Brass Trim/Brass Anodised Reflector
DLV67SP	Brass Trim/Brass Anodised Reflector - Splashproof
DLV78	White Trim/Silver Anodised Reflector 10W/13W
DLV78SP	White Trim/Silver Anodised Reflector 10W/13W - Splashproof
DLV84	White Trim/Silver Anodised Reflector - 12V
DLV94	White Trim/Brass Anodised - 12V



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



DLV01: Vertical Recess Downlighter (150mm Cutout)



SPECIFICATIONS

Luminaire Colour White Trim/Silver Anodised Reflector
Dimensions 150mm Cutout x 225mm (H)
Installation Type
Ingress Protection 20
Material Aluminium & PVC Ring
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

DLV01	White Trim/Silver Anodised Reflector
DLV01SP	White Trim/Silver Anodised Reflector - Splashproof
DLV01EMR	Emery Trim/Silver Anodised Reflector
DLV01EMRSP	Emery Trim/Silver Anodised Reflector - Splashproof
DLV02	White Trim/Brass Anodised Reflector
DLV03	Brass Trim/Silver Anodised Reflector
DLV04	Brass Trim/Brass Anodised Reflector



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



DLV01EYE: Vertical Recess Downlighter



SPECIFICATIONS

Luminaire Colour White Trim/Silver Anodised Reflector
Dimensions 150mm Cutout x 225mm (H)
Installation Type
Ingress Protection 20
Material Aluminium & PVC Ring
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

DLV01	White Trim/Silver Anodised Reflector
DLV01SP	White Trim/Silver Anodised Reflector - Splashproof
DLV01EMR	Emery Trim/Silver Anodised Reflector
DLV01EMRSP	Emery Trim/Silver Anodised Reflector - Splashproof
DLV02	White Trim/Brass Anodised Reflector
DLV03	Brass Trim/Silver Anodised Reflector
DLV04	Brass Trim/Brass Anodised Reflector



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



DLV01SP: Vertical Recess Downlighter (Splashproof 150mm Cutout)



SPECIFICATIONS

Luminaire Colour White Trim/Silver Anodised Reflector
Dimensions 150mm Cutout x 225mm (H)
Installation Type
Ingress Protection 20
Material Aluminium & PVC Ring
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

DLV01	White Trim/Silver Anodised Reflector
DLV01SP	White Trim/Silver Anodised Reflector - Splashproof
DLV01EMR	Emery Trim/Silver Anodised Reflector
DLV01EMRSP	Emery Trim/Silver Anodised Reflector - Splashproof
DLV02	White Trim/Brass Anodised Reflector
DLV03	Brass Trim/Silver Anodised Reflector
DLV04	Brass Trim/Brass Anodised Reflector



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



DLV61: Vertical Recess Downlighter (195mm Cutout)



SPECIFICATIONS

Luminaire Colour White Trim/Silver Anodised Reflector
Dimensions 195mm Cutout x 290mm (H) x 220mm (D)
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

DLV61	150W Incandescent - White Trim/Silver Anodised Reflector
DLV61SP	150W Incandescent - White Trim/Silver Anodised Reflector - Splashproof
DLV61EMR	150W Incandescent - Emery Trim/Silver Anodised Reflector
DLV61EMRSP	150W Incandescent - Emery Trim/Silver Anodised Reflector - Splashproof
DLV62	80W Mercury Vapor - White Trim/Silver Anodised Reflector
DLV62SP	80W Mercury Vapor - White Trim/Silver Anodised Reflector - Splashproof
DLV85	80W Mercury Vapor - Emery Trim/Silver Anodised Reflector
DLV85SP	80W Mercury Vapor - Emery Trim/Silver Anodised Reflector - Splashproof
DLV63	125W Mercury Vapor - White Trim/Silver Anodised Reflector
DLV63SP	125W Mercury Vapor - White Trim/Silver Anodised Reflector - Splashproof
DLV87	125W Mercury Vapor - Emery Trim/Silver Anodised Reflector
DLV87SP	125W Mercury Vapor - Emery Trim/Silver Anodised Reflector - Splashproof
DLV64	150W Metal Halide- White Trim/Silver Anodised Reflector
DLV64SP	150W Metal Halide- White Trim/Silver Anodised Reflector - Splashproof
DLV89	150W Metal Halide- Emery Trim/Silver Anodised Reflector
DLV89SP	150W Metal Halide- Emery Trim/Silver Anodised Reflector - Splashproof
DLV68PR	2PL13W + White Perspex Ring
DLV69PR	2PL18W + White Perspex Ring



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



DLV61EMR: Vertical Recess Downlighter (195mm Cutout)



SPECIFICATIONS

Luminaire Colour Emery Trim/Silver Anodised Reflector
 Dimensions 195mm Cutout x 290mm (H) x 220mm (D)
 Installation Type
 Ingress Protection 20
 Material Aluminium
 Light Source E27
 Power Supply 220-240V 50-60Hz

PRODUCT CODES

DLV61	150W Incandescent - White Trim/Silver Anodised Reflector
DLV61SP	150W Incandescent - White Trim/Silver Anodised Reflector - Splashproof
DLV61EMR	150W Incandescent - Emery Trim/Silver Anodised Reflector
DLV61EMRSP	150W Incandescent - Emery Trim/Silver Anodised Reflector - Splashproof
DLV62	80W Mercury Vapor - White Trim/Silver Anodised Reflector
DLV62SP	80W Mercury Vapor - White Trim/Silver Anodised Reflector - Splashproof
DLV85	80W Mercury Vapor - Emery Trim/Silver Anodised Reflector
DLV85SP	80W Mercury Vapor - Emery Trim/Silver Anodised Reflector - Splashproof
DLV63	125W Mercury Vapor - White Trim/Silver Anodised Reflector
DLV63SP	125W Mercury Vapor - White Trim/Silver Anodised Reflector - Splashproof
DLV87	125W Mercury Vapor - Emery Trim/Silver Anodised Reflector
DLV87SP	125W Mercury Vapor - Emery Trim/Silver Anodised Reflector - Splashproof
DLV64	150W Metal Halide- White Trim/Silver Anodised Reflector
DLV64SP	150W Metal Halide- White Trim/Silver Anodised Reflector - Splashproof
DLV89	150W Metal Halide- Emery Trim/Silver Anodised Reflector
DLV89SP	150W Metal Halide- Emery Trim/Silver Anodised Reflector - Splashproof
DLV602R	2PL13W + White Perspex Ring
D	2PL18W + White Perspex Ring

ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa


Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za





DLB12EMR: Mini Baffle Downlighter



SPECIFICATIONS

Luminaire Colour Matte White/Anodized Silver
Dimensions 85mm Cutout x 110mm (D)
Installation Type
Ingress Protection 20
Material Aluminium
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

DLB12EMR

Matte White Trim/Emery Reflector



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



MSD01: Single Square Tilt Downlighter



SPECIFICATIONS

Luminaire Colour RN Silver
Dimensions 75mm Cutout x 100mm (W) x 100mm (L)
Installation Type
Ingress Protection 20
Material Mild Steel
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

MSD01	Mild Steel Square Tilt - 75mm Round Cutout - 100mm x 100mm - 220V
MSD02	Mild Steel Rectangle Tilt - 75mm x 150mm Cutout - 100mm X 175mm - 220V



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



MSD02: Double Rectangle Tilt Downlighter



SPECIFICATIONS

Luminaire Colour RN Silver
Dimensions 75mm x 150mm Cutout x 100mm (H) x 175mm (L)
Installation Type
Ingress Protection 20
Material Mild Steel
Light Source 2x GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

MSD01	Mild Steel Square Tilt - 75mm Round Cutout - 100mm x 100mm - 220V
MSD02	Mild Steel Rectangle Tilt - 75mm x 150mm Cutout - 100mm X 175mm - 220V



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SQ05: Single Swivel Recessed Downlighter



SPECIFICATIONS

Luminaire Colour RN Silver
Dimensions Cutout: 110mm x 110mm, Overall Size: 130mm x 130mm
Installation Type
Ingress Protection 20
Material Mild & Stainless Steel
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

SQ01	Single Swivel D/L - Cutout 110mm X 110mm - 12v
SQ05	Single Swivel D/L - Cutout 110mm X 110mm - 220v
SQ02	Double Swivel D/L - Cutout 110mm X 220mm - 12v
SQ06	Double Swivel D/L - Cutout 110mm X 220mm - 220v
SQ03	Triple Swivel D/L - Cutout 110mm X 320mm -12v
SQ07	Triple Swivel D/L - Cutout 110mm X 320mm - 220v
SQ04	Quadruple Square Swivel D/L - Cutout 210mm X 210mm - 12v
SQ08	Quadruple Square Swivel D/L - Cutout 210mm X 210mm - 220v
SQ13	Quadruple Rectangle Swivel D/L - 110mm X 401mm - 12v
SQ14	Quadruple Rectangle Swivel D/L - Cutout 110mm X 401mm - 220v



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SQ06: Double Swivel Recessed Downlighter



SPECIFICATIONS

Luminaire Colour White Trim & Rings/Black Interior
Dimensions Cutout: 110mm x 220mm, Overall Size: 130mm x 240mm
Installation Type
Ingress Protection 20
Material Mild & Stainless Steel
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

SQ01	Single Swivel D/L - Cutout 110mm X 110mm - 12v
SQ05	Single Swivel D/L - Cutout 110mm X 110mm - 220v
SQ02	Double Swivel D/L - Cutout 110mm X 220mm - 12v
SQ06	Double Swivel D/L - Cutout 110mm X 220mm - 220v
SQ03	Triple Swivel D/L - Cutout 110mm X 320mm -12v
SQ07	Triple Swivel D/L - Cutout 110mm X 320mm - 220v
SQ04	Quadruple Square Swivel D/L - Cutout 210mm X 210mm - 12v
SQ08	Quadruple Square Swivel D/L - Cutout 210mm X 210mm - 220v
SQ13	Quadruple Rectangle Swivel D/L - 110mm X 401mm - 12v
SQ14	Quadruple Rectangle Swivel D/L - Cutout 110mm X 401mm - 220v



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SQ06FGW: Double Swivel Recessed Downlighter



SPECIFICATIONS

Luminaire Colour Sandpaper White
Dimensions Cutout: 110mm x 220mm, Overall Size: 130mm x 240mm
Installation Type
Ingress Protection 20
Material Mild & Stainless Steel
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

SQ01	Single Swivel D/L - Cutout 110mm X 110mm - 12v
SQ05	Single Swivel D/L - Cutout 110mm X 110mm - 220v
SQ02	Double Swivel D/L - Cutout 110mm X 220mm - 12v
SQ06	Double Swivel D/L - Cutout 110mm X 220mm - 220v
SQ03	Triple Swivel D/L - Cutout 110mm X 320mm -12v
SQ07	Triple Swivel D/L - Cutout 110mm X 320mm - 220v
SQ04	Quadruple Square Swivel D/L - Cutout 210mm X 210mm - 12v
SQ08	Quadruple Square Swivel D/L - Cutout 210mm X 210mm - 220v
SQ13	Quadruple Rectangle Swivel D/L - 110mm X 401mm - 12v
SQ14	Quadruple Rectangle Swivel D/L - Cutout 110mm X 401mm - 220v



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



SQ06MK: Double Swivel Recessed Downlighter



SPECIFICATIONS

Luminaire Colour Matte Black
Dimensions Cutout: 110mm x 220mm, Overall Size: 130mm x 240mm
Installation Type
Ingress Protection 20
Material Mild & Stainless Steel
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

SQ01	Single Swivel D/L - Cutout 110mm X 110mm - 12v
SQ05	Single Swivel D/L - Cutout 110mm X 110mm - 220v
SQ02	Double Swivel D/L - Cutout 110mm X 220mm - 12v
SQ06	Double Swivel D/L - Cutout 110mm X 220mm - 220v
SQ03	Triple Swivel D/L - Cutout 110mm X 320mm - 12v
SQ07	Triple Swivel D/L - Cutout 110mm X 320mm - 220v
SQ04	Quadruple Square Swivel D/L - Cutout 210mm X 210mm - 12v
SQ08	Quadruple Square Swivel D/L - Cutout 210mm X 210mm - 220v
SQ13	Quadruple Rectangle Swivel D/L - 110mm X 401mm - 12v
SQ14	Quadruple Rectangle Swivel D/L - Cutout 110mm X 401mm - 220v



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SQ17: Fixed & Swivel Recessed Downlighter



SPECIFICATIONS

Luminaire Colour RN Silver
Dimensions 170mm (L) x 100mm (H)
Installation Type
Ingress Protection 20
Material Mild & Stainless Steel
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

SQ17

RN Silver



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SQ14: Quadruple Swivel Recessed Downlighter



SPECIFICATIONS

Luminaire Colour Matte White/Black Interior
Dimensions Cutout: 110mm x 401mm, Overall Size: 130mm x 440mm
Installation Type
Ingress Protection 20
Material Mild & Stainless Steel
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

SQ01	Single Swivel D/L - Cutout 110mm X 110mm - 12v
SQ05	Single Swivel D/L - Cutout 110mm X 110mm - 220v
SQ02	Double Swivel D/L - Cutout 110mm X 220mm - 12v
SQ06	Double Swivel D/L - Cutout 110mm X 220mm - 220v
SQ03	Triple Swivel D/L - Cutout 110mm X 320mm - 12v
SQ07	Triple Swivel D/L - Cutout 110mm X 320mm - 220v
SQ04	Quadruple Square Swivel D/L - Cutout 210mm X 210mm - 12v
SQ08	Quadruple Square Swivel D/L - Cutout 210mm X 210mm - 220v
SQ13	Quadruple Rectangle Swivel D/L - 110mm X 401mm - 12v
SQ14	Quadruple Rectangle Swivel D/L - Cutout 110mm X 401mm - 220v



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SQ20: Single Square Recess Swivel



SPECIFICATIONS

Luminaire Colour Matte White with Black Rings
Dimensions 165mm (L) x 165mm (W) x 90mm (H)
Installation Type
Ingress Protection 20
Material Aluminium & Mild-Steel
Light Source AR111
Power Supply 12V 50-60Hz

PRODUCT CODES

SQ20	Single Square Recess Swivel D/L - L165mm X W165mm X H90mm - 12v Ar111
SQ21	Double Recess Swivel D/L - L290mm X W150mm X H90mm - 12v Ar111
SQ22	Triple Recess Swivel D/L - L430mm X W150mm X H90mm - 12v Ar111
SQ27	Quadruple Recess Swivel D/L - 12v Ar111



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SQ07: Triple Swivel Recessed Downlighter



SPECIFICATIONS

Luminaire Colour RN Silver/Black Interior
Dimensions Cutout: 110mm x 320mm, Overall Size: 130mm x 340mm
Installation Type
Ingress Protection 20
Material Mild & Stainless Steel
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

SQ01	Single Swivel D/L - Cutout 110mm X 110mm - 12v
SQ05	Single Swivel D/L - Cutout 110mm X 110mm - 220v
SQ02	Double Swivel D/L - Cutout 110mm X 220mm - 12v
SQ06	Double Swivel D/L - Cutout 110mm X 220mm - 220v
SQ03	Triple Swivel D/L - Cutout 110mm X 320mm - 12v
SQ07	Triple Swivel D/L - Cutout 110mm X 320mm - 220v
SQ04	Quadruple Square Swivel D/L - Cutout 210mm X 210mm - 12v
SQ08	Quadruple Square Swivel D/L - Cutout 210mm X 210mm - 220v
SQ13	Quadruple Rectangle Swivel D/L - 110mm X 401mm - 12v
SQ14	Quadruple Rectangle Swivel D/L - Cutout 110mm X 401mm - 220v



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SQ29: Single Swivel Recess Rimless Downlighter



SPECIFICATIONS

Luminaire Colour Matte White
Dimensions Cutout: 100mm x 100mm x 90mm
Installation Type
Ingress Protection 20
Material Aluminium & Mild-Steel
Light Source MR16
Power Supply 12V 50-60Hz

PRODUCT CODES

SQ29	Single Swivel D/L - Cutout 100mm X 100mm X 90mm High - 12v
SQ30	Single Swivel D/L - Cutout 100mm X 100mm X 90mm High- 220v
SQ31	Double Swivel D/L - Cutout 100mm X 200mm - 12v
SQ32	Double Swivel D/L - Cutout 100mm X 200mm - 220v
SQ24	Triple Swivel D/L - Cutout 100mm X 305mm -12v
SQ34	Triple Swivel D/L - Cutout 100mm X 305mm - 220v
SQ44	Quadruple Linea Swivel D/L - Cutout 100mm X 410mm X 90mm High - 12v
SQ45	Quadruple Linea Swivel D/L - Cutout 100mm X 410mm X 90mm High - 220v
SQ37	Quadruple Sq Swivel D/L - Cutout 200mm X 200mm X 90mm High - 12v
SQ46	Quadruple Sq Swivel D/L - Cutout 200mm X 200mm X 90mm High - 220v



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



DLS76: Cylindrical Surface Mount Downlighter



SPECIFICATIONS

Luminaire Colour Titanium Silver / Silver Anodised Reflector
Dimensions 100mm (D) x 135mm (H)
Installation Type
Ingress Protection 20
Material Aluminium
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

DLS32	220v Gu10 Surface Mount 90mm Diam X 110mm High
DLS33	220v Gu10 Surface Mount 90mm Diam X 200mm High
DLS34	220v Gu10 Surface Mount 90mm Diam X 270mm High
DLS76	220v Gu10 Surface Mount 100mm Diam X 135mm High
DLS79	220v Gu10 Surface Mount 100mm Diam X 300mm High With Base Plate



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



DLS79: Cylindrical Surface Mount Downlighter & Base



SPECIFICATIONS

Luminaire Colour Matt White / Silver Anodised Reflector
Dimensions 100mm (D) x 300mm (H)
Installation Type
Ingress Protection 20
Material Aluminium
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

DLS32	220v Gu10 Surface Mount 90mm Diam X 110mm High
DLS33	220v Gu10 Surface Mount 90mm Diam X 200mm High
DLS34	220v Gu10 Surface Mount 90mm Diam X 270mm High
DLS76	220v Gu10 Surface Mount 100mm Diam X 135mm High
DLS79	220v Gu10 Surface Mount 100mm Diam X 300mm High With Base Plate



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



DLS01: Tapered Surface Mounted Downlighter



SPECIFICATIONS

Luminaire Colour White Trim / Silver Anodised Reflector
Dimensions 195mm (D) x 190mm (H)
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

DLS01	White Trim/Silver Anodised Reflector
DLS01BSR	White Trim/Bright Silver Reflector
DLS01EMR	Emery Trim/Silver Anodised Reflector
DLS01EMRBSR	Emery Trim/Bright Silver Reflector



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



DLS32: Round Surface Mount Downlighter



SPECIFICATIONS

Luminaire Colour Matte White
Dimensions 90mm (D) x 110mm (H)
Installation Type
Ingress Protection 20
Material Aluminium
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

DLS32	220v Gu10 Surface Mount 90mm Diam X 110mm High
DLS33	220v Gu10 Surface Mount 90mm Diam X 200mm High
DLS34	220v Gu10 Surface Mount 90mm Diam X 270mm High
DLS76	220v Gu10 Surface Mount 100mm Diam X 135mm High
DLS79	220v Gu10 Surface Mount 100mm Diam X 300mm High With Base Plate



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



DLS34: Round Surface Mount Downlighter



SPECIFICATIONS

Luminaire Colour Matte White
Dimensions 90mm (D) x 270mm (H)
Installation Type
Ingress Protection 20
Material Aluminium
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

DLS32	220v Gu10 Surface Mount 90mm Diam X 110mm High
DLS33	220v Gu10 Surface Mount 90mm Diam X 200mm High
DLS34	220v Gu10 Surface Mount 90mm Diam X 270mm High
DLS76	220v Gu10 Surface Mount 100mm Diam X 135mm High
DLS79	220v Gu10 Surface Mount 100mm Diam X 300mm High With Base Plate



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



DLS3: 3 Light Cylindrical Surface Mount Downlighter



SPECIFICATIONS

Luminaire Colour Black Exterior / Metallic Brass Interior
Dimensions 160mm (H) x 140mm (H) x 120mm (H)
Installation Type
Ingress Protection 20
Material Aluminium
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

DLS32	220v Gu10 Surface Mount 90mm Diam X 110mm High
DLS33	220v Gu10 Surface Mount 90mm Diam X 200mm High
DLS34	220v Gu10 Surface Mount 90mm Diam X 270mm High
DLS76	220v Gu10 Surface Mount 100mm Diam X 135mm High
DLS79	220v Gu10 Surface Mount 100mm Diam X 300mm High With Base Plate



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



DLS76DK: Cylindrical Surface Mount Downlighter



SPECIFICATIONS

Luminaire Colour Metallic Gold / Black
Dimensions 100mm (D) x 120mm (H)
Installation Type
Ingress Protection 20
Material Aluminium
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

DLS76DK

Metallic Gold / Black



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



DLS81: CM Slanted Downlighter



SPECIFICATIONS

Luminaire Colour Black / White
Dimensions 100mm (D) x 300mm (H)
Installation Type
Ingress Protection 20
Material Aluminium
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

DLS81

Black/White



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SQ10: 1 Light Single Swivel Downlighter



SPECIFICATIONS

Luminaire Colour Matte White
Dimensions 100mm (L) x 100mm (W) x 120mm (H) O/D
Installation Type
Ingress Protection 20
Material Aluminium
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

SQ09	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 12v
SQ10	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 220v
SQ12	Double Sq Surf Mnt D/L-100mm X 200mm O/Dim-120mm High - 12v
SQ11	Double Sq Surf Mnt D/L 100mm X 200mm O/Dim-120mm High - 220v
SQ25	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 12v
SQ26	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 220v
SQ50	Triple Surface Mount D/L- 750mm Length
SQ33	Quadruple Sq Surf Mnt D/L- 12v
SQ35	Quadruple Sq Surf Mnt D/L- 220v
SQ47	Quadruple Linea Surf Mnt D/L- 12v
SQ48	Quadruple Linea Surf Mnt D/L- 220v
SQ49	Quintuple Linea Surf Mnt D/L 220v



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SQ10WK: 1 Light Single Swivel Downlighter



SPECIFICATIONS

Luminaire Colour Matte White / Black ring
Dimensions 100mm (L) x 100mm (W) x 120mm (H) O/D
Installation Type
Ingress Protection 20
Material Aluminium
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

SQ09	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 12v
SQ10	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 220v
SQ12	Double Sq Surf Mnt D/L-100mm X 200mm O/Dim-120mm High - 12v
SQ11	Double Sq Surf Mnt D/L 100mm X 200mm O/Dim-120mm High - 220v
SQ25	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 12v
SQ26	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 220v
SQ50	Triple Surface Mount D/L- 750mm Length
SQ33	Quadruple Sq Surf Mnt D/L- 12v
SQ35	Quadruple Sq Surf Mnt D/L- 220v
SQ47	Quadruple Linea Surf Mnt D/L- 12v
SQ48	Quadruple Linea Surf Mnt D/L- 220v
SQ49	Quintuple Linea Surf Mnt D/L 220v



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SQ11K: 2 Light Double Swivel Surface Mount Downlighter



SPECIFICATIONS

Luminaire Colour Matte Black
Dimensions 100mm (W) x 200mm (L) x 120mm High
Installation Type
Ingress Protection 20
Material Aluminium
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

SQ09	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 12v
SQ10	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 220v
SQ12	Double Sq Surf Mnt D/L-100mm X 200mm O/Dim-120mm High - 12v
SQ11	Double Sq Surf Mnt D/L 100mm X 200mm O/Dim-120mm High - 220v
SQ25	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 12v
SQ26	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 220v
SQ50	Triple Surface Mount D/L- 750mm Length
SQ33	Quadruple Sq Surf Mnt D/L- 12v
SQ35	Quadruple Sq Surf Mnt D/L- 220v
SQ47	Quadruple Linea Surf Mnt D/L- 12v
SQ48	Quadruple Linea Surf Mnt D/L- 220v
SQ49	Quintuple Linea Surf Mnt D/L 220v



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SQ11: 2 Light Surface Mount Downlighter



SPECIFICATIONS

Luminaire Colour Matt Black Exterior / White Interior
Dimensions 200mm Length x 100mm Width x 120mm Height
Installation Type
Ingress Protection 20
Material Aluminium
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

SQ09	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 12v
SQ10	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 220v
SQ12	Double Sq Surf Mnt D/L-100mm X 200mm O/Dim-120mm High - 12v
SQ11	Double Sq Surf Mnt D/L 100mm X 200mm O/Dim-120mm High - 220v
SQ25	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 12v
SQ26	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 220v
SQ50	Triple Surface Mount D/L- 750mm Length
SQ33	Quadruple Sq Surf Mnt D/L- 12v
SQ35	Quadruple Sq Surf Mnt D/L- 220v
SQ47	Quadruple Linea Surf Mnt D/L- 12v
SQ48	Quadruple Linea Surf Mnt D/L- 220v
SQ49	Quintuple Linea Surf Mnt D/L 220v



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SQ26: 3 Light Surface Mount Downlighter



SPECIFICATIONS

Luminaire Colour Matt White
Dimensions 300mm x 100mm x 110mm Deep
Installation Type
Ingress Protection 20
Material Aluminium
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

SQ09	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 12v
SQ10	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 220v
SQ12	Double Sq Surf Mnt D/L-100mm X 200mm O/Dim-120mm High - 12v
SQ11	Double Sq Surf Mnt D/L 100mm X 200mm O/Dim-120mm High - 220v
SQ25	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 12v
SQ26	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 220v
SQ50	Triple Surface Mount D/L- 750mm Length
SQ33	Quadruple Sq Surf Mnt D/L- 12v
SQ35	Quadruple Sq Surf Mnt D/L- 220v
SQ47	Quadruple Linea Surf Mnt D/L- 12v
SQ48	Quadruple Linea Surf Mnt D/L- 220v
SQ49	Quintuple Linea Surf Mnt D/L 220v



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SQ38: 3 Light AR111 Double Swivel Surface Mount Downlighter



SPECIFICATIONS

Luminaire Colour Metallic Silver Grey
Dimensions 430mm Length x 150mm Width x 110mm Height
Installation Type
Ingress Protection 20
Material Aluminium
Light Source MR16
Power Supply 12V 50-60Hz

PRODUCT CODES

SQ39	Single - Metallic Silver Grey
SQ36	Double - Metallic Silver Grey
SQ38	Triple - Metallic Silver Grey




ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



SQ48W: 4 Light Surface Mount Downlighter



SPECIFICATIONS

Luminaire Colour Matt White
Dimensions 400mm Length x 100mm Width x 110mm Height
Installation Type
Ingress Protection 20
Material Aluminium
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

SQ09	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 12v
SQ10	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 220v
SQ12	Double Sq Surf Mnt D/L-100mm X 200mm O/Dim-120mm High - 12v
SQ11	Double Sq Surf Mnt D/L 100mm X 200mm O/Dim-120mm High - 220v
SQ25	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 12v
SQ26	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 220v
SQ50	Triple Surface Mount D/L- 750mm Length
SQ33	Quadruple Sq Surf Mnt D/L- 12v
SQ35	Quadruple Sq Surf Mnt D/L- 220v
SQ47	Quadruple Linea Surf Mnt D/L- 12v
SQ48	Quadruple Linea Surf Mnt D/L- 220v
SQ49	Quintuple Linea Surf Mnt D/L 220v



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SQ48K: 4 Light Linear Surface Mount Swivel Downlighter



SPECIFICATIONS

Luminaire Colour Matt Black
Dimensions 400mm Length x 100mm Width x 110mm High
Installation Type
Ingress Protection 20
Material Aluminium
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

SQ09	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 12v
SQ10	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 220v
SQ12	Double Sq Surf Mnt D/L-100mm X 200mm O/Dim-120mm High - 12v
SQ11	Double Sq Surf Mnt D/L 100mm X 200mm O/Dim-120mm High - 220v
SQ25	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 12v
SQ26	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 220v
SQ50	Triple Surface Mount D/L- 750mm Length
SQ33	Quadruple Sq Surf Mnt D/L- 12v
SQ35	Quadruple Sq Surf Mnt D/L- 220v
SQ47	Quadruple Linea Surf Mnt D/L- 12v
SQ48	Quadruple Linea Surf Mnt D/L- 220v
SQ49	Quintuple Linea Surf Mnt D/L 220v




ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



SQ49W: 5 Light Surface Mount Downlighter



SPECIFICATIONS

Luminaire Colour Matt White
Dimensions 500mm Length x 100mm Width x 110mm Height
Installation Type
Ingress Protection 20
Material Aluminium
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

SQ09	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 12v
SQ10	Single Sq Surf Mnt D/L-100mm X 100mm O/Dim-120mm High - 220v
SQ12	Double Sq Surf Mnt D/L-100mm X 200mm O/Dim-120mm High - 12v
SQ11	Double Sq Surf Mnt D/L 100mm X 200mm O/Dim-120mm High - 220v
SQ25	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 12v
SQ26	Triple Linea Surf Mnt D/L-100mmx305mm O/Dim - 120mm High - 220v
SQ50	Triple Surface Mount D/L- 750mm Length
SQ33	Quadruple Sq Surf Mnt D/L- 12v
SQ35	Quadruple Sq Surf Mnt D/L- 220v
SQ47	Quadruple Linea Surf Mnt D/L- 12v
SQ48	Quadruple Linea Surf Mnt D/L- 220v
SQ49	Quintuple Linea Surf Mnt D/L 220v



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SQ36: Double Surface Mount Swivel AR111 Downlighter



SPECIFICATIONS

Luminaire Colour Matt White
Dimensions 200mm Length x 100mm Width x 120mm Height
Installation Type
Ingress Protection 20
Material Aluminium
Light Source AR111
Power Supply 12V 50-60Hz

PRODUCT CODES

SQ39	Single - Matt White
SQ36	Double - Matt White
SQ38	Triple - Matt White




ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



SQ38W: Triple Surface Mount Swivel AR111 Downlighter



SPECIFICATIONS

Luminaire Colour Matt White
Dimensions 430mm Length x 150mm Width x 110mm Height
Installation Type
Ingress Protection 20
Material Aluminium
Light Source AR111
Power Supply 12V 50-60Hz

PRODUCT CODES

SQ39	Single - Matt White
SQ36	Double - Matt White
SQ38	Triple - Matt White



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SQB51: Non-Tilt Downlighter



SPECIFICATIONS

Luminaire Colour Brushed Aluminium
Dimensions 85mm x 70mm Cutout, 95mm x 95mm Overall Diameter x 60mm Deep
Installation Type
Ingress Protection 20
Material 316 Stainless Steel
Light Source MR16
Power Supply 230V 50Hz

PRODUCT CODES

SQB51	Stainless Steel Square - 80mm Square Cutout - 95mm X 95mm - Depth 60mm - 12v
SQB 52	Stainless Steel Square - 80mm Square Cutout - 95mm X 95mm - Depth 60mm - 220v
SQB 61	Stainless Steel Double Square- 95mm Cutout 12v
SQB 62	Stainless Steel Double Square - 220v



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SSD16: Non-tilt Downlighter



SPECIFICATIONS

Luminaire Colour Brushed Aluminium (can request any colour)
Dimensions 60mm Cutout, 120mm x 120mm Overall Diameter
Installation Type
Ingress Protection 20
Material 316 Stainless Steel
Light Source MR16
Power Supply 12V 50Hz

PRODUCT CODES

SSD02	Stainless Steel Round - 60mm Round Cutout - O/D 80mm - 12v
SSD 06	Stainless Steel Round - 60mm Round Cutout - O/D 80mm - 220v
SSD 01	Stainless Steel Square - 60mm Round Cutout - 80mm X 80mm - 12v
SSD 05	Stainless Steel Square - 60mm Round Cutout - 80mm X 80mm - 220v
SSD 09	Stainless Steel Round - 60mm Round Cutout - O/D 100mm - 12v
SSD 10	Stainless Steel Round - 60mm Round Cutout - O/D 100mm - 220v
SSD 11	Stainless Steel Square - 60mm Round Cutout - 100mm X 100mm - 12v
SSD 12	Stainless Steel Square - 60mm Round Cutout - 100mm X 100mm - 220v
SSD 13	Stainless Steel Round - 60mm Round Cutout - O/D 120mm - 12v
SSD 14	Stainless Steel Round - 60mm Round Cutout - O/D 120mm - 220v
SSD 15	Stainless Steel Square - 60mm Round Cutout - 120mm X 120mm - 12v
SSD 16	Stainless Steel Square - 60mm Round Cutout - 120mm X 120mm - 220v
SSD 17	Stainless Steel Double Rectangle - 145mm X 70mm Cutout - 220v



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SSD09: Non-tilt Downlighter



SPECIFICATIONS

Luminaire Colour Brushed Aluminium (can request any colour)
Dimensions 60mm Diameter Cutout, 100mm Overall Diameter Trim
Installation Type
Ingress Protection 20
Material 316 Stainless Steel
Light Source MR16 or GU10
Power Supply 12V / 230V 50Hz

PRODUCT CODES

SSD02	Stainless Steel Round - 60mm Round Cutout - O/D 80mm - 12v
SSD 06	Stainless Steel Round - 60mm Round Cutout - O/D 80mm - 220v
SSD 01	Stainless Steel Square - 60mm Round Cutout - 80mm X 80mm - 12v
SSD 05	Stainless Steel Square - 60mm Round Cutout - 80mm X 80mm - 220v
SSD 09	Stainless Steel Round - 60mm Round Cutout - O/D 100mm - 12v
SSD 10	Stainless Steel Round - 60mm Round Cutout - O/D 100mm - 220v
SSD 11	Stainless Steel Square - 60mm Round Cutout - 100mm X 100mm - 12v
SSD 12	Stainless Steel Square - 60mm Round Cutout - 100mm X 100mm - 220v
SSD 13	Stainless Steel Round - 60mm Round Cutout - O/D 120mm - 12v
SSD 14	Stainless Steel Round - 60mm Round Cutout - O/D 120mm - 220v
SSD 15	Stainless Steel Square - 60mm Round Cutout - 120mm X 120mm - 12v
SSD 16	Stainless Steel Square - 60mm Round Cutout - 120mm X 120mm - 220v
SSD 17	Stainless Steel Double Rectangle - 145mm X 70mm Cutout - 220v



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SSD17: 2 Light Double Downlighter: Fixed



SPECIFICATIONS

Luminaire Colour RN Silver
Dimensions 145mm x 70mm Cutout, 175mm Long x 100mm Width
Installation Type
Ingress Protection 20
Material 316 Stainless Steel
Light Source GU10
Power Supply 230V 50Hz

PRODUCT CODES

SSD02	Stainless Steel Round - 60mm Round Cutout - O/D 80mm - 12v
SSD 06	Stainless Steel Round - 60mm Round Cutout - O/D 80mm - 220v
SSD 01	Stainless Steel Square - 60mm Round Cutout - 80mm X 80mm - 12v
SSD 05	Stainless Steel Square - 60mm Round Cutout - 80mm X 80mm - 220v
SSD 09	Stainless Steel Round - 60mm Round Cutout - O/D 100mm - 12v
SSD 10	Stainless Steel Round - 60mm Round Cutout - O/D 100mm - 220v
SSD 11	Stainless Steel Square - 60mm Round Cutout - 100mm X 100mm - 12v
SSD 12	Stainless Steel Square - 60mm Round Cutout - 100mm X 100mm - 220v
SSD 13	Stainless Steel Round - 60mm Round Cutout - O/D 120mm - 12v
SSD 14	Stainless Steel Round - 60mm Round Cutout - O/D 120mm - 220v
SSD 15	Stainless Steel Square - 60mm Round Cutout - 120mm X 120mm - 12v
SSD 16	Stainless Steel Square - 60mm Round Cutout - 120mm X 120mm - 220v
SSD 17	Stainless Steel Double Rectangle - 145mm X 70mm Cutout - 220v



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SSD06: Non-tilt Downlighter



SPECIFICATIONS

Luminaire Colour Brushed Aluminium (can request any colour)
Dimensions 60mm Diameter Cutout, 80mm Overall Diameter Trim
Installation Type
Ingress Protection 20
Material 316 Stainless Steel
Light Source GU10
Power Supply 230V 50Hz

PRODUCT CODES

SSD02	Stainless Steel Round - 60mm Round Cutout - O/D 80mm - 12v
SSD 06	Stainless Steel Round - 60mm Round Cutout - O/D 80mm - 220v
SSD 01	Stainless Steel Square - 60mm Round Cutout - 80mm X 80mm - 12v
SSD 05	Stainless Steel Square - 60mm Round Cutout - 80mm X 80mm - 220v
SSD 09	Stainless Steel Round - 60mm Round Cutout - O/D 100mm - 12v
SSD 10	Stainless Steel Round - 60mm Round Cutout - O/D 100mm - 220v
SSD 11	Stainless Steel Square - 60mm Round Cutout - 100mm X 100mm - 12v
SSD 12	Stainless Steel Square - 60mm Round Cutout - 100mm X 100mm - 220v
SSD 13	Stainless Steel Round - 60mm Round Cutout - O/D 120mm - 12v
SSD 14	Stainless Steel Round - 60mm Round Cutout - O/D 120mm - 220v
SSD 15	Stainless Steel Square - 60mm Round Cutout - 120mm X 120mm - 12v
SSD 16	Stainless Steel Square - 60mm Round Cutout - 120mm X 120mm - 220v
SSD 17	Stainless Steel Double Rectangle - 145mm X 70mm Cutout - 220v



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SSD07: Tilt Stainless Steel Downlighter



SPECIFICATIONS

Luminaire Colour Polished Stainless Steel
Dimensions 75mm Round Cutout x 100mm Diameter Trim
Installation Type
Ingress Protection 20
Material Stainless Steel
Light Source GU10
Power Supply 230V 50Hz

PRODUCT CODES

SSD03	Stainless Steel Round Tilt - 75mm Round Cutout - O/D 100mm - 12v
SSD 07	Stainless Steel Round Tilt - 75mm Round Cutout- O/D 100mm - 220v
SSD 04	Stainless Steel Square Tilt - 75mm Round Cutout - 100mm X 100mm - 12v
SSD 08	Stainless Steel Square Tilt - 75mm Round Cutout - 100mm X 100mm - 220v
SSD 20	Stainless Steel Square Tilt - 75mm Round Cutout - 120mm X 120mm - 12v
SSD21	Stainless Steel Square Tilt - 75mm Round Cutout - 120mm X 120mm - 220v
SSD18	S/S Double Rec Tilt - 150mm X 75mm Cutout - 100mm X 175mm - 220v



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SSD07K: Tilt Stainless Steel Downlighter



SPECIFICATIONS

Luminaire Colour Powder Coated Black (can request any colour)
Dimensions 75mm Round Cutout x 100mm Diameter Trim
Installation Type
Ingress Protection 20
Material Stainless Steel
Light Source GU10
Power Supply 230V 50Hz

PRODUCT CODES

SSD03	Stainless Steel Round Tilt - 75mm Round Cutout - O/D 100mm - 12v
SSD 07	Stainless Steel Round Tilt - 75mm Round Cutout- O/D 100mm - 220v
SSD 04	Stainless Steel Square Tilt - 75mm Round Cutout - 100mm X 100mm - 12v
SSD 08	Stainless Steel Square Tilt - 75mm Round Cutout - 100mm X 100mm - 220v
SSD 20	Stainless Steel Square Tilt - 75mm Round Cutout - 120mm X 120mm - 12v
SSD21	Stainless Steel Square Tilt - 75mm Round Cutout - 120mm X 120mm - 220v
SSD18	S/S Double Rec Tilt - 150mm X 75mm Cutout - 100mm X 175mm - 220v



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SSD08: Tilt Downlighter



SPECIFICATIONS

Luminaire Colour Brushed Aluminium (can request any colour)
Dimensions 75mm Round Cutout x 100mm Overall Square Trim
Installation Type
Ingress Protection 20
Material 316 Stainless Steel
Light Source GU10
Power Supply 230V 50Hz

PRODUCT CODES

SSD03	Stainless Steel Round Tilt - 75mm Round Cutout - O/D 100mm - 12v
SSD 07	Stainless Steel Round Tilt - 75mm Round Cutout- O/D 100mm - 220v
SSD 04	Stainless Steel Square Tilt - 75mm Round Cutout - 100mm X 100mm - 12v
SSD 08	Stainless Steel Square Tilt - 75mm Round Cutout - 100mm X 100mm - 220v
SSD 20	Stainless Steel Square Tilt - 75mm Round Cutout - 120mm X 120mm - 12v
SSD21	Stainless Steel Square Tilt - 75mm Round Cutout - 120mm X 120mm - 220v
SSD18	S/S Double Rec Tilt - 150mm X 75mm Cutout - 100mm X 175mm - 220v



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SSD08W: Square Silt Downlighter



SPECIFICATIONS

Luminaire Colour Powder Coated White
Dimensions 75mm Round Cutout - 100mm x 100mm Face
Installation Type
Ingress Protection 20
Material Stainless Steel
Light Source GU10
Power Supply 230V 50Hz

PRODUCT CODES

SSD03	Stainless Steel Round Tilt - 75mm Round Cutout - O/D 100mm - 12v
SSD 07	Stainless Steel Round Tilt - 75mm Round Cutout- O/D 100mm - 220v
SSD 04	Stainless Steel Square Tilt - 75mm Round Cutout - 100mm X 100mm - 12v
SSD 08	Stainless Steel Square Tilt - 75mm Round Cutout - 100mm X 100mm - 220v
SSD 20	Stainless Steel Square Tilt - 75mm Round Cutout - 120mm X 120mm - 12v
SSD21	Stainless Steel Square Tilt - 75mm Round Cutout - 120mm X 120mm - 220v
SSD18	S/S Double Rec Tilt - 150mm X 75mm Cutout - 100mm X 175mm - 220v



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SSD18: Rectangle Tilt Downlighter



SPECIFICATIONS

Luminaire Colour White (can request any colour)
Dimensions 75mm x 150mm Cutout 100mm x 175mm Face
Installation Type
Ingress Protection 20
Material Stainless Steel
Light Source GU10
Power Supply 230V 50Hz

PRODUCT CODES

SSD03	Stainless Steel Round Tilt - 75mm Round Cutout - O/D 100mm - 12v
SSD 07	Stainless Steel Round Tilt - 75mm Round Cutout- O/D 100mm - 220v
SSD 04	Stainless Steel Square Tilt - 75mm Round Cutout - 100mm X 100mm - 12v
SSD 08	Stainless Steel Square Tilt - 75mm Round Cutout - 100mm X 100mm - 220v
SSD 20	Stainless Steel Square Tilt - 75mm Round Cutout - 120mm X 120mm - 12v
SSD21	Stainless Steel Square Tilt - 75mm Round Cutout - 120mm X 120mm - 220v
SSD18	S/S Double Rec Tilt - 150mm X 75mm Cutout - 100mm X 175mm - 220v



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SSD14: Stainless Steel Round Fixed Downlighter



SPECIFICATIONS

Luminaire Colour Matte White
Dimensions 110mm Diameter x 60mm Cutout
Installation Type
Ingress Protection 20
Material Stainless Steel
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

SSD14

GU10



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SQ51: Double Swivel Plated Downlight



SPECIFICATIONS

Luminaire Colour Sandpaper White
Dimensions 175mm x 100mm x 70mm (C/O 60mm)
Installation Type Recessed Mounted
Ingress Protection IP20
Material Aluminium & Steel
Light Source GU10 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

SQ51

175mm x 100mm x 70mm (C/O 60mm)



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za