



BRCK145: Bedside Wall Light



SPECIFICATIONS

Luminaire Colour	Powder Coated Matt Black Exterior & Matt White Interior
Dimensions	Ø400mm x 390mm
Installation Type	Surface Mounted
Ingress Protection	IP20
Material	Aluminium
Light Source	E27 Lampholder
Power Supply	220-240V AC 50-60Hz

PRODUCT CODES

BRCK145

Ø400mm x 390mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK182: Geranium Wall Light



SPECIFICATIONS

Luminaire Colour Sprayed Brushed Brass
Dimensions 300mm x 120mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source x2 E27 Lampholders
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

BRCK182

300mm x 120mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK179: Calypso Wall Light



SPECIFICATIONS

Luminaire Colour Sprayed Brushed Brass & Powder Coated Matt Black
Dimensions 321mm x 270mm - 159mm x Ø100mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source GU10 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

BRCK179

321mm x 270mm - 159mm x Ø100mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK177: Phoenix Wall Light



SPECIFICATIONS

Luminaire Colour	Powder Coated Matt Black
Dimensions	321mm x 100mm x Ø100mm x 159mm
Installation Type	Surface Mounted
Ingress Protection	IP20
Material	Aluminium
Light Source	E27 Lampholder
Power Supply	220-240V AC 50-60Hz

PRODUCT CODES

BRCK177

321mm x 100mm x Ø100mm x 159mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK176: Alaska Wall Light



SPECIFICATIONS

Luminaire Colour Sprayed Brushed Brass
Dimensions Ø340mm x 680mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

BRCK176

Ø340mm x 680mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK82: PR Wall Light



SPECIFICATIONS

Luminaire Colour Sandpaper Black
Dimensions 480mm (H) x 330mm (L) from Base x 190mm (H) x 200mm (D) Shade, 305mm (L) x 45mm (W) Base
Installation Type
Ingress Protection 44
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

BRCK82

Sandpaper Black / Green / Matte White



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK100Y: Nova Industrial Wall Light



SPECIFICATIONS

Luminaire Colour Yellow

Dimensions Channel (H) 385mm, Total (H) 470mm (from bottom of channel to top of bracket), Shade: 445mm (D)

Installation Type

Ingress Protection 44

Material Aluminium

Light Source E27

Power Supply 220-240V 50-60Hz

PRODUCT CODES

BRCK100	Sandpaper Black / Green / Matte White / Yellow
BRCK99	Brushed Aluminium/Brass/Copper
BRCK103	Metallic Copper / Rust



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK146: Task Wall Light



SPECIFICATIONS

Luminaire Colour Matte Black & Matte White
Dimensions 250mm (D) x 400mm (L) Rod x 160mm Wall to Rod
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

BRCK146

Matte Black & White



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK171: Lotus Wall Light



SPECIFICATIONS

Luminaire Colour Black & Brushed Brass
Dimensions 30mm Deep Base Plate x 110mm from Base to Rod x 150mm (H) Rod
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E26
Power Supply 220-240V 50-60Hz

PRODUCT CODES

BRCK171

Black & Brushed Brass



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za

MADE IN SOUTH AFRICA ARC Lighting CC registered in South Africa No. 1994/011049/23 | VAT Reg. 4830143071



BRCK05: Small Quarter Sphere with 20mm Holes



SPECIFICATIONS

Luminaire Colour Bronze
Dimensions 200mm Length x 100mm High
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK32	White/Black/Green
BRCK05	Brushed Aluminium/Brass/Bronze/Titanium Silver
BRCK41	Metallic & Antique Copper/Brass/Rust



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK06: Large Quarter Sphere



SPECIFICATIONS

Luminaire Colour White
Dimensions 405mm Length x 210mm High
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK06	White/Black/Green
BRCK08	Brushed Aluminium/Brass/Bronze/Titanium Silver
BRCK40	Metallic & Antique Copper/Brass/Rust



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK09: Perforated Roman Wall Bracket



SPECIFICATIONS

Luminaire Colour Brushed Aluminium
Dimensions 200mm Length x 165mm High
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK10	White/Black/Green
BRCK09	Brushed Aluminium/Brass/Bronze/Titanium Silver
BRCK37	Metallic & Antique Copper/Brass/rust



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK12: Plain Roman Wall Bracket



SPECIFICATIONS

Luminaire Colour Brushed Aluminium
Dimensions 200mm Length x 165mm High
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK11	White/Black/Green
BRCK12	Brushed Aluminium/Brass/Bronze/Titanium Silver
BRCK38	Metallic & Antique Copper/Brass/Rust



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK08: Large Quarter Sphere



SPECIFICATIONS

Luminaire Colour Brushed Aluminium
Dimensions 405mm in Length x 210mm High
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK06	White/Black/Green
BRCK08	Brushed Aluminium/Brass/Bronze/Titanium Silver
BRCK40	Metallic & Antique Copper/Brass/Rust



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK29: Shade Ring Wall Bracket



SPECIFICATIONS

Luminaire Colour Tent E16/5 Grey
Dimensions 210mm Wide x 220mm High
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK29

Black / Green / Grey / White



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK30: Up & Down Wall Light



SPECIFICATIONS

Luminaire Colour Brushed Aluminium
Dimensions 310mm Length x 100mm Breadth x 95mm Deep
Installation Type
Ingress Protection 20
Material Aluminium & Perspex
Light Source 1PL9W
Power Supply 230V 50Hz

PRODUCT CODES

BRCK30

Brushed Aluminium. 1PL9W



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK45: Moroccan Wall Light



SPECIFICATIONS

Luminaire Colour Bronze
Dimensions 123mm Wide x 300mm High
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK52	Black / Green / White
BRCK45	Brushed Aluminium / Brass / Bronze / Titanium Silver



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK50-1: Slotted Wall Fitting



SPECIFICATIONS

Luminaire Colour Brushed Aluminium
Dimensions
Installation Type
Ingress Protection 20
Material Aluminium & Perspex
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK51	Black / Green / White
BRCK50-1	Brushed Aluminium / Brass / Bronze / Titanium Silver



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK50-2: Slotted Wall Fitting



SPECIFICATIONS

Luminaire Colour Brushed Aluminium
Dimensions 350mm High, 210mm Width, 130mm Deep
Installation Type
Ingress Protection 20
Material Aluminium & Perspex
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK50-2

Brushed Aluminium / Brass / Bronze / Titanium Silver



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK59BA: Simple Wall Sconce



SPECIFICATIONS

Luminaire Colour	Brushed Aluminium
Dimensions	Ø80mm x 90mm
Installation Type	Surface Mounted
Ingress Protection	IP20
Material	Aluminium
Light Source	E27 Lampholder
Power Supply	220-240V AC 50-60Hz

PRODUCT CODES

BRCK59BA

Ø80mm x 90mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK59BB: Simple Wall Sconce



SPECIFICATIONS

Luminaire Colour Brushed Brass
Dimensions Ø80mm x 90mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

BRCK59BB

Ø80mm x 90mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK63MC: HL Wall Light



SPECIFICATIONS

Luminaire Colour Black / Metallic Copper
Dimensions 200mm (L) x 170mm (H)
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

BRCK63MC

Black / Metallic Copper



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK63: HL Wall Light Flat Plate



SPECIFICATIONS

Luminaire Colour Assorted Colours
Dimensions 200mm Length x 170mm High
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK63

Assorted Colours



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK65: Delice Wall Bracket



SPECIFICATIONS

Luminaire Colour Raw
Dimensions 150mm Length* x 65mm High x 90mm Wide
Installation Type
Ingress Protection 20
Material Aluminium
Light Source 2 x GU10
Power Supply 230V 50Hz

PRODUCT CODES

BRCK65	Black / Green / White
BRCK66	200mm Length* (Black / Green / White)



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK72: Mini P Wall Light



SPECIFICATIONS

Luminaire Colour Rust
Dimensions 220mm Diameter x 390mm High
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK93	Black / Green / White
BRCK89	Brushed Aluminium / Brass / Bronze / Titanium Silver
BRCK72	Metallic & Antique Copper / Brass / Rust



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK85: AR Wall Light



SPECIFICATIONS

Luminaire Colour Black Exterior / Metallic Brass Interior
Dimensions 108mm Diameter Base x 25mm Depth, 145mm Diameter Shade x 100mm High
Installation Type
Ingress Protection 20
Material Aluminium
Light Source GU10
Power Supply 230V 50Hz

PRODUCT CODES

BRCK85

Black Exterior / Metallic Brass Interior



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK86: CM UP & Down Wall Light



SPECIFICATIONS

Luminaire Colour Matt Black / Metallic Copper
Dimensions ø100mm x 410mm High
Installation Type Surface Wall Mount
Ingress Protection 20
Material Aluminium
Light Source 2 x GU10
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

BRCK86	Black Exterior/Metallic Copper Interior
BRCK172	White/Black/Green



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK88: BM Wall Fitting Big Top



SPECIFICATIONS

Luminaire Colour White
Dimensions 185mm Diameter x 125mm High
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK88	Black / Green / White
BRCK109	Brushed Aluminium / Brass / Bronze / Titanium Silver
BRCK110	Metallic & Antique Copper / Brass / Rust
BRCK102	Polished Exterior / Black Interior



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK101: BM Wall Fitting Small Top



SPECIFICATIONS

Luminaire Colour Antique Brass
Dimensions 185mm Diameter x 125mm High
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK87	White/Black/Green
BRCK106	Brushed Aluminium/Brass/Bronze/Titanium Silver
BRCK101	Metallic & Antique Copper/Brass/Rust



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK95: BM Wall Fitting Big Top



SPECIFICATIONS

Luminaire Colour Brushed Aluminium
Dimensions 250mm Diameter x 125mm High
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK95	Brushed Aluminium / Brass / Bronze / Titanium Silver
BRCK96	Metallic & Antique Copper / Brass / Rust



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK113: Triangle Wall Light



SPECIFICATIONS

Luminaire Colour White
Dimensions TBC
Installation Type
Ingress Protection 20
Material Aluminium
Light Source GU10
Power Supply 230V 50Hz

PRODUCT CODES

BRCK113	Black / Green / White
BRCK173	Brushed Aluminium / Brass / Bronze / Titanium Silver



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK118B: Signage Wall Light



SPECIFICATIONS

Luminaire Colour Polished Brass
Dimensions 500mm Wall to Shade, 250mm Diameter Shade
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK118	Black / Green / White
BRCK118B	Polished Brass
BRCK119	Brushed Aluminium / Brass / Bronze / Titanium Silver
BRCK183	Metallic & Antique Copper / Brass / Rust



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK102SB: BM Wall Light



SPECIFICATIONS

Luminaire Colour Shiny Brass Shade & Black Arm (can request any colour)
Dimensions 185mm Diameter x 125mm High, Big Top
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK102SB

Shiny Brass & Black Arm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK102: BM Wall Light



SPECIFICATIONS

Luminaire Colour Shiny Bronze / Matt Black (can request any colour)
Dimensions 185mm Diameter x 125mm High, Big Top
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK102

Shiny Bronze / Matt Black



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK120: Wall Light



SPECIFICATIONS

Luminaire Colour Matt Black / Shiny Copper
Dimensions TBC
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK120

Black / Shiny Copper



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK121: Wall Light



SPECIFICATIONS

Luminaire Colour Matt Black / Shiny Copper
Dimensions 650mm from ceiling cup to tip of shade. Overall height 400mm. Shade 380mm Diameter x 160mm High.
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK121

Restaurant Wall Light



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za

MADE IN SOUTH AFRICA ARC Lighting CC registered in South Africa No. 1994/011049/23 | VAT Reg. 4830143071



BRCK122: Swivel Brass Wall Sconce



SPECIFICATIONS

Luminaire Colour Brushed Brass
Dimensions 80mm Diameter x 115mm Long x 125mm Depth
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK122

Brushed Brass



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK122GM: Swivel Gun Metal Wall Sconce



SPECIFICATIONS

Luminaire Colour Shiny Gun Metal
Dimensions 80mm Diameter x 115mm Long x 125mm Depth
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK122

Swivel Wall Sconce



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK124: ML Wall Light



SPECIFICATIONS

Luminaire Colour Black / Metallic Brass
Dimensions 180mm x 180mm (Base), 450mm from Wall to Top, 650mm from Bottom to Top
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK124

ML Wall Light



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK125: E27 Wall Light



SPECIFICATIONS

Luminaire Colour Black / Brushed Brass
Dimensions 80mm diameter cup, 150mm high, 240mm from wall to lampholder
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK125

E27 Wall Light



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK169: Stallion Wall Light



SPECIFICATIONS

Luminaire Colour Brushed Aluminium
Dimensions 550mm Long Arm, 295mm Diameter x 130mm High Shade, 120mm Diameter Ceiling Cup
Installation Type
Ingress Protection 44
Material Aluminium
Light Source E27
Power Supply 220 - 240V, 50 - 60Hz

PRODUCT CODES

BRCK169

Brushed Aluminium



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK162: Tube Wall Light



SPECIFICATIONS

Luminaire Colour Matt Black
Dimensions Ø85mm x 200mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source GU10 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

BRCK162

Ø85mm x 200mm



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK100FGB: Nova Industrial Wall Light



SPECIFICATIONS

Luminaire Colour Ferro Grain Black (can request any colour)
Dimensions Channel Height: 385mm, Total Height: 470mm (from bottom of channel to top of bracket), Shade: 445mm
Installation Type
Ingress Protection 44
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK100

Nova Industrial Wall Light



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK100FGK: Nova Industrial Wall Light



SPECIFICATIONS

Luminaire Colour Ferro Grain Black
Dimensions Channel Height: 385mm, Total Height: 470mm (from bottom of channel to top of bracket), Shade: 445mm
Installation Type
Ingress Protection 44
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK100

Nova Industrial Wall Light



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za

MADE IN SOUTH AFRICA ARC Lighting CC registered in South Africa No. 1994/011049/23 | VAT Reg. 4830143071



BRCK160: Double Arm Wall Light



SPECIFICATIONS

Luminaire Colour Black
Dimensions
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK160

Double Arm Wall Light



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK70: Single Arm Wall Bracket



SPECIFICATIONS

Luminaire Colour Shiny Chrome
Dimensions Base: 100mm x 100mm
Installation Type
Ingress Protection 20
Material Steel
Light Source B22
Power Supply 230V 50Hz

PRODUCT CODES

BRCK70

Single Arm Wall Bracket



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK174: Daisy Wall Light



SPECIFICATIONS

Luminaire Colour Metallic Brass

Dimensions

Installation Type

Ingress Protection 20

Material Aluminium

Light Source E27

Power Supply 230V 50Hz

PRODUCT CODES

BRCK174

Daisy Wall Light



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK161: PJ Wall Light



SPECIFICATIONS

Luminaire Colour Black

Dimensions

Installation Type

Ingress Protection 20

Material Aluminium

Light Source E27

Power Supply 230V 50Hz

PRODUCT CODES

BRCK161

PJ Wall Light



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK156: EG Wall Light



SPECIFICATIONS

Luminaire Colour Black
Dimensions 240mm High x 150mm Deep x 300mm Wide
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK156

EG Wall Light



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK153: AB Wall Light



SPECIFICATIONS

Luminaire Colour Black
Dimensions From wall to shade 380mm; Shade 295mm diameter x 150mm High
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK153

AB Wall Light



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK151: CA Wall Light



SPECIFICATIONS

Luminaire Colour Brushed Brass
Dimensions 250mm High X 90mm Diameter, 40mm Top
Installation Type
Ingress Protection 20
Material Aluminium
Light Source GU10
Power Supply 230V 50Hz

PRODUCT CODES

BRCK151

CA Wall Light



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK150: MD Wall Light



SPECIFICATIONS

Luminaire Colour Black & Brushed Brass
Dimensions 210mm Height X 200mm Length, Shade 86mm Diameter
Installation Type
Ingress Protection 20
Material Aluminium
Light Source GU10
Power Supply 230V 50Hz

PRODUCT CODES

BRCK150

MD Wall Light



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za

MADE IN SOUTH AFRICA ARC Lighting CC registered in South Africa No. 1994/011049/23 | VAT Reg. 4830143071



BRCK147: DC Wall Light



SPECIFICATIONS

Luminaire Colour Titanium Silver
Dimensions 270mm Diameter x 280mm High, 380mm Wall-Shade
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK147

DC Wall Light



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK137: OB Wall Light



SPECIFICATIONS

Luminaire Colour Metallic Brass
Dimensions 150mm x 300mm High
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK137

Metallic Brass



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK136: AB Wall Light



SPECIFICATIONS

Luminaire Colour Black / White
Dimensions 290mm Diameter Shade x 340mm High, 275mm Wall-Shade
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50hz

PRODUCT CODES

BRCK136

AB Wall Light



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK134: EL Wall Light



SPECIFICATIONS

Luminaire Colour Black
Dimensions 400mm length from wall to shade, 380mm high x 155mm length x 118mm width
Installation Type
Ingress Protection 20
Material Aluminium
Light Source GU10
Power Supply 230V 50hz

PRODUCT CODES

BRCK134

EL Wall Light



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK130: GL Wall Light



SPECIFICATIONS

Luminaire Colour Brushed Brass
Dimensions From sleeve to sleeve 150mm, base 100mm diam x 75mm deep, shadow plate 120mm
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK130

GL Wall Light



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK185: Titan Wall Light



SPECIFICATIONS

Luminaire Colour White

Dimensions

Installation Type

Ingress Protection 20

Material Aluminium

Light Source GU10

Power Supply 230V 50Hz

PRODUCT CODES

BRCK185

Titan Wall Light



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK186: Freesia Wall Light



SPECIFICATIONS

Luminaire Colour Brushed Brass
Dimensions Base: 160mm Diameter. Sleeve: 90mm High
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK186

Brushed Aluminium / Brass / Bronze / Titanium Silver



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK200: FN Wall Light



SPECIFICATIONS

Luminaire Colour Black Exterior / Metallic Rose Brass Interior & Brushed Copper Top
Dimensions 200mm Diameter x 230mm High Shade, 200mm Long Arm
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK200

FN Wall Light



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK152BB: LS Wall Light



SPECIFICATIONS

Luminaire Colour	Brushed Brass & Metallic Brass
Dimensions	Ø190mm x 160mm
Installation Type	Surface Mounted
Ingress Protection	IP20
Material	Aluminium
Light Source	GU10 Lampholder
Power Supply	220-240V AC 50-60Hz

PRODUCT CODES

BRCK152BB

Ø190mm x 160mm



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK152MK: LS Wall Light



SPECIFICATIONS

Luminaire Colour Matt Black & White
Dimensions Ø190mm x 160mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source GU10 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

BRCK152MK

Ø190mm x 160mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK206: Acacia Wall Light



SPECIFICATIONS

Luminaire Colour Black Satin
Dimensions Ø200mm x 150mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

BRCK206

Ø200mm x 150mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



TLS-BRCK1-BB: Magnolia Wall Light

tls-brck1-bb

SPECIFICATIONS

Luminaire Colour Brushed Brass
Dimensions 210mm Diameter x 300mm High from shade to cup
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230v

PRODUCT CODES

TLS-BRCK1-BB



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



NE-BRCK01-R: Daisy Wall Light

 ne-brck01-r

SPECIFICATIONS

Luminaire Colour Rust
Dimensions 350mm Diameter x 320mm High x 160mm Wide. 80mm Diameter Baseplate.
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230v

PRODUCT CODES

NE-BRCK01-R



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK217: Tetra Wall Light



SPECIFICATIONS

Luminaire Colour Matt Black
Dimensions Ø60mm x 905mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source G120
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

BRCK217

Ø60mm x 905mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK187: Royale Wall Light



SPECIFICATIONS

Luminaire Colour	Brushed Brass
Dimensions	550mm L Tube x 76mm Wide Round Tubing
Installation Type	
Ingress Protection	20
Material	Aluminium
Light Source	2 x GU10
Power Supply	230V 50 Hz

PRODUCT CODES

BRCK187 - Brushed Brass



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK188: Dahlia Wall Light



SPECIFICATIONS

Luminaire Colour Brushed Brass & Matt Black
Dimensions 300mm Diameter x 160mm High Shade, 1000mm Overall Height.
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 230V 50 Hz

PRODUCT CODES

BRCK188 - Brushed Brass & Matt Black



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



BRCK207: Protea Wall Light



SPECIFICATIONS

Luminaire Colour Brushed Brass
Dimensions 520mm (H) x 250mm (W) Top x 225mm (W) Bottom
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 220-240V, 50-60Hz

PRODUCT CODES

BRCK207 - Brushed Brass



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK209: Holly Wall Light



SPECIFICATIONS

Luminaire Colour Brushed Brass
Dimensions 350mm H Straight Arm, 380mm L Arm to Shade, 180mm D x 100mm H Shade
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

BRCK209BB

Brushed Brass



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK208: Indigo Wall Light



SPECIFICATIONS

Luminaire Colour Sandpaper Black
Dimensions 70mm (W) x 150mm (H) x 25mm (D)
Installation Type
Ingress Protection 20
Material Aluminium & Steel
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

BRCK208

GU10



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK210: Cylinder Wall Light



SPECIFICATIONS

Luminaire Colour Brushed Brass
Dimensions 60mm (D) x 100mm (H) Cylinder Shade
Installation Type
Ingress Protection 20
Material Aluminium
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

BRCK210BB

Brushed Brass



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za

MADE IN SOUTH AFRICA ARC Lighting CC registered in South Africa No. 1994/011049/23 | VAT Reg. 4830143071



BRCK213.1: Orbit Wall Light



SPECIFICATIONS

Luminaire Colour Satin Black / Metallic Copper
Dimensions 100mm (D) x 1,000mm (L)
Installation Type
Ingress Protection 20
Material Aluminium
Light Source 2 x GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

BRCK213.1

2 x GU10



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK214: Harmony Wall Light



SPECIFICATIONS

Luminaire Colour Teal Haze
Dimensions 190mm Diameter x 500mm Length x 150mm High
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

BRCK214

Teal Haze



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za

MADE IN SOUTH AFRICA ARC Lighting CC registered in South Africa No. 1994/011049/23 | VAT Reg. 4830143071



BRCK216: Macadamia Wall Light



SPECIFICATIONS

Luminaire Colour	Sprayed White & Peach
Dimensions	Ø95mm x Ø300mm x 280mm
Installation Type	Surface Mounted
Ingress Protection	IP20
Material	Aluminium
Light Source	E27 Lampholder
Power Supply	220-240V AC 50-60Hz

PRODUCT CODES

BRCK216

Ø95mm x Ø300mm x 280mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK215: Urban Wall Light



SPECIFICATIONS

Luminaire Colour Powder Coated Sandpaper Black
Dimensions Ø280mm x 340mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

BRCK215

Ø280mm x 340mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK218: Flash Wall Light



SPECIFICATIONS

Luminaire Colour Matt Black & White
Dimensions Ø240mm x 300mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Steel
Light Source G9 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

BRCK218

Ø240mm x 300mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK219: Atlas Wall Light



SPECIFICATIONS

Luminaire Colour Sandpaper Black
Dimensions Ø65mm x 200mm x 260mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source GU10 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

BRCK219

Ø65mm x 200mm x 260mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK221: Flamingo Wall Light



SPECIFICATIONS

Luminaire Colour Matt White & Brushed Aluminium
Dimensions Ø127mm x 160mm x 600mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

BRCK221

Ø127mm x 160mm x 600mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK225: Totem Wall Light



SPECIFICATIONS

Luminaire Colour Bronze Gold / Maroon / Peach
Dimensions Ø95mm x 220mm High Shades
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source x2 E27 Lampholder
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

BRCK225

Ø95mm x 220mm High Shades



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK226: Elegant Wall Light



SPECIFICATIONS

Luminaire Colour Sky Green / Brass
Dimensions Ø350mm x Ø120mm Brass Dome
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium & Brass
Light Source x3 G9 Lampholders
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

BRCK226

Ø350mm x Ø120mm Brass Dome



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK227: Twin ARC Wall Light



SPECIFICATIONS

Luminaire Colour Matt Black / Brushed Brass
Dimensions x2 Ø125mm Shades x 360mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source x2 E27 Lampholders
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

BRCK227

x2 Ø125mm Shades x 360mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za