



PK1: KFC Colonel Pendant



SPECIFICATIONS

Luminaire Colour Red / White
Dimensions 300mm Diameter x 300mm High
Installation Type
Ingress Protection 20
Material Aluminium & Steel
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PK1

KFC Colonel Pendant



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PK2: KFC Colonel Pendant



SPECIFICATIONS

Luminaire Colour Black / Red
Dimensions 150mm Diameter x 180mm High
Installation Type
Ingress Protection 20
Material Aluminium & Steel
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PK2

KFC Colonel Pendant



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PK3: KFC Colonel Pendant



SPECIFICATIONS

Luminaire Colour Metallic Copper
Dimensions 150mm Diameter x 180mm High
Installation Type
Ingress Protection 20
Material Aluminium & Steel
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PK3

KFC Colonel Pendant



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PK4G: KFC Colonel Pendant



SPECIFICATIONS

Luminaire Colour Grey / White
Dimensions 150mm Diameter x 180mm High
Installation Type
Ingress Protection 20
Material Aluminium & Steel
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PK4G

KFC Colonel Pendant



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za

MADE IN SOUTH AFRICA ARC Lighting CC registered in South Africa No. 1994/011049/23 | VAT Reg. 4830143071



PK5: KFC Colonel Pendant



SPECIFICATIONS

Luminaire Colour White / Red
Dimensions 300mmmm Diameter x 300mm High
Installation Type
Ingress Protection 20
Material Aluminium & Steel
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PK5

KFC Colonel Pendant



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PK6: KFC Colonel Pendant



SPECIFICATIONS

Luminaire Colour Grey / Metallic Copper
Dimensions 300mmmm Diameter x 300mm High
Installation Type
Ingress Protection 20
Material Aluminium & Steel
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

PK6

KFC Colonel Pendant



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za

MADE IN SOUTH AFRICA ARC Lighting CC registered in South Africa No. 1994/011049/23 | VAT Reg. 4830143071



P1G: KFC Spot Light Pendant



SPECIFICATIONS

Luminaire Colour White / Grey
Dimensions 250mm Diameter x 400mm High
Installation Type
Ingress Protection 20
Material Aluminium & Steel
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

P1G

KFC Spot Light Pendant



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



P2: KFC Spot Light Pendant



SPECIFICATIONS

Luminaire Colour White / Red
Dimensions 400mm Diameter x 400mm High
Installation Type
Ingress Protection 20
Material Aluminium & Steel
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



P3K: KFC Flute Pendant



SPECIFICATIONS

Luminaire Colour Black
Dimensions 100mm Diameter x 300mm High
Installation Type
Ingress Protection 20
Material Aluminium & Steel
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

P3K

KFC Flute Pendant



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



P3R: KFC Flute Pendant



SPECIFICATIONS

Luminaire Colour Red
Dimensions 100mm Diameter x 300mm High
Installation Type
Ingress Protection 20
Material Aluminium & Steel
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

P3R

KFC Flute Pendant



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



P3G: KFC Flute Pendant



SPECIFICATIONS

Luminaire Colour Grey
Dimensions 100mm Diameter x 300mm High
Installation Type
Ingress Protection 20
Material Aluminium & Steel
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

P3G

KFC Flute Pendant



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



P3W: KFC Flute Pendant



SPECIFICATIONS

Luminaire Colour White
Dimensions 100mm Diameter x 300mm High
Installation Type
Ingress Protection 20
Material Aluminium & Steel
Light Source GU10
Power Supply 220 - 240V, 50 - 60Hz

PRODUCT CODES

P3W

Matte White/Grey



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PC1: Checkers Pendant



SPECIFICATIONS

Luminaire Colour Ferrogain Black / Matte White
Dimensions 280mm (D) x 450mm (H)
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PC1	280mm (D) x 450mm (H)
PC2	350mm (D) x 500mm (H)
PC3	130mm (D) x 500mm (H)
PC4	130mm (D) x 600mm (H)



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PC2: Checkers Pendant



SPECIFICATIONS

Luminaire Colour Ferrograin Black/Matte White
Dimensions 350mm (D) x 500mm (H)
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PC1	280mm (D) x 450mm (H)
PC2	350mm (D) x 500mm (H)
PC3	130mm (D) x 500mm (H)
PC4	130mm (D) x 600mm (H)



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PC3: Checkers Pendant



SPECIFICATIONS

Luminaire Colour Ferrogain Black / Matte White
Dimensions 130mm (D) x 500mm (H)
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PC1	280mm (D) x 450mm (H)
PC2	350mm (D) x 500mm (H)
PC3	130mm (D) x 500mm (H)
PC4	130mm (D) x 600mm (H)



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PC4: Checkers Pendant



SPECIFICATIONS

Luminaire Colour Ferrogain Black / Matte White
Dimensions 130mm (D) x 600mm (H)
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PC1	280mm (D) x 450mm (H)
PC2	350mm (D) x 500mm (H)
PC3	130mm (D) x 500mm (H)
PC4	130mm (D) x 600mm (H)



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PEN518: BP Garage Pendant



SPECIFICATIONS

Luminaire Colour Matte Black / Pantone 874C / Matte White
Dimensions 270mm (D) x 220mm (H)
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PEN518

E27



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PEN517: Hungry Lion Pendant



SPECIFICATIONS

Luminaire Colour Brushed Concrete / Matte White
Dimensions 175mm (D) x 290mm (H)
Installation Type
Ingress Protection 20
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

PEN517

E27



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa


Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za

MADE IN SOUTH AFRICA ARC Lighting CC registered in South Africa No. 1994/011049/23 | VAT Reg. 4830143071



PEN64.OK1: OK Foods Pendant



SPECIFICATIONS

Luminaire Colour Sandpaper Black
Dimensions Ø420mm x 300mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN64.OK1	Ø420mm x 300mm
PEN64.OK2	Ø420mm x 300mm
PEN64.OK3	Ø420mm x 200mm



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PEN64.OK2: OK Foods Pendant



SPECIFICATIONS

Luminaire Colour Textured Sage Green
Dimensions Ø420mm x 300mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN64.OK1	Ø420mm x 300mm
PEN64.OK2	Ø420mm x 300mm
PEN64.OK3	Ø420mm x 200mm



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



PEN64.OK3: OK Foods Pendant



SPECIFICATIONS

Luminaire Colour Textured Violet Whirlwind / White
Dimensions Ø420mm x 200mm
Installation Type Surface Mounted
Ingress Protection IP20
Material Aluminium
Light Source E27
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

PEN64.OK1	Ø420mm x 300mm
PEN64.OK2	Ø420mm x 300mm
PEN64.OK3	Ø420mm x 200mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za