




GP76BA2.5H: 2.5m MH Straight Ø76mm Buried



SPECIFICATIONS

Luminaire Colour Galvanised
Dimensions Ø76mm x 3,000mm (L) x 2,500mm MH
Installation Type Buried 500mm
Ingress Protection Coastal areas Suitable
Material Hot Dip Galvanized Mild-Steel Round Tubing
Light Source N/A
Power Supply Refer to Cable Entry & Inspection Box

PRODUCT CODES

GP76BA2.5H	2.5m MH Buried
GP 76BA3H	3m MH Buried
GP76BA4H	4m MH Buried
GP76BA5H	5m MH Buried



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



GP76BA3H: 3m MH Straight Ø76mm Buried



SPECIFICATIONS

Luminaire Colour Galvanised
Dimensions Ø76mm x 3,500mm (L) x 3,000mm MH
Installation Type Buried 500mm
Ingress Protection Coastal areas Suitable
Material Hot Dip Galvanized Mild-Steel Round Tubing
Light Source N/A
Power Supply Refer to Cable Entry & Inspection Box

PRODUCT CODES

GP76BA2.5H	2.5m MH Buried
GP 76BA3H	3m MH Buried
GP76BA4H	4m MH Buried
GP76BA5H	5m MH Buried



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



GP76BA4H: 4m MH Straight Ø76mm Buried



SPECIFICATIONS

Luminaire Colour Galvanised
Dimensions Ø76mm x 4,500mm (L) x 4,000mm MH
Installation Type Buried 500mm
Ingress Protection Coastal areas Suitable
Material Hot Dip Galvanized Mild-Steel Round Tubing
Light Source N/A
Power Supply Refer to Cable Entry & Inspection Box

PRODUCT CODES

GP76BA2.5H	2.5m MH Buried
GP 76BA3H	3m MH Buried
GP76BA4H	4m MH Buried
GP76BA5H	5m MH Buried



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



GP76BA5H: 5m MH Straight Ø76mm Buried



SPECIFICATIONS

Luminaire Colour Galvanised
Dimensions Ø76mm x 6,000mm (L) x 5,000mm MH
Installation Type Buried 1,000mm
Ingress Protection Coastal areas Suitable
Material Hot Dip Galvanized Mild-Steel Round Tubing
Light Source N/A
Power Supply Refer to Cable Entry & Inspection Box

PRODUCT CODES

GP76BA2.5H	2.5m MH Buried
GP 76BA3H	3m MH Buried
GP76BA4H	4m MH Buried
GP76BA5H	5m MH Buried



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



GP76PA1H: 1m MH Straight Ø76mm Plinth Mounted



SPECIFICATIONS

Luminaire Colour Galvanised
Dimensions Ø76mm x 1,000mm MH
Installation Type Plinth Mounted
Ingress Protection Coastal areas Suitable
Material Hot Dip Galvanized Mild-Steel Round Tubing
Light Source N/A
Power Supply Inspection Box

PRODUCT CODES

GP76PA1H	1m MH Plinth Mounted
GP76PA2H	2m MH Plinth Mounted
GP76PA2.5H	2.5m MH Plinth Mounted
GP76PA3H	3m MH Plinth Mounted
GP76PA4H	4m MH Plinth Mounted
GP 76PA5H	5m MH Plinth Mounted
GP76PA6H	6m MH Plinth Mounted




ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



GP76PA2H: 2m MH Straight Ø76mm Plinth Mounted



SPECIFICATIONS

Luminaire Colour	Galvanised
Dimensions	Ø76mm x 2000mm MH
Installation Type	Plinth Mounted
Ingress Protection	Coastal areas Suitable
Material	Hot Dip Galvanized Mild-Steel Round Tubing
Light Source	N/A
Power Supply	Inspection Box

PRODUCT CODES

GP76PA1H	1m MH Plinth Mounted
GP76PA2H	2m MH Plinth Mounted
GP76PA2.5H	2.5m MH Plinth Mounted
GP76PA3H	3m MH Plinth Mounted
GP76PA4H	4m MH Plinth Mounted
GP 76PA5H	5m MH Plinth Mounted
GP76PA6H	6m MH Plinth Mounted



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



GP76PA2.5H: 2.5m MH Straight Ø76mm Plinth Mounted



SPECIFICATIONS

Luminaire Colour	Galvanised
Dimensions	Ø76mm x 2,500mm MH
Installation Type	Plinth Mounted
Ingress Protection	Coastal areas Suitable
Material	Hot Dip Galvanized Mild-Steel Round Tubing
Light Source	N/A
Power Supply	Inspection Box

PRODUCT CODES

GP76PA1H	1m MH Plinth Mounted
GP76PA2H	2m MH Plinth Mounted
GP76PA2.5H	2.5m MH Plinth Mounted
GP76PA3H	3m MH Plinth Mounted
GP76PA4H	4m MH Plinth Mounted
GP 76PA5H	5m MH Plinth Mounted
GP76PA6H	6m MH Plinth Mounted



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



GP76PA3H: 3m MH Straight Ø76mm Plinth Mounted



SPECIFICATIONS

Luminaire Colour	Galvanised
Dimensions	Ø76mm x 3,000mm MH
Installation Type	Plinth Mounted
Ingress Protection	Coastal areas Suitable
Material	Hot Dip Galvanized Mild-Steel Round Tubing
Light Source	N/A
Power Supply	Inspection Box

PRODUCT CODES

GP76PA1H	1m MH Plinth Mounted
GP76PA2H	2m MH Plinth Mounted
GP76PA2.5H	2.5m MH Plinth Mounted
GP76PA3H	3m MH Plinth Mounted
GP76PA4H	4m MH Plinth Mounted
GP 76PA5H	5m MH Plinth Mounted
GP76PA6H	6m MH Plinth Mounted



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



GP76PA4H: 4m MH Straight Ø76mm Plinth Mounted



SPECIFICATIONS

Luminaire Colour Galvanised
Dimensions Ø76mm x 4,000mm MH
Installation Type Plinth Mounted
Ingress Protection Coastal areas Suitable
Material Hot Dip Galvanized Mild-Steel Round Tubing
Light Source N/A
Power Supply Inspection Box

PRODUCT CODES

GP76PA1H	1m MH Plinth Mounted
GP76PA2H	2m MH Plinth Mounted
GP76PA2.5H	2.5m MH Plinth Mounted
GP76PA3H	3m MH Plinth Mounted
GP76PA4H	4m MH Plinth Mounted
GP 76PA5H	5m MH Plinth Mounted
GP76PA6H	6m MH Plinth Mounted



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



GP76PA5H: 5m MH Straight Ø76mm Plinth Mounted



SPECIFICATIONS

Luminaire Colour	Galvanised
Dimensions	Ø76mm x 5,000mm MH
Installation Type	Plinth Mounted
Ingress Protection	Coastal areas Suitable
Material	Hot Dip Galvanized Mild-Steel Round Tubing
Light Source	N/A
Power Supply	Inspection Box

PRODUCT CODES

GP76PA1H	1m MH Plinth Mounted
GP76PA2H	2m MH Plinth Mounted
GP76PA2.5H	2.5m MH Plinth Mounted
GP76PA3H	3m MH Plinth Mounted
GP76PA4H	4m MH Plinth Mounted
GP 76PA5H	5m MH Plinth Mounted
GP76PA6H	6m MH Plinth Mounted



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



GP76PA6H: 6m MH Straight Ø76mm Plinth Mounted



SPECIFICATIONS

Luminaire Colour	Galvanised
Dimensions	Ø76mm x 6,000mm MH
Installation Type	Plinth Mounted
Ingress Protection	Coastal areas Suitable
Material	Hot Dip Galvanized Mild-Steel Round Tubing
Light Source	N/A
Power Supply	Inspection Box

PRODUCT CODES

GP76PA1H	1m MH Plinth Mounted
GP76PA2H	2m MH Plinth Mounted
GP76PA2.5H	2.5m MH Plinth Mounted
GP76PA3H	3m MH Plinth Mounted
GP76PA4H	4m MH Plinth Mounted
GP 76PA5H	5m MH Plinth Mounted
GP76PA6H	6m MH Plinth Mounted



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



GP114BA2.5H: 2.5m MH 1 Step Ø114mm & Ø76mm Buried

 gp114ba2.5h

SPECIFICATIONS

Luminaire Colour Galvanised
Dimensions Ø114mm 2,000mm (L) x Ø76mm 1,000mm (L) x 2,500mm MH
Installation Type Buried 500mm
Ingress Protection Coastal areas Suitable
Material Hot Dip Galvanized Mild-Steel Round Tubing
Light Source N/A
Power Supply Refer to Cable Entry & Inspection Box

PRODUCT CODES

GP114BA2.5H	2.5m MH Buried
GP114BA3H	3m MH Buried
GP114BA4H	4m MH Buried
GP114BA5H	5m MH Buried
GP114BA6H	6m MH Buried
GP114BA7H	7m MH Buried
GP114BA8H	8m MH Buried
GP114BA9H	9m MH Buried
GP114BA10H	10m MH Buried
GP114BA11H	11m MH Buried



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



GP114BA3H: 3m MH 1 Step Ø114mm & Ø76mm Buried



SPECIFICATIONS

Luminaire Colour	Galvanised
Dimensions	Ø114mm 2,000mm (L) x Ø76mm 1,500mm (L) x 3,000mm MH
Installation Type	Buried 500mm
Ingress Protection	Coastal areas Suitable
Material	Hot Dip Galvanized Mild-Steel Round Tubing
Light Source	N/A
Power Supply	Refer to Cable Entry & Inspection Box

PRODUCT CODES

GP114BA2.5H	2.5m MH Buried
GP114BA3H	3m MH Buried
GP114BA4H	4m MH Buried
GP114BA5H	5m MH Buried
GP114BA6H	6m MH Buried
GP114BA7H	7m MH Buried
GP114BA8H	8m MH Buried
GP114BA9H	9m MH Buried
GP114BA10H	10m MH Buried
GP114BA11H	11m MH Buried



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



GP114BA4H: 4m MH 1 Step Ø114mm & Ø76mm Buried



SPECIFICATIONS

Luminaire Colour	Galvanised
Dimensions	Ø114mm 3,000mm (L) x Ø76mm 1,500mm (L) x 4,000mm MH
Installation Type	Buried 500mm
Ingress Protection	Coastal areas Suitable
Material	Hot Dip Galvanized Mild-Steel Round Tubing
Light Source	N/A
Power Supply	Refer to Cable Entry & Inspection Box

PRODUCT CODES

GP114BA2.5H	2.5m MH Buried
GP114BA3H	3m MH Buried
GP114BA4H	4m MH Buried
GP114BA5H	5m MH Buried
GP114BA6H	6m MH Buried
GP114BA7H	7m MH Buried
GP114BA8H	8m MH Buried
GP114BA9H	9m MH Buried
GP114BA10H	10m MH Buried
GP114BA11H	11m MH Buried



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



GP114BA5H: 5m MH 1 Step Ø114mm & Ø76mm Buried



SPECIFICATIONS

Luminaire Colour	Galvanised
Dimensions	Ø114mm 3,000mm (L) x Ø76mm 3,000mm (L) x 5,000mm MH
Installation Type	Buried 1000mm
Ingress Protection	Coastal areas Suitable
Material	Hot Dip Galvanized Mild-Steel Round Tubing
Light Source	N/A
Power Supply	Refer to Cable Entry & Inspection Box

PRODUCT CODES

GP114BA2.5H	2.5m MH Buried
GP114BA3H	3m MH Buried
GP114BA4H	4m MH Buried
GP114BA5H	5m MH Buried
GP114BA6H	6m MH Buried
GP114BA7H	7m MH Buried
GP114BA8H	8m MH Buried
GP114BA9H	9m MH Buried
GP114BA10H	10m MH Buried
GP114BA11H	11m MH Buried



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



GP114BA6H: 6m MH 1 Step Ø114mm & Ø76mm Buried



SPECIFICATIONS

Luminaire Colour	Galvanised
Dimensions	Ø114mm 4,000mm (L) x Ø76mm 3,000mm (L) x 6,000mm MH
Installation Type	Buried 1000mm
Ingress Protection	Coastal areas Suitable
Material	Hot Dip Galvanized Mild-Steel Round Tubing
Light Source	N/A
Power Supply	Refer to Cable Entry & Inspection Box

PRODUCT CODES

GP114BA2.5H	2.5m MH Buried
GP114BA3H	3m MH Buried
GP114BA4H	4m MH Buried
GP114BA5H	5m MH Buried
GP114BA6H	6m MH Buried
GP114BA7H	7m MH Buried
GP114BA8H	8m MH Buried
GP114BA9H	9m MH Buried
GP114BA10H	10m MH Buried
GP114BA11H	11m MH Buried



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



GP114BA7H: 7m MH 1 Step Ø114mm & Ø76mm Buried



SPECIFICATIONS

Luminaire Colour	Galvanised
Dimensions	Ø114mm 4,000mm (L) x Ø76mm 4,000mm (L) x 7,000mm MH
Installation Type	Buried 1200mm
Ingress Protection	Coastal areas Suitable
Material	Hot Dip Galvanized Mild-Steel Round Tubing
Light Source	N/A
Power Supply	Refer to Cable Entry & Inspection Box

PRODUCT CODES

GP114BA2.5H	2.5m MH Buried
GP114BA3H	3m MH Buried
GP114BA4H	4m MH Buried
GP114BA5H	5m MH Buried
GP114BA6H	6m MH Buried
GP114BA7H	7m MH Buried
GP114BA8H	8m MH Buried
GP114BA9H	9m MH Buried
GP114BA10H	10m MH Buried
GP114BA11H	11m MH Buried




ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



GP114BA8H: 8m MH 1 Step Ø114mm & Ø76mm Buried



SPECIFICATIONS

Luminaire Colour	Galvanised
Dimensions	Ø114mm 4,000mm (L) x Ø76mm 5,000mm (L) x 8,000mm MH
Installation Type	Buried 1200mm
Ingress Protection	Coastal areas Suitable
Material	Hot Dip Galvanized Mild-Steel Round Tubing
Light Source	N/A
Power Supply	Refer to Cable Entry & Inspection Box

PRODUCT CODES

GP114BA2.5H	2.5m MH Buried
GP114BA3H	3m MH Buried
GP114BA4H	4m MH Buried
GP114BA5H	5m MH Buried
GP114BA6H	6m MH Buried
GP114BA7H	7m MH Buried
GP114BA8H	8m MH Buried
GP114BA9H	9m MH Buried
GP114BA10H	10m MH Buried
GP114BA11H	11m MH Buried




ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



GP114BA9H: 9m MH 1 Step Ø114mm & Ø76mm Buried



SPECIFICATIONS

Luminaire Colour	Galvanised
Dimensions	Ø114mm 6,000mm (L) x Ø76mm 4,000mm (L) x 9,000mm MH
Installation Type	Buried 1200mm
Ingress Protection	Coastal areas Suitable
Material	Hot Dip Galvanized Mild-Steel Round Tubing
Light Source	N/A
Power Supply	Refer to Cable Entry & Inspection Box

PRODUCT CODES

GP114BA2.5H	2.5m MH Buried
GP114BA3H	3m MH Buried
GP114BA4H	4m MH Buried
GP114BA5H	5m MH Buried
GP114BA6H	6m MH Buried
GP114BA7H	7m MH Buried
GP114BA8H	8m MH Buried
GP114BA9H	9m MH Buried
GP114BA10H	10m MH Buried
GP114BA11H	11m MH Buried



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



GP114BA10H: 10m MH 1 Step Ø114mm & Ø76mm Buried



SPECIFICATIONS

Luminaire Colour	Galvanised
Dimensions	Ø114mm 6,000mm (L) x Ø76mm 5,000mm (L) x 10,000mm MH
Installation Type	Buried 1200mm
Ingress Protection	Coastal areas Suitable
Material	Hot Dip Galvanized Mild-Steel Round Tubing
Light Source	N/A
Power Supply	Refer to Cable Entry & Inspection Box

PRODUCT CODES

GP114BA2.5H	2.5m MH Buried
GP114BA3H	3m MH Buried
GP114BA4H	4m MH Buried
GP114BA5H	5m MH Buried
GP114BA6H	6m MH Buried
GP114BA7H	7m MH Buried
GP114BA8H	8m MH Buried
GP114BA9H	9m MH Buried
GP114BA10H	10m MH Buried
GP114BA11H	11m MH Buried




ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



GP114BA11H: 11m MH 1 Step Ø114mm & Ø76mm Buried



SPECIFICATIONS

Luminaire Colour Galvanised
Dimensions Ø114mm 6,000mm (L) x Ø76mm 6,000mm (L) x 11,000mm MH
Installation Type Buried 1200mm
Ingress Protection Coastal areas Suitable
Material Hot Dip Galvanized Mild-Steel Round Tubing
Light Source N/A
Power Supply Refer to Cable Entry & Inspection Box

PRODUCT CODES

GP114BA2.5H	2.5m MH Buried
GP114BA3H	3m MH Buried
GP114BA4H	4m MH Buried
GP114BA5H	5m MH Buried
GP114BA6H	6m MH Buried
GP114BA7H	7m MH Buried
GP114BA8H	8m MH Buried
GP114BA9H	9m MH Buried
GP114BA10H	10m MH Buried
GP114BA11H	11m MH Buried



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



GP114PA2.5H: 2.5m MH 1 Step Ø114mm & Ø76mm Plinth Mounted



SPECIFICATIONS

Luminaire Colour	Galvanised
Dimensions	Ø114mm 1,500mm (L) x Ø76mm 1,000mm (L) x 2,500mm MH
Installation Type	Plinth Mounted
Ingress Protection	Coastal areas Suitable
Material	Hot Dip Galvanized Mild-Steel Round Tubing
Light Source	N/A
Power Supply	Refer to Cable Entry & Inspection Box

PRODUCT CODES

GP114PA2.5H	2.5m MH Buried
GP114PA3H	3m MH Buried
GP114PA4H	4m MH Buried
GP114PA5H	5m MH Buried
GP114PA6H	6m MH Buried
GP114PA7H	7m MH Buried
GP114PA8H	8m MH Buried
GP114PA9H	9m MH Buried
GP114PA10H	10m MH Buried
GP114PA11H	11m MH Buried




ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



GP114PA3H: 3m MH 1 Step Ø114mm & Ø76mm Plinth Mounted



SPECIFICATIONS

Luminaire Colour	Galvanised
Dimensions	Ø114mm 2,000mm (L) x Ø76mm 1,000mm (L) x 3,000mm MH
Installation Type	Plinth Mounted
Ingress Protection	Coastal areas Suitable
Material	Hot Dip Galvanized Mild-Steel Round Tubing
Light Source	N/A
Power Supply	Refer to Cable Entry & Inspection Box

PRODUCT CODES

GP114PA2.5H	2.5m MH Buried
GP114PA3H	3m MH Buried
GP114PA4H	4m MH Buried
GP114PA5H	5m MH Buried
GP114PA6H	6m MH Buried
GP114PA7H	7m MH Buried
GP114PA8H	8m MH Buried
GP114PA9H	9m MH Buried
GP114PA10H	10m MH Buried
GP114PA11H	11m MH Buried



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



GP114PA4H: 4m MH 1 Step Ø114mm & Ø76mm Plinth Mounted



SPECIFICATIONS

Luminaire Colour	Galvanised
Dimensions	Ø114mm 3,000mm (L) x Ø76mm 1,000mm (L) x 4,000mm MH
Installation Type	Plinth Mounted
Ingress Protection	Coastal areas Suitable
Material	Hot Dip Galvanized Mild-Steel Round Tubing
Light Source	N/A
Power Supply	Refer to Cable Entry & Inspection Box

PRODUCT CODES

GP114PA2.5H	2.5m MH Buried
GP114PA3H	3m MH Buried
GP114PA4H	4m MH Buried
GP114PA5H	5m MH Buried
GP114PA6H	6m MH Buried
GP114PA7H	7m MH Buried
GP114PA8H	8m MH Buried
GP114PA9H	9m MH Buried
GP114PA10H	10m MH Buried
GP114PA11H	11m MH Buried



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



GP114PA5H: 5m MH 1 Step Ø114mm & Ø76mm Plinth Mounted



SPECIFICATIONS

Luminaire Colour	Galvanised
Dimensions	Ø114mm 3,000mm (L) x Ø76mm 1,000mm (L) x 4,000mm MH
Installation Type	Plinth Mounted
Ingress Protection	Coastal areas Suitable
Material	Hot Dip Galvanized Mild-Steel Round Tubing
Light Source	N/A
Power Supply	Refer to Cable Entry & Inspection Box

PRODUCT CODES

GP114PA2.5H	2.5m MH Buried
GP114PA3H	3m MH Buried
GP114PA4H	4m MH Buried
GP114PA5H	5m MH Buried
GP114PA6H	6m MH Buried
GP114PA7H	7m MH Buried
GP114PA8H	8m MH Buried
GP114PA9H	9m MH Buried
GP114PA10H	10m MH Buried
GP114PA11H	11m MH Buried




ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



GP114PA6H: 6m MH 1 Step Ø114mm & Ø76mm Plinth Mounted



SPECIFICATIONS

Luminaire Colour	Galvanised
Dimensions	Ø114mm 3,000mm (L) x Ø76mm 3,000mm (L) x 6,000mm MH
Installation Type	Plinth Mounted
Ingress Protection	Coastal areas Suitable
Material	Hot Dip Galvanized Mild-Steel Round Tubing
Light Source	N/A
Power Supply	Refer to Cable Entry & Inspection Box

PRODUCT CODES

GP114PA2.5H	2.5m MH Buried
GP114PA3H	3m MH Buried
GP114PA4H	4m MH Buried
GP114PA5H	5m MH Buried
GP114PA6H	6m MH Buried
GP114PA7H	7m MH Buried
GP114PA8H	8m MH Buried
GP114PA9H	9m MH Buried
GP114PA10H	10m MH Buried
GP114PA11H	11m MH Buried



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



GP114PA7H: 7m MH 1 Step Ø114mm & Ø76mm Plinth Mounted



SPECIFICATIONS

Luminaire Colour	Galvanised
Dimensions	Ø114mm 4,000mm (L) x Ø76mm 3,000mm (L) x 4,000mm MH
Installation Type	Plinth Mounted
Ingress Protection	Coastal areas Suitable
Material	Hot Dip Galvanized Mild-Steel Round Tubing
Light Source	N/A
Power Supply	Refer to Cable Entry & Inspection Box

PRODUCT CODES

GP114PA2.5H	2.5m MH Buried
GP114PA3H	3m MH Buried
GP114PA4H	4m MH Buried
GP114PA5H	5m MH Buried
GP114PA6H	6m MH Buried
GP114PA7H	7m MH Buried
GP114PA8H	8m MH Buried
GP114PA9H	9m MH Buried
GP114PA10H	10m MH Buried
GP114PA11H	11m MH Buried




ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



GP114PA8H: 8m MH 1 Step Ø114mm & Ø76mm Plinth Mounted



SPECIFICATIONS

Luminaire Colour	Galvanised
Dimensions	Ø114mm 5,000mm (L) x Ø76mm 3,000mm (L) x 8,000mm MH
Installation Type	Plinth Mounted
Ingress Protection	Coastal areas Suitable
Material	Hot Dip Galvanized Mild-Steel Round Tubing
Light Source	N/A
Power Supply	Refer to Cable Entry & Inspection Box

PRODUCT CODES

GP114PA2.5H	2.5m MH Buried
GP114PA3H	3m MH Buried
GP114PA4H	4m MH Buried
GP114PA5H	5m MH Buried
GP114PA6H	6m MH Buried
GP114PA7H	7m MH Buried
GP114PA8H	8m MH Buried
GP114PA9H	9m MH Buried
GP114PA10H	10m MH Buried
GP114PA11H	11m MH Buried




ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



GP114PA9H: 9m MH 1 Step Ø114mm & Ø76mm Plinth Mounted



SPECIFICATIONS

Luminaire Colour	Galvanised
Dimensions	Ø114mm 5,000mm (L) x Ø76mm 4,000mm (L) x 4,000mm MH
Installation Type	Plinth Mounted
Ingress Protection	Coastal areas Suitable
Material	Hot Dip Galvanized Mild-Steel Round Tubing
Light Source	N/A
Power Supply	Refer to Cable Entry & Inspection Box

PRODUCT CODES

GP114PA2.5H	2.5m MH Buried
GP114PA3H	3m MH Buried
GP114PA4H	4m MH Buried
GP114PA5H	5m MH Buried
GP114PA6H	6m MH Buried
GP114PA7H	7m MH Buried
GP114PA8H	8m MH Buried
GP114PA9H	9m MH Buried
GP114PA10H	10m MH Buried
GP114PA11H	11m MH Buried



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



GP114PA10H: 10m MH 1 Step Ø114mm & Ø76mm Plinth Mounted



SPECIFICATIONS

Luminaire Colour	Galvanised
Dimensions	Ø114mm 6,000mm (L) x Ø76mm 4,000mm (L) x 10,000mm MH
Installation Type	Plinth Mounted
Ingress Protection	Coastal areas Suitable
Material	Hot Dip Galvanized Mild-Steel Round Tubing
Light Source	N/A
Power Supply	Refer to Cable Entry & Inspection Box

PRODUCT CODES

GP114PA2.5H	2.5m MH Buried
GP114PA3H	3m MH Buried
GP114PA4H	4m MH Buried
GP114PA5H	5m MH Buried
GP114PA6H	6m MH Buried
GP114PA7H	7m MH Buried
GP114PA8H	8m MH Buried
GP114PA9H	9m MH Buried
GP114PA10H	10m MH Buried
GP114PA11H	11m MH Buried




ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



GP114PA11H: 11m MH 1 Step Ø114mm & Ø76mm Plinth Mounted



SPECIFICATIONS

Luminaire Colour	Galvanised
Dimensions	Ø114mm 6,000mm (L) x Ø76mm 5,000mm (L) x 11,000mm MH
Installation Type	Plinth Mounted
Ingress Protection	Coastal areas Suitable
Material	Hot Dip Galvanized Mild-Steel Round Tubing
Light Source	N/A
Power Supply	Refer to Cable Entry & Inspection Box

PRODUCT CODES

GP114PA2.5H	2.5m MH Buried
GP114PA3H	3m MH Buried
GP114PA4H	4m MH Buried
GP114PA5H	5m MH Buried
GP114PA6H	6m MH Buried
GP114PA7H	7m MH Buried
GP114PA8H	8m MH Buried
GP114PA9H	9m MH Buried
GP114PA10H	10m MH Buried
GP114PA11H	11m MH Buried



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



JBC20: GP114 Bolt Cage



SPECIFICATIONS

Luminaire Colour	Galvanised
Dimensions	20mm x 500mm
Installation Type	Casted
Ingress Protection	Coastal areas Suitable
Material	Stainless Steel
Light Source	N/A
Power Supply	N/A

PRODUCT CODES

JBC12	12mm x 500mm
JBC20	20mm x 500mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za