



BRCK02: PR Wall Bracket



SPECIFICATIONS

Luminaire Colour Matte White
Dimensions 387mm Wall-End of Shade x 443mm (H) x 275mm (D)
Installation Type
Ingress Protection 44
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

BRCK02	Matte White / Matte Black / Green
BRCK14	Brushed Aluminium/Brass/Bronze
BRCK67	Metallic Copper / Rust



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK15: BK Wall Light



SPECIFICATIONS

Luminaire Colour Brushed Aluminium
Dimensions 440mm (D) x 443mm (H)
Installation Type
Ingress Protection 44
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

BRCK03	Matte White / Matte Black / Green
BRCK15	Brushed Aluminium/Brass/Bronze
BRCK35	Metallic Copper / Rust



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK22: Industrial Wall Bracket



SPECIFICATIONS

Luminaire Colour Raw Aluminium
Dimensions 750mm (L) x 500mm (H)
Installation Type
Ingress Protection 44
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

BRCK22	Matte White / Matte Black / Green
BRCK104	Brushed Aluminium/Brass/Bronze
Brck105	Metallic Copper / Rust



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK24: Sun Wall Bracket



SPECIFICATIONS

Luminaire Colour Brushed Aluminium
Dimensions 200mm (L) x 443mm (H)
Installation Type
Ingress Protection 44
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

BRCK23	Matte White / Matte Black / Green
BRCK24	Brushed Aluminium/Brass/Bronze
BRCK27	Metallic Copper / Rust



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK31: Pinnacle Point Wall Bracket



SPECIFICATIONS

Luminaire Colour Brushed Aluminium
Dimensions Dimensions on Request
Installation Type
Ingress Protection 44
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

BRCK31

Brushed Aluminium/Brass / Bronze



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK46: Up/Down Round Tube Wall Bracket



SPECIFICATIONS

Luminaire Colour RN Silver
Dimensions Ø76mm x 260mm
Installation Type Surface Mounted
Ingress Protection IP 65
Material Aluminium
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

BRCK46

Ø76mm x 260mm x 140mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK48: Cage Wall Bracket



SPECIFICATIONS

Luminaire Colour RN Silver
Dimensions 200mm from Wall to Shade x 100mm (D) x 120mm (H)
Installation Type
Ingress Protection 44
Material Aluminium & Steel
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

BRCK48

RN Silver



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK57: Bell Cage Wall Light



SPECIFICATIONS

Luminaire Colour Sandpaper Black
Dimensions 300mm (D) x 520mm (H) x 410mm Depth
Installation Type
Ingress Protection 44
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

BRCK57	Sandpaper Black / Green / Matte White
BRCK69	Brushed Aluminium/Brass
BRCK78	Metallic Copper / Rust



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK58: Sun Cage Wall Light



SPECIFICATIONS

Luminaire Colour Red Rust
Dimensions 200mm (L) x 443mm (H) x 245mm (D)
Installation Type
Ingress Protection 54
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

BRCK97	Sandpaper Black / Green / Matte White
BRCK98	Brushed Aluminium/Brass/Copper
BRCK58	Metallic Copper / Rust



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK79: FD Wall Light



SPECIFICATIONS

Luminaire Colour Sandpaper Black
Dimensions 150mm (L) x 65mm (H) x 90mm (W)
Installation Type
Ingress Protection 54
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

BRCK79

Sandpaper Black



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK80: Cage Wall Bracket



SPECIFICATIONS

Luminaire Colour Sandpaper Black
Dimensions 100mm (D) Base, 200mm Long Arm x 80mm Depth of Bracket, 240mm (D) Shade x 270mm (H)
Installation Type
Ingress Protection 54
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

BRCK80

Sandpaper Black



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK13: Sun Wall Bracket



SPECIFICATIONS

Luminaire Colour Brushed Aluminium
Dimensions 200mm (L) x 443mm (H)
Installation Type
Ingress Protection 44
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

BRCK01	Matte White / Sandpaper Black / Green
BRCK13	Brushed Aluminium/Brass/Copper
BRCK33	Metallic Copper / Rust



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



SPOTWB001: Spotlight Wall Bracket



SPECIFICATIONS

Luminaire Colour RN Silver
Dimensions 240mm Rod x 60mm Cup x 120mm (D) Shade
Installation Type
Ingress Protection 65
Material Aluminium
Light Source GU10
Power Supply 220-240V 50-60Hz

PRODUCT CODES

SPOTWB001

RN Silver



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za

MADE IN SOUTH AFRICA ARC Lighting CC registered in South Africa No. 1994/011049/23 | VAT Reg. 4830143071



LS362: Surface Downlighter



SPECIFICATIONS

Luminaire Colour RN Silver
Dimensions
Installation Type
Ingress Protection 54
Material Aluminium
Light Source GU10
Power Supply 230V 50Hz

PRODUCT CODES

LS362

IP 54 Surface Downlighter



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



LS364: Up/Down Wall Light



SPECIFICATIONS

Luminaire Colour Powder Coated RN Silver
Dimensions 65mm Diameter x 170mm High x 120mm Deep, 90mm Diameter Round Bracket
Installation Type
Ingress Protection 65
Material Aluminium
Light Source GU10
Power Supply 230v 50HZ

PRODUCT CODES

LS364

Up / Down Wall Light



ARC Lighting CC


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK100AB: Nova Industrial Wall Bracket



SPECIFICATIONS

Luminaire Colour Antique Brass
Dimensions Shade: 445mm Diameter x 210mm High
Installation Type
Ingress Protection 44
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK100AB

Nova Industrial Wall Bracket



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK54: Bell Wall Light



SPECIFICATIONS

Luminaire Colour Rust
Dimensions 435mm Diameter x 443mm High
Installation Type
Ingress Protection 44
Material Aluminium
Light Source E27
Power Supply 230V 50Hz

PRODUCT CODES

BRCK54

Bell Wall Light



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK62: Up/Down Square Tubing Wall Light



SPECIFICATIONS

Luminaire Colour Charcoal (can request any colour)
Dimensions 100mm x 100mm x 300mm High x 50mm Deep Bracket
Installation Type
Ingress Protection 54
Material Aluminium
Light Source 2 x GU10, 220V 50W Max
Power Supply 230V 50Hz

PRODUCT CODES

BRCK62

Up/Down Square Tubing Wall Light



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK500MK: Roman Wall Light



SPECIFICATIONS

Luminaire Colour Matte Black
Dimensions 350mm (D) x 230mm (H) x 750mm from Wall to Shade
Installation Type
Ingress Protection 44
Material Aluminium
Light Source E27
Power Supply 220-240V 50-60Hz

PRODUCT CODES

BRCK500MK

Matte Black



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK80.2: Cage Wall Light Square Arm



SPECIFICATIONS

Luminaire Colour Orange
Dimensions
Installation Type
Ingress Protection 44
Material Aluminium & Mild Steel
Light Source E27
Power Supply 220-240V, 50-60Hz

PRODUCT CODES

BRCK80.2

E27



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092
sales@arclighting.co.za | www.arclighting.co.za



BRCK26: Up / Down Round Tube Wall Light



SPECIFICATIONS

Luminaire Colour Matte Black
Dimensions 89mm (D) x 250mm (H) x 130mm (D)
Installation Type
Ingress Protection 20
Material Aluminium
Light Source 2 x 10W 4K COB LED
Power Supply 220-240V 50-60Hz

PRODUCT CODES

BRCK26

2 x Integrated LED 4000K



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



BRCK212: LED Exterior Wall Light



SPECIFICATIONS

Luminaire Colour Powder Coated Sandpaper Black
Dimensions 120mm x 1800mm
Installation Type Surface Mounted
Ingress Protection IP68
Material Aluminium
Light Source 24V DC LED Strip
Power Supply 220-240V AC | 50-60Hz

PRODUCT CODES

BRCK212

120mm x 1800mm



ARC Lighting CC

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za