




## PEN010: GM Pendant DC Top



### SPECIFICATIONS

Luminaire Colour Matt Black  
Dimensions Ø210mm x 350mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN010**

Ø210mm x 350mm



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN013.1MKMB: Small KL Pendant

pen013.1mkmb

### SPECIFICATIONS

Luminaire Colour Matt Black & Metallic Brass  
Dimensions Ø310mm x 170mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

|                 |                |
|-----------------|----------------|
| <b>PEN013.1</b> | Ø310mm x 170mm |
| <b>PEN013.2</b> | Ø315mm x 230mm |
| <b>PEN013.3</b> | Ø500mm x 190mm |



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN64SCO: Dome Pendant



### SPECIFICATIONS

Luminaire Colour Shiny Copper  
Dimensions Ø420mm x 200mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

|                |                |
|----------------|----------------|
| <b>PEN64</b>   | Ø420mm x 200mm |
| <b>PEN64.1</b> | Ø160mm x 100mm |
| <b>PEN64.2</b> | Ø185mm x 125mm |
| <b>PEN64.3</b> | Ø250mm x 110mm |
| <b>PEN64.4</b> | Ø305mm x 160mm |
| <b>PEN64.6</b> | Ø600mm x 300mm |



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN024: BS Pendant



### SPECIFICATIONS

Luminaire Colour Matt Black / Shiny Copper  
Dimensions Ø400mm x 400mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN024**

Ø400mm x 400mm



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN030: Crown Pendant



### SPECIFICATIONS

Luminaire Colour Matt Black  
Dimensions Ø250mm x Ø160mm x 280mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN030**

Ø250mm x Ø160mm x 280mm



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN013.2: Medium KL Pendant



### SPECIFICATIONS

Luminaire Colour Shiny Brass  
Dimensions 315mm Diameter x 230mm High  
Installation Type Surface Mounted  
Ingress Protection 20  
Material Aluminium  
Light Source E27  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

|                 |                     |
|-----------------|---------------------|
| <b>PEN013.1</b> | Ø310mm x 170mm High |
| <b>PEN013.2</b> | Ø315mm x 230mm High |
| <b>PEN013.3</b> | Ø500mm x 190mm High |



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN037: Canister Pendant



### SPECIFICATIONS

Luminaire Colour Matt Black  
Dimensions Ø140mm x 200mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN037**

Ø140mm x 200mm



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN042: Bedroom Pendant



### SPECIFICATIONS

Luminaire Colour Brushed Copper  
Dimensions Ø190mm x 180mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN042**

Ø190mm x 180mm



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN019: Small Industrial Pendant



### SPECIFICATIONS

Luminaire Colour Cream Exterior / Polished Copper Interior  
Dimensions 360mm Diameter x 240mm High  
Installation Type Surface Mounted  
Ingress Protection 20  
Material Aluminium  
Light Source E27  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

|                |                                                       |
|----------------|-------------------------------------------------------|
| <b>PEN044</b>  | White/Black/Green Exterior & Polished Copper Interior |
| <b>PEN0443</b> | Cream Exterior & Polished Copper Interior             |
| <b>PEN048</b>  | Polished Copper/Brass                                 |



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN05: BK Pendant



### SPECIFICATIONS

Luminaire Colour Brushed Aluminium  
Dimensions Ø380mm x 160mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder / COB LED  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

|                |                |
|----------------|----------------|
| <b>PEN05.1</b> | Ø380mm x 160mm |
| <b>PEN05.2</b> | Ø435mm x 180mm |



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN21: HB Pendant



### SPECIFICATIONS

Luminaire Colour Brushed Aluminium  
Dimensions Ø325mm x 350mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder / LED COB  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN21**

Ø325mm x 350mm



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN23: GM Pendant



### SPECIFICATIONS

Luminaire Colour Brushed Aluminium  
Dimensions Ø210mm x 300mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN23**

Ø210mm x 300mm



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN28.2: Cone Pendant



### SPECIFICATIONS

Luminaire Colour Brushed Aluminium  
Dimensions Ø160mm x 270mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

|         |                |
|---------|----------------|
| PEN28.1 | Ø120mm x 240mm |
| PEN28.2 | Ø160mm x 270mm |



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN33: BL Pendant



### SPECIFICATIONS

Luminaire Colour Dark Charcoal  
Dimensions Ø590mm x 330mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN33**

Ø590mm x 330mm



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN01.2: PR Pendant



### SPECIFICATIONS

Luminaire Colour Polished Chrome Exterior / White Interior  
Dimensions 275mm Diameter x 200mm High  
Installation Type Surface Mounted  
Ingress Protection 20  
Material Aluminium  
Light Source E27  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

|                |                     |
|----------------|---------------------|
| <b>PEN01.1</b> | Ø275mm x 200mm High |
| <b>PEN01.2</b> | Ø430mm x 225mm High |



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN40.1: AR Pendant



### SPECIFICATIONS

Luminaire Colour Brushed Aluminium  
Dimensions Ø245mm x 210mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

|                |                |
|----------------|----------------|
| <b>PEN40.1</b> | Ø245mm x 210mm |
| <b>PEN40.2</b> | Ø330mm x 320mm |



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN59: FM Pendant Flat Top



### SPECIFICATIONS

Luminaire Colour Red  
Dimensions Ø440mm x 340mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

|                  |                                  |
|------------------|----------------------------------|
| <b>PEN59</b>     | Ø440mm x 340mm                   |
| <b>PEN59.SRT</b> | Ø440mm x 340mm (Small Round Top) |
| <b>PEN59.RT</b>  | Ø440mm x 340mm (Round Top)       |



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN59.SRT: FM Pendant Small Round Top



### SPECIFICATIONS

Luminaire Colour Matt White & Shiny Chrome  
Dimensions Ø440mm x 340mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

|                  |                                  |
|------------------|----------------------------------|
| <b>PEN59</b>     | Ø440mm x 340mm                   |
| <b>PEN59.SRT</b> | Ø440mm x 340mm (Small Round Top) |
| <b>PEN59.RT</b>  | Ø440mm x 340mm (Round Top)       |



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN59.RT: FM Pendant Round Top



### SPECIFICATIONS

Luminaire Colour Brushed Aluminium  
Dimensions Ø440mm x 340mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

|                  |                                  |
|------------------|----------------------------------|
| <b>PEN59</b>     | Ø440mm x 340mm                   |
| <b>PEN59.SRT</b> | Ø440mm x 340mm (Small Round Top) |
| <b>PEN59.RT</b>  | Ø440mm x 340mm (Round Top)       |



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN61: Bell Pendant



### SPECIFICATIONS

Luminaire Colour Lime Green  
Dimensions Ø435mm x 270mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN61Z**

Ø435mm x 270mm



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN64MW: Dome Pendant with Lip



### SPECIFICATIONS

Luminaire Colour Matt White  
Dimensions Ø420mm x 200mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

|                |                |
|----------------|----------------|
| <b>PEN64</b>   | Ø420mm x 200mm |
| <b>PEN64.1</b> | Ø160mm x 100mm |
| <b>PEN64.2</b> | Ø185mm x 125mm |
| <b>PEN64.3</b> | Ø250mm x 110mm |
| <b>PEN64.4</b> | Ø305mm x 160mm |
| <b>PEN64.6</b> | Ø600mm x 300mm |



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## PEN64BB: Dome Pendant



### SPECIFICATIONS

Luminaire Colour Brushed Brass  
Dimensions Ø420mm x 200mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

|                |                |
|----------------|----------------|
| <b>PEN64</b>   | Ø420mm x 200mm |
| <b>PEN64.1</b> | Ø160mm x 100mm |
| <b>PEN64.2</b> | Ø185mm x 125mm |
| <b>PEN64.3</b> | Ø250mm x 110mm |
| <b>PEN64.4</b> | Ø305mm x 160mm |
| <b>PEN64.6</b> | Ø600mm x 300mm |



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN98: GM Pendant



## SPECIFICATIONS

Luminaire Colour Brushed Aluminium  
Dimensions 210mm Diameter x 300mm High  
Installation Type  
Ingress Protection 20  
Material Aluminium  
Light Source E27 Lampholder / LED COB  
Power Supply 220-240V 50-60Hz

## PRODUCT CODES

|              |                                                |
|--------------|------------------------------------------------|
| <b>PEN23</b> | White/Black/Green                              |
| <b>PEN25</b> | Brushed Aluminium/Brass/Bronze/Titanium Silver |
| <b>PEN98</b> | Metallic & Antique Copper/Brass/Rust           |



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

[sales@arclighting.co.za](mailto:sales@arclighting.co.za) | [www.arclighting.co.za](http://www.arclighting.co.za)



## PEN112: AP Pendant



### SPECIFICATIONS

Luminaire Colour Blue  
Dimensions Ø270mm x 270mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN112**

Ø270mm x 270mm



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN130: DC Pendant



### SPECIFICATIONS

Luminaire Colour Matt Black & White  
Dimensions Ø430mm x 500mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN130**

Ø430mm x 500mm



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN151: Industrial Sun Dome Pendant



### SPECIFICATIONS

Luminaire Colour Brushed Aluminium  
Dimensions 425mm Diameter x 340mm High  
Installation Type  
Ingress Protection 20  
Material Aluminium  
Light Source E27  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

|               |                                                |
|---------------|------------------------------------------------|
| <b>PEN151</b> | White/Black/Green                              |
| <b>PEN152</b> | Brushed Aluminium/Brass/Bronze/Titanium Silver |
| <b>PEN153</b> | Metallic & Antique Copper/Brass/Rust           |



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

[sales@arclighting.co.za](mailto:sales@arclighting.co.za) | [www.arclighting.co.za](http://www.arclighting.co.za)



## PEN154MKSCO: LN Dome Pendant

pen154mksco

### SPECIFICATIONS

Luminaire Colour Matt Black & Shiny Copper  
Dimensions Ø420mm x 330mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN154**

Ø420mm x 330mm



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN162: CH Pendant



### SPECIFICATIONS

Luminaire Colour Matt Black  
Dimensions Ø300mm x 275mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN162**

Ø300mm x 275mm



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN165: FT Pendant



### SPECIFICATIONS

Luminaire Colour Brushed Aluminium  
Dimensions Ø350mm x 200mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder / LED COB  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN165**

Ø350mm x 200mm



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN170: Ripple Industrial Pendant



### SPECIFICATIONS

Luminaire Colour Rust  
Dimensions 445mm Diameter x 320mm High  
Installation Type Surface Mounted  
Ingress Protection 20  
Material Aluminium  
Light Source E27  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

|               |                                                |
|---------------|------------------------------------------------|
| <b>PEN168</b> | White/Black/Green                              |
| <b>PEN169</b> | Brushed Aluminium/Brass/Bronze/Titanium Silver |
| <b>PEN170</b> | Metallic & Antique Copper/Brass/Rust           |



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

[sales@arclighting.co.za](mailto:sales@arclighting.co.za) | [www.arclighting.co.za](http://www.arclighting.co.za)



## PEN179: BM Pendant



### SPECIFICATIONS

Luminaire Colour Traffic Red  
Dimensions Ø250mm x 220mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN179TR**

Ø250mm x 220mm



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN183.1: Slanted CM Pendant



### SPECIFICATIONS

Luminaire Colour Matt Black & Metallic Copper  
Dimensions Ø95mm x 260mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source GU10 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

|                 |                                       |
|-----------------|---------------------------------------|
| <b>PEN183.1</b> | Ø95mm x 260mm / 250mm / 350mm / 450mm |
| <b>PEN183.2</b> | Ø127mm x 650mm                        |



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN182: HR Pendant



### SPECIFICATIONS

Luminaire Colour Gloss Yellow  
Dimensions Ø270mm x 192mm (H)  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN182**

Ø270mm x 192mm (H)



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN188: Nova Industrial Pendant



### SPECIFICATIONS

Luminaire Colour Brushed Aluminium / White  
Dimensions Ø445mm x 265mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN188**

Ø445mm x 265mm



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa


Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za

MADE IN SOUTH AFRICA ARC Lighting CC registered in South Africa No. 1994/011049/23 | VAT Reg. 4830143071



## PEN228: FN Pendant



### SPECIFICATIONS

Luminaire Colour Matt Black / Metallic Copper  
Dimensions Ø250mm x 230mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder / COB LED  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN228**

Ø250mm x 230mm



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN241: Hazelnut Pendant



### SPECIFICATIONS

Luminaire Colour Rust & Matt Black  
Dimensions Ø185mm x 180mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN241**

Ø185mm x 180mm



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN243: SP Pendant



### SPECIFICATIONS

Luminaire Colour Matt Black / White  
Dimensions ø 600mm (D) x 50mm (H)  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN243**

Matt Black Exterior / White Interior



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN183.2: Slanted CM Pendant



### SPECIFICATIONS

Luminaire Colour Matt Black & Metallic Brass  
Dimensions Ø127mm x 650mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

|                 |                |
|-----------------|----------------|
| <b>PEN183.1</b> | Ø95mm x 260mm  |
| <b>PEN183.2</b> | Ø127mm x 650mm |



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN306: Cylindrical Pendant



### SPECIFICATIONS

Luminaire Colour Brushed Aluminium  
Dimensions Ø130mm x 450mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN306**

Ø130mm x 450mm



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN310: Large BM Pendant with Top



### SPECIFICATIONS

Luminaire Colour Matt Black / Shiny Copper  
Dimensions Ø420mm x 250mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN310MKSCO**

Ø420mm x 250mm



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN303SCO: CB Pendant



### SPECIFICATIONS

Luminaire Colour Shiny Copper  
Dimensions Ø145mm x 180mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN303SCO**

Ø145mm x 180mm



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN405: LD Pendant



### SPECIFICATIONS

Luminaire Colour Metallic Copper & Matt White  
Dimensions Ø300mm x 300mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN405**

Ø300mm x 300mm



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN406.2SKBCSW: HP Pendant

pen406.2skbcsw

### SPECIFICATIONS

Luminaire Colour Satin Black Exterior, Brushed Copper Top / Satin White Interior  
Dimensions Ø510mm x 330mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder / LED COB  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

|                 |                       |
|-----------------|-----------------------|
| <b>PEN406.1</b> | 420mm (D) x 320mm (H) |
| <b>PEN406.2</b> | 510mm (D) x 330mm (H) |
| <b>PEN406.3</b> | 700mm (D) x 330mm (H) |



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN432: Chinese Hat Pendant



### SPECIFICATIONS

Luminaire Colour Brushed Brass  
Dimensions Ø445mm x 200mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN432BB**

Ø445mm x 200mm



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN408: Drum Pendant



### SPECIFICATIONS

Luminaire Colour Matt Black  
Dimensions Ø480mm x 80mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium & Perspex  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

|                 |               |
|-----------------|---------------|
| <b>PEN408.1</b> | Ø330mm x 90mm |
| <b>PEN408.2</b> | Ø480mm x 90mm |
| <b>PEN408.3</b> | Ø645mm x 90mm |



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN408.2: Drum Pendant



### SPECIFICATIONS

Luminaire Colour Matt Black  
Dimensions Ø480mm x 300mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium & Perspex  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

|                 |               |
|-----------------|---------------|
| <b>PEN408</b>   | Ø480mm x 90mm |
| <b>PEN408.1</b> | Ø330mm x 90mm |
| <b>PEN408.2</b> | Ø480mm x 90mm |
| <b>PEN408.3</b> | Ø645mm x 90mm |



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN013.3MW: Large KL Pendant



### SPECIFICATIONS

Luminaire Colour Matt White  
Dimensions 500mm Diameter x 190mm High  
Installation Type Surface Mounted  
Ingress Protection 20  
Material Aluminium  
Light Source E27  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

|                 |                     |
|-----------------|---------------------|
| <b>PEN013.1</b> | Ø310mm x 170mm High |
| <b>PEN013.2</b> | Ø315mm x 230mm High |
| <b>PEN013.3</b> | Ø500mm x 190mm High |



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN428: Galaxy Pendant



### SPECIFICATIONS

Luminaire Colour Metallic Silver Grey  
Dimensions Ø360mm x 400mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium & Wood  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

|                 |                |
|-----------------|----------------|
| <b>PEN428</b>   | Ø360mm x 400mm |
| <b>PEN428.1</b> | Ø430mm x 440mm |



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN435: Iris Pendant



### SPECIFICATIONS

Luminaire Colour Traffic Red  
Dimensions Ø310mm x 240mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN435**

Ø310mm x 240mm




**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa  
Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092  
sales@arclighting.co.za | www.arclighting.co.za



## PEN438: Jasmine Pendant



### SPECIFICATIONS

Luminaire Colour Matt Black & Metallic Copper  
Dimensions Ø420mm x 270mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN438**

Ø420mm x 270mm



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN500: Roman Pendant



### SPECIFICATIONS

Luminaire Colour Traffic Red / Matt White  
Dimensions Ø350mm x 230mm  
Installation Type Surface Mounted  
Ingress Protection 20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN500**

Ø350mm x 230mm



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN418: AB Pendant



### SPECIFICATIONS

Luminaire Colour Matt White  
Dimensions Ø290mm x 135mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN418**

Ø290mm x 135mm



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN600: Barn Pendant



### SPECIFICATIONS

Luminaire Colour Brushed Aluminium  
Dimensions Ø400mm x 220mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN600**

Ø400mm x 220mm



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN440: Elektra Pendant



### SPECIFICATIONS

Luminaire Colour Matt Black & White  
Dimensions Ø420mm x 280mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN440**

Ø420mm x 280mm



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN303SB: CB Pendant



### SPECIFICATIONS

Luminaire Colour Shiny Brass  
Dimensions Ø145mm x 180mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN303SB**

Ø145mm x 180mm



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN154MWSCO: LN Dome Pendant

pen154mwSCO

### SPECIFICATIONS

Luminaire Colour Matt White & Shiny Copper  
Dimensions Ø420mm x 330mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN154**

Ø420mm x 330mm



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN454: Flower Pot Pendant



### SPECIFICATIONS

Luminaire Colour Gloss White  
Dimensions Ø420mm x 200mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN454**

Ø420mm x 200mm



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN023: CM Pendant



### SPECIFICATIONS

Luminaire Colour Sandpaper Black  
Dimensions Ø95mm x 300mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source GU10 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

|               |                |
|---------------|----------------|
| <b>PEN023</b> | Ø95mm x 300mm  |
| <b>PEN023</b> | Ø60mm x 300mm  |
| <b>PEN023</b> | Ø76mm x 300mm  |
| <b>PEN023</b> | Ø100mm x 300mm |
| <b>PEN023</b> | Ø127mm x 300mm |



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN406.1SKBASW: HP Pendant

pen406.1skbasw

### SPECIFICATIONS

Luminaire Colour Satin Black Exterior, Brushed Aluminium Top / Satin White Interior  
Dimensions Ø420mm x 330mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder / LED COB  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

|                 |                |
|-----------------|----------------|
| <b>PEN406.1</b> | Ø420mm x 330mm |
| <b>PEN406.2</b> | Ø510mm x 330mm |
| <b>PEN406.3</b> | Ø700mm x 330mm |



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN513: Neptune Pendant



### SPECIFICATIONS

Luminaire Colour Matt Black  
Dimensions Ø225mm x 200mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN513MK**

Ø225mm x 200mm



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN512.1BA: Bullet Pendant

pen512.1ba

### SPECIFICATIONS

Luminaire Colour Brushed Aluminium  
Dimensions Ø310mm x 270mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder or LED  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

|                 |                |
|-----------------|----------------|
| <b>PEN512.1</b> | Ø310mm x 270mm |
| <b>PEN512.2</b> | Ø333mm x 365mm |



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN512.2BB: Bullet Pendant

pen512.2bb

### SPECIFICATIONS

Luminaire Colour Brushed Brass  
Dimensions Ø333mm x 365mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder or LED  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

|                 |                |
|-----------------|----------------|
| <b>PEN512.1</b> | Ø310mm x 270mm |
| <b>PEN512.2</b> | Ø333mm x 365mm |



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN512.1SK: Bullet Pendant



### SPECIFICATIONS

Luminaire Colour Sandpaper Black  
Dimensions Ø310mm x 270mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder or LED  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

|                 |                |
|-----------------|----------------|
| <b>PEN512.1</b> | Ø310mm x 270mm |
| <b>PEN512.2</b> | Ø333mm x 365mm |



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN512.2BC: Bullet Pendant



### SPECIFICATIONS

Luminaire Colour Brushed Copper  
Dimensions Ø333mm x 365mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder or LED  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

|                 |                |
|-----------------|----------------|
| <b>PEN512.1</b> | Ø310mm x 270mm |
| <b>PEN512.2</b> | Ø333mm x 365mm |



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN512.2SK: Bullet Pendant

pen512.2sk

### SPECIFICATIONS

Luminaire Colour Sandpaper Black  
Dimensions Ø333mm x 365mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder or LED  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

|                 |                |
|-----------------|----------------|
| <b>PEN512.1</b> | Ø310mm x 270mm |
| <b>PEN512.2</b> | Ø333mm x 365mm |



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | [www.arclighting.co.za](http://www.arclighting.co.za)



## PEN512.1MB: Bullet Pendant

pen512.1mb

### SPECIFICATIONS

Luminaire Colour Metallic Brass  
Dimensions Ø310mm x 270mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder or LED  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

|                 |                |
|-----------------|----------------|
| <b>PEN512.1</b> | Ø310mm x 270mm |
| <b>PEN512.2</b> | Ø333mm x 365mm |



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN01.1: PR Classic Pendant



### SPECIFICATIONS

Luminaire Colour Matt Black / Matt White  
Dimensions 430mm Diameter x 225mm High  
Installation Type Surface Mounted  
Ingress Protection 20  
Material Aluminium  
Light Source E27  
Power Supply 220-240V 50-60Hz

### PRODUCT CODES

|                |                    |
|----------------|--------------------|
| <b>PEN01.1</b> | PR Classic Pendant |
| <b>PEN01.2</b> | PR Pendant         |



**ARC Lighting CC**


12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za



## PEN19MWBT: Industrial Pendant



### SPECIFICATIONS

Luminaire Colour Matt White & Black Trim  
Dimensions Ø445mm x 320mm  
Installation Type Surface Mounted  
Ingress Protection IP20  
Material Aluminium  
Light Source E27 Lampholder  
Power Supply 220-240V AC | 50-60Hz

### PRODUCT CODES

**PEN19**

Ø445mm x 320mm



**ARC Lighting CC**

12 Goud Crescent, Brackenfell Industrial, Cape Town, 7560, South Africa

Tel: +27 (0)21 981 0539 | Fax: +27 (0)21 981 1092

sales@arclighting.co.za | www.arclighting.co.za